

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
020103	1 3/16"	Royersford	PBE-920-1 3/16	G,Z
020104	1 1/4"	Royersford	PBE-920-1 1/4	H
020106	1 3/8"	Royersford	PBE-920-1 3/8	J
020107	1 7/16"	Royersford	PBE-920-1 7/16	J
	1 7/16"	Royersford	PB-900-1 7/16	L,X,1
	1 7/16"	Royersford	SPB-1000NE-1 7/16	L,M,1,2
020108	1 1/2"	Royersford	PBE-920- 1 1/2	J
020110	1 5/8"	Royersford	PBE-920-1 5/8	J
	1 5/8"	Royersford	PB-900-1 5/8	L,X,1
020111	1 11/16"	Royersford	PBE-920-1 11/16	J
	1 11/16"	Royersford	PB-900-1 11/16	L,X,1
	1 11/16"	Royersford	SPB-1000NE-1 11/16	L,M,1,2
020112	1 3/4"	Royersford	PBE-920-1 3/4	L
020114	1 7/8"	Royersford	PB-900-1 7/8	L,X,1
020115	1 15/16"	Royersford	PBE-920-1 15/16	L
	1 15/16"	Royersford	PB-900-1 15/16	L,X,1
	1 15/16"	Royersford	SPB-1000NE-1 15/16	L,M,1,2
	1 15/16"	Royersford	SPB-1100NE-1 15/16	L,X,1,2,4
020200	2"	Royersford	PBE-920-2	L
	2"	Royersford	PB-900-2	L,X,1
	2"	Royersford	SPB-1000NE-2	L,M,1,2
	2"	Royersford	SPB-1100NE-2	L,X,1,2,4
020203	2 3/16"	Royersford	PBE-920-2 3/16	L
	2 3/16"	Royersford	PB-900-2 3/16	L,X,1
	2 3/16"	Royersford	SPB-1000NE-2 3/16	L,M,1,2
	2 3/16"	Royersford	SPB-1100NE-2 3/16	L,X,1,2,4
020211	2 11/16"	Royersford	PBE-920-2 11/16	L
020212	2 3/4"	Royersford	PBE-920-2 3/4	L
020215	2 15/16"	Royersford	PBE-920-2 15/16	L
020300	3"	Royersford	PBE-920-3	L
020303	3 3/16"	Royersford	PBE-920-3 3/16	L,X
	3 3/16"	Royersford	PB-950NE-3 3/16	M,1,3,4
020307	3 7/16"	Royersford	PBE-920-3 7/16	L,X
020308	3 1/2"	Royersford	PBE-920-3 1/2	L,X
023000	1 3/16"	Dodge	PBE-920-1 3/16	J,Y
023001	1 1/4"	Dodge	PBE-920-1 1/4	J,Y
023002	1 3/8"	Dodge	PBE-920-1 3/8	L,X
023003	1 7/16"	Dodge	PB-900-1 7/16	L,1
	1 7/16"	Dodge	PBE-920-1 7/16	L,X
	1 7/16"	Dodge	SPB-1000NE-1 7/16	L,M,1,2
023004	1 1/2"	Dodge	PBE-920- 1 1/2	J,X
023005	1 5/8"	Dodge	PB-900-1 5/8	L,1
	1 5/8"	Dodge	PBE-920-1 5/8	J,X
023006	1 11/16"	Dodge	PB-900-1 11/16	L,1
	1 11/16"	Dodge	PBE-920-1 11/16	J,X
	1 11/16"	Dodge	SPB-1000NE-1 11/16	L,M,1,2
023007	1 3/4"	Dodge	PBE-920-1 3/4	L,X
023008	1 7/8"	Dodge	PB-900-1 7/8	L,1
023009	1 15/16"	Dodge	PB-900-1 15/16	L,1
	1 15/16"	Dodge	PBE-920-1 15/16	L,X
	1 15/16"	Dodge	SPB-1000NE-1 15/16	L,M,1,2
	1 15/16"	Dodge	SPB-1100NE-1 15/16	L,1,2,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023010	2"	Dodge	PB-900-2	L,1
	2"	Dodge	PBE-920-2	L,X
	2"	Dodge	SPB-1000NE-2	L,M,1,2
	2"	Dodge	SPB-1100NE-2	L,1,2,4
023011	2 3/16"	Dodge	PBE-920-2 3/16	L,X
023015	2 11/16"	Dodge	PBE-920-2 11/16	L,X
023016	2 3/4"	Dodge	PBE-920-2 3/4	L,X
023017	2 15/16"	Dodge	PBE-920-2 15/16	L,X
023018	3"	Dodge	PBE-920-3	L,X
023019	3 3/16"	Dodge	PB-950NE-3 3/16	G,M,1,3,4
023047	1 3/16"	Dodge	PBE-920-1 3/16	J,Y,4
023048	1 1/4"	Dodge	PBE-920-1 1/4	J,Y,4
023049	1 3/8"	Dodge	PBE-920-1 3/8	L,X,4
023050	1 7/16"	Dodge	PB-900-1 7/16	L,1,4
	1 7/16"	Dodge	PBE-920-1 7/16	L,X,4
	1 7/16"	Dodge	SPB-1000NE-1 7/16	L,M,1,2,4
023051	1 1/2"	Dodge	PBE-920- 1 1/2	J,X,4
023052	1 5/8"	Dodge	PB-900-1 5/8	L,1,4
	1 5/8"	Dodge	PBE-920-1 5/8	J,X,4
023053	1 11/16"	Dodge	PB-900-1 11/16	L,1,4
	1 11/16"	Dodge	PBE-920-1 11/16	J,X,4
	1 11/16"	Dodge	SPB-1000NE-1 11/16	L,M,1,2,4
023054	1 3/4"	Dodge	PBE-920-1 3/4	L,X,4
023055	1 7/8"	Dodge	PB-900-1 7/8	L,1,4
023056	1 15/16"	Dodge	PB-900-1 15/16	L,1,4
	1 15/16"	Dodge	PBE-920-1 15/16	L,X,4
	1 15/16"	Dodge	SPB-1100NE-1 15/16	L,1,2,4
	1 15/16"	Dodge	SPB-1000NE-1 15/16	L,M,1,2,4
023057	2"	Dodge	PB-900-2	L,1,4
	2"	Dodge	PBE-920-2	L,X,4
	2"	Dodge	SPB-1100NE-2	L,1,2,4
	2"	Dodge	SPB-1000NE-2	L,M,1,2,4
023058	2 3/16"	Dodge	PBE-920-2 3/16	L,X,4
023062	2 11/16"	Dodge	PBE-920-2 11/16	L,X,4
023063	2 3/4"	Dodge	PBE-920-2 3/4	L,X,4
023064	2 15/16"	Dodge	PBE-920-2 15/16	L,X,4
023065	3"	Dodge	PBE-920-3	L,X,4
023066	3 3/16"	Dodge	PB-950NE-3 3/16	G,M,1,3,4
023076	1 3/8"	Dodge	TUE-920-1 3/8	=
023077	1 7/16"	Dodge	TUE-920-1 7/16	=
023078	1 1/2"	Dodge	TUE-920-1 1/2	=
023080	1 11/16"	Dodge	TUE-920-1 11/16	=
023081	1 3/4"	Dodge	TUE-920-1 3/4	=
023083	1 15/16"	Dodge	TUE-920-1 15/16	=
023084	2"	Dodge	TUE-920-2	=
023085	2 3/16"	Dodge	TUE-920-2 3/16	=
023087	2 7/16"	Dodge	TUE-920-2 7/16	=
023088	2 1/2"	Dodge	TUE-920-2 1/2	=
023089	2 11/16"	Dodge	TUE-920-2 11/16	=
023090	2 3/4"	Dodge	TUE-920-2 3/4	=
023091	2 15/16"	Dodge	TUE-920-2 15/16	=
023093	1 3/16"	Dodge	FBE-920-1 3/16	=

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8  
Y - Bolt Spacing Maximum within 1/4  
Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements  
3 - Only One Has a Split Housing  
4 - Different Housing Materials

Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023094	1 1/4"	Dodge	FBE-920-1 1/4	=
023095	1 3/8"	Dodge	FBE-920- 1 3/8	=
023096	1 7/16"	Dodge	FBE-920-1 7/16	=
	1 7/16"	Dodge	FB-900-1 7/16	1
	1 7/16"	Dodge	SFB-1000NE-1 7/16	1,2
023097	1 1/2"	Dodge	FBE-920-1 1/2	=
023098	1 5/8"	Dodge	FBE-920-1 5/8	=
	1 5/8"	Dodge	FB-900-1 5/8	1
023099	1 11/16"	Dodge	FBE-920-1 11/16	=
	1 11/16"	Dodge	FB-900-1 11/16	1
023100	1 3/4"	Dodge	FBE-920-1 3/4	=
023101	1 7/8"	Dodge	FB-900-1 7/8	1
023102	1 15/16"	Dodge	FBE-920-1 15/16	=
	1 15/16"	Dodge	FB-900-1 15/16	1
	1 15/16"	Dodge	SFB-1100NE-1 15/16	1,2,4
023103	2"	Dodge	FBE-920-2	=
	2"	Dodge	FB-900-2	1
	2"	Dodge	SFB-1100NE-2	1,2,4
023104	2 3/16"	Dodge	FBE-920-2 3/16	=
	2 3/16"	Dodge	FB-900-2 3/16	1
	2 3/16"	Dodge	SFB-1100NE-2 3/16	1,2,4
023105	2 1/4"	Dodge	FBE-920-2 1/4	=
	2 1/4"	Dodge	FB-900-2 1/4	1
023106	2 7/16"	Dodge	FBE-920-2 7/16	=
	2 7/16"	Dodge	FB-900-2 7/16	1
	2 7/16"	Dodge	SFB-1100NE-2 7/16	1,2,4
023107	2 1/2"	Dodge	FBE-920-2 1/2	=
	2 1/2"	Dodge	FB-900-2 1/2	1
	2 1/2"	Dodge	SFB-1100NE-2 1/2	1,2,4
023108	2 11/16"	Dodge	FBE-920-2 11/16	=
	2 11/16"	Dodge	FB-900-2 11/16	1
	2 11/16"	Dodge	SFB-1100NE-2 11/16	1,2,4
023109	2 3/4"	Dodge	FBE-920-2 3/4	=
	2 3/4"	Dodge	FB-900-2 3/4	1
	2 3/4"	Dodge	SFB-1100NE-2 3/4	1,2,4
023110	2 15/16"	Dodge	FBE-920-2 15/16	=
	2 15/16"	Dodge	FB-900-2 15/16	1
	2 15/16"	Dodge	SFB-1100NE-2 15/16	1,2,4
023111	3"	Dodge	FBE-920-3	=
	3"	Dodge	SFB-1100NE-3	1,2,4
023112	3 3/16"	Dodge	FBE-920-3 3/16	=
	3 3/16"	Dodge	SFB-1100NE-3 3/16	1,2,4
023114	3 7/16"	Dodge	FBE-920-3 7/16	=
	3 7/16"	Dodge	FB-900-3 7/16	1
	3 7/16"	Dodge	SFB-1100NE-3 7/16	1,2,4
023115	3 1/2"	Dodge	FBE-920-3 1/2	=
	3 1/2"	Dodge	FB-900-3 1/2	1
	3 1/2"	Dodge	SFB-1100NE-3 1/2	1,2,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023116	3 15/16"	Dodge	FBE-920-3 15/16	=
	3 15/16"	Dodge	FB-900-3 15/16	1
023117	4"	Dodge	FBE-920-4	=
	4"	Dodge	FB-900-4	1
023118	4 7/16"	Dodge	FB-900-4 7/16	1
023119	4 1/2"	Dodge	FB-900-4 1/2	1
023120	1 3/16"	Dodge	FC-900-1 3/16	1
023121	1 1/4"	Dodge	FC-900-1 1/4	1
023123	1 7/16"	Dodge	FC-900-1 7/16	1
	1 7/16"	Dodge	SFC-1000NE-1 7/16	1,2
023125	1 5/8"	Dodge	FC-900-1 5/8	K,1
023126	1 11/16"	Dodge	FC-900-1 11/16	K,1
	1 11/16"	Dodge	SFC-1000NE-1 11/16	1,2
023128	1 7/8"	Dodge	FC-900-1 7/8	1
023129	1 15/16"	Dodge	FC-900-1 15/16	1
	1 15/16"	Dodge	SFC-1000NE-1 15/16	1,2
	1 15/16"	Dodge	SFC-1100NE-1 15/16	1,2,4
023130	2"	Dodge	FC-900-2	1
	2"	Dodge	SFC-1000NE-2	1,2
	2"	Dodge	SFC-1100NE-2	1,2,4
023131	2 3/16"	Dodge	FC-900-2 3/16	1
	2 3/16"	Dodge	SFC-1000NE-2 3/16	1,2
	2 3/16"	Dodge	SFC-1100NE-2 3/16	1,2,4
023132	2 1/4"	Dodge	FC-900-2 1/4	1
023133	2 7/16"	Dodge	FC-900-2 7/16	1
	2 7/16"	Dodge	SFC-1000NE-2 7/16	1,2
	2 7/16"	Dodge	SFC-1100NE-2 7/16	1,2,4
023134	2 1/2"	Dodge	FC-900-2 1/2	1
	2 1/2"	Dodge	SFC-1000NE-2 1/2	1,2
	2 1/2"	Dodge	SFC-1100NE-2 1/2	1,2,4
023135	2 11/16"	Dodge	FC-900-2 11/16	1
	2 11/16"	Dodge	SFC-1000NE-2 11/16	1,2
	2 11/16"	Dodge	SFC-1100NE-2 11/16	1,2,4
023136	2 3/4"	Dodge	FC-900-2 3/4	1
	2 3/4"	Dodge	SFC-1000NE-2 3/4	1,2
	2 3/4"	Dodge	SFC-1100NE-2 3/4	1,2,4
023137	2 15/16"	Dodge	FC-900-2 15/16	1
	2 15/16"	Dodge	SFC-1000NE-2 15/16	1,2
	2 15/16"	Dodge	SFC-1100NE-2 15/16	1,2,4
023138	3"	Dodge	FC-900-3	1
	3"	Dodge	SFC-1000NE-3	1,2
	3"	Dodge	SFC-1100NE-3	1,2,4
023139	3 3/16"	Dodge	SFC-1000NE-3 3/16	1,2
	3 3/16"	Dodge	SFC-1100NE-3 3/16	1,2,4
023141	3 7/16"	Dodge	FC-900-3 7/16	1
	3 7/16"	Dodge	SFC-1000NE-3 7/16	1,2
	3 7/16"	Dodge	SFC-1100NE-3 7/16	1,2,4
023142	3 1/2"	Dodge	FC-900-3 1/2	1
	3 1/2"	Dodge	SFC-1000NE-3 1/2	1,2
	3 1/2"	Dodge	SFC-1100NE-3 1/2	1,2,4

### Note Code

K - Pilot within 1/64

= - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements  
 4 - Different Housing Materials

Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023143	3 15/16"	Dodge	SFC-1000NE-3 15/16	1,2
023144	4"	Dodge	SFC-1000NE-4	1,2
023169	1 3/8"	Dodge	PB-970NE-1 3/8	G,X,1,4
023170	1 7/16"	Dodge	PB-950NE-1 7/16	G,X,1,4
	1 7/16"	Dodge	PB-970NE-1 7/16	G,X,1,4
023171	1 1/2"	Dodge	PB-970NE-1 1/2	H,X,1,4
023172	1 5/8"	Dodge	PB-950NE-1 5/8	H,X,1,4
023173	1 11/16"	Dodge	PB-950NE-1 11/16	H,X,1,4
023174	1 3/4"	Dodge	PB-970NE-1 3/4	J,X,1,4
023175	1 15/16"	Dodge	PB-950NE-1 15/16	J,X,1,4
	1 15/16"	Dodge	PB-970NE-1 15/16	J,X,1,4
023176	2"	Dodge	PB-950NE-2	J,X,1,4
	2"	Dodge	PB-970NE-2	J,X,1,4
023177	2 3/16"	Dodge	PB-950NE-2 3/16	J,1,4
	2 3/16"	Dodge	PB-970NE-2 3/16	J,1,4
023178	2 1/4"	Dodge	PB-950NE-2 1/4	H,X,1,4
	2 1/4"	Dodge	PB-970NE-2 1/4	H,X,1,4
023179	2 7/16"	Dodge	PB-950NE-2 7/16	H,X,1,4
	2 7/16"	Dodge	PB-970NE-2 7/16	H,X,1,4
023180	2 1/2"	Dodge	PB-950NE-2 1/2	H,X,1,4
	2 1/2"	Dodge	PB-970NE-2 1/2	H,X,1,4
023181	2 11/16"	Dodge	PB-950NE-2 11/16	J,X,1,4
	2 11/16"	Dodge	PB-970NE-2 11/16	J,X,1,4
023182	2 3/4"	Dodge	PB-950NE-2 3/4	J,X,1,4
023183	2 15/16"	Dodge	PB-950NE-2 15/16	J,X,1,4
	2 15/16"	Dodge	PB-970NE-2 15/16	J,X,1,4
023184	3"	Dodge	PB-950NE-3	L,M,1,4
	3"	Dodge	PB-970NE-3	J,X,1,4
023185	3 3/16"	Dodge	PB-970NE-3 3/16	J,X,1,4
023186	3 7/16"	Dodge	PB-950NE-3 7/16	J,X,1,4
	3 7/16"	Dodge	PB-970NE-3 7/16	J,X,1,4
023187	3 1/2"	Dodge	PB-950NE-3 1/2	J,X,1,4
	3 1/2"	Dodge	PB-970NE-3 1/2	J,X,1,4
023188	3 15/16"	Dodge	PB-970FNE-3 15/16	G,X,1,4
023191	1 3/8"	Dodge	PB-970NE-1 3/8	G,X,1,4
023192	1 7/16"	Dodge	PB-950NE-1 7/16	G,X,1,4
	1 7/16"	Dodge	PB-970NE-1 7/16	G,X,1,4
023193	1 1/2"	Dodge	PB-970NE-1 1/2	H,X,1,4
023194	1 5/8"	Dodge	PB-950NE-1 5/8	H,X,1,4
023195	1 11/16"	Dodge	PB-950NE-1 11/16	H,X,1,4
023196	1 3/4"	Dodge	PB-970NE-1 3/4	J,X,1,4
023197	1 15/16"	Dodge	PB-950NE-1 15/16	J,X,1,4
	1 15/16"	Dodge	PB-970NE-1 15/16	J,X,1,4
023198	2"	Dodge	PB-950NE-2	J,X,1,4
	2"	Dodge	PB-970NE-2	J,X,1,4
023199	2 3/16"	Dodge	PB-950NE-2 3/16	J,1,4
	2 3/16"	Dodge	PB-970NE-2 3/16	J,1,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023200	2 1/4"	Dodge	PB-950NE-2 1/4	H,X,1,4
	2 1/4"	Dodge	PB-970NE-2 1/4	H,X,1,4
023201	2 7/16"	Dodge	PB-950NE-2 7/16	H,X,1,4
	2 7/16"	Dodge	PB-970NE-2 7/16	H,X,1,4
023202	2 1/2"	Dodge	PB-950NE-2 1/2	H,X,1,4
	2 1/2"	Dodge	PB-970NE-2 1/2	H,X,1,4
023203	2 11/16"	Dodge	PB-950NE-2 11/16	J,X,1,4
	2 11/16"	Dodge	PB-970NE-2 11/16	J,X,1,4
023204	2 3/4"	Dodge	PB-950NE-2 3/4	J,X,1,4
023205	2 15/16"	Dodge	PB-950NE-2 15/16	J,X,1,4
	2 15/16"	Dodge	PB-970NE-2 15/16	J,X,1,4
023206	3"	Dodge	PB-950NE-3	L,M,1,4
	3"	Dodge	PB-970NE-3	J,X,1,4
023207	3 3/16"	Dodge	PB-970NE-3 3/16	J,X,1,4
023208	3 7/16"	Dodge	PB-950NE-3 7/16	J,X,1,4
	3 7/16"	Dodge	PB-970NE-3 7/16	J,X,1,4
023209	3 1/2"	Dodge	PB-950NE-3 1/2	J,X,1,4
	3 1/2"	Dodge	PB-970NE-3 1/2	J,X,1,4
023210	3 15/16"	Dodge	PB-970FNE-3 15/16	G,X,1,4
023213	1 3/8"	Dodge	FB-970NE-1 3/8	1
023214	1 7/16"	Dodge	FB-950NE-1 7/16	1
	1 7/16"	Dodge	FB-970NE-1 7/16	1
023215	1 1/2"	Dodge	FB-970NE-1 1/2	1
023216	1 5/8"	Dodge	FB-950NE-1 5/8	1
023217	1 11/16"	Dodge	FB-950NE-1 11/16	1
	1 11/16"	Dodge	FB-970NE-1 11/16	1
023218	1 3/4"	Dodge	FB-970NE-1 3/4	1
023219	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-970NE-1 15/16	1
023220	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-970NE-2	1
023221	2 3/16"	Dodge	FB-950NE-2 3/16	1
	2 3/16"	Dodge	FB-970NE-2 3/16	1
023222	2 1/4"	Dodge	FB-950NE-2 1/4	1
	2 1/4"	Dodge	FB-970NE-2 1/4	1
023223	2 7/16"	Dodge	FB-950NE-2 7/16	1
	2 7/16"	Dodge	FB-970NE-2 7/16	1
023224	2 1/2"	Dodge	FB-950NE-2 1/2	1
	2 1/2"	Dodge	FB-970NE-2 1/2	1
023225	2 11/16"	Dodge	FB-950NE-2 11/16	1
	2 11/16"	Dodge	FB-970NE-2 11/16	1
023226	2 3/4"	Dodge	FB-950NE-2 3/4	1
023227	2 15/16"	Dodge	FB-950NE-2 15/16	1
	2 15/16"	Dodge	FB-970NE-2 15/16	1
023228	3"	Dodge	FB-950NE-3	1
	3"	Dodge	FB-970NE-3	1
023229	3 3/16"	Dodge	FB-970NE-3 3/16	1

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Cde
023230	3 7/16"	Dodge	FB-950NE-3 7/16	1
	3 7/16"	Dodge	FB-970NE-3 7/16	1
023231	3 1/2"	Dodge	FB-950NE-3 1/2	1
	3 1/2"	Dodge	FB-970NE-3 1/2	1
023232	3 15/16"	Dodge	FB-950NE-3 15/16	1
023235	1 3/8"	Dodge	FB-970NE-1 3/8	1
023236	1 7/16"	Dodge	FB-950NE-1 7/16	1
	1 7/16"	Dodge	FB-970NE-1 7/16	1
023237	1 1/2"	Dodge	FB-970NE-1 1/2	1
023238	1 5/8"	Dodge	FB-950NE-1 5/8	1
023239	1 11/16"	Dodge	FB-950NE-1 11/16	1
	1 11/16"	Dodge	FB-970NE-1 11/16	1
023240	1 3/4"	Dodge	FB-970NE-1 3/4	1
023241	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-970NE-1 15/16	1
023242	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-970NE-2	1
023243	2 3/16"	Dodge	FB-950NE-2 3/16	1
	2 3/16"	Dodge	FB-970NE-2 3/16	1
023244	2 1/4"	Dodge	FB-950NE-2 1/4	1
	2 1/4"	Dodge	FB-970NE-2 1/4	1
023245	2 7/16"	Dodge	FB-950NE-2 7/16	1
	2 7/16"	Dodge	FB-970NE-2 7/16	1
023246	2 1/2"	Dodge	FB-950NE-2 1/2	1
	2 1/2"	Dodge	FB-970NE-2 1/2	1
023247	2 11/16"	Dodge	FB-950NE-2 11/16	1
	2 11/16"	Dodge	FB-970NE-2 11/16	1
023248	2 3/4"	Dodge	FB-950NE-2 3/4	1
023249	2 15/16"	Dodge	FB-950NE-2 15/16	1
	2 15/16"	Dodge	FB-970NE-2 15/16	1
023250	3"	Dodge	FB-950NE-3	1
	3"	Dodge	FB-970NE-3	1
023251	3 3/16"	Dodge	FB-970NE-3 3/16	1
023252	3 7/16"	Dodge	FB-950NE-3 7/16	1
	3 7/16"	Dodge	FB-970NE-3 7/16	1
023253	3 1/2"	Dodge	FB-950NE-3 1/2	1
	3 1/2"	Dodge	FB-970NE-3 1/2	1
023254	3 15/16"	Dodge	FB-950NE-3 15/16	1
023255	1 3/8"	Dodge	TUE-920-1 3/8	=
023256	1 7/16"	Dodge	TUE-920-1 7/16	=
023257	1 1/2"	Dodge	TUE-920-1 1/2	=
023259	1 11/16"	Dodge	TUE-920-1 11/16	=
023260	1 3/4"	Dodge	TUE-920-1 3/4	=
023261	1 15/16"	Dodge	TUE-920-1 15/16	=
023262	2"	Dodge	TUE-920-2	=
023263	2 3/16"	Dodge	TUE-920-2 3/16	=
023265	2 7/16"	Dodge	TUE-920-2 7/16	=
023266	2 1/2"	Dodge	TUE-920-2 1/2	=
023267	2 11/16"	Dodge	TUE-920-2 11/16	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023268	2 3/4"	Dodge	TUE-920-2 3/4	=
023269	2 15/16"	Dodge	TUE-920-2 15/16	=
023332	1 1/2"	Dodge	PB-970NE-1 1/2	H,X,4
023333	1 5/8"	Dodge	PB-950NE-1 5/8	H,X,1,4
023334	1 11/16"	Dodge	PB-950NE-1 11/16	H,X,1,4
023335	1 3/4"	Dodge	PB-970NE-1 3/4	J,X,4
023336	1 7/8"	Dodge	PB-950NE-1 7/8	J,X,1,4
023337	1 15/16"	Dodge	PB-970NE-1 15/16	J,X,4
	1 15/16"	Dodge	PB-950NE-1 15/16	J,X,1,4
023338	2"	Dodge	PB-970NE-2	J,X,4
	2"	Dodge	PB-950NE-2	J,X,1,4
023339	2 3/16"	Dodge	PB-970NE-2 3/16	H,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,1,4
023340	2 1/4"	Dodge	PB-970NE-2 1/4	H,X,4
	2 1/4"	Dodge	PB-950NE-2 1/4	H,X,1,4
023341	2 7/16"	Dodge	PB-970NE-2 7/16	H,X,4
	2 7/16"	Dodge	PB-950NE-2 7/16	H,X,1,4
023342	2 1/2"	Dodge	PB-970NE-2 1/2	H,X,4
	2 1/2"	Dodge	PB-950NE-2 1/2	H,X,1,4
023343	2 11/16"	Dodge	PB-970NE-2 11/16	J,X,4
	2 11/16"	Dodge	PB-950NE-2 11/16	J,X,1,4
023344	2 3/4"	Dodge	PB-950NE-2 3/4	J,X,1,4
023345	2 15/16"	Dodge	PB-970NE-2 15/16	J,X,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,X,1,4
023346	3"	Dodge	PB-970NE-3	J,X,4
	3"	Dodge	PB-950NE-3	L,M,1,4
023347	3 3/16"	Dodge	PB-970NE-3 3/16	J,X,4
023349	3 7/16"	Dodge	PB-970NE-3 7/16	J,X,4
	3 7/16"	Dodge	PB-950NE-3 7/16	J,X,1,4
023350	3 1/2"	Dodge	PB-970NE-3 1/2	J,X,4
	3 1/2"	Dodge	PB-950NE-3 1/2	J,X,1,4
023351	2 1/4"	Dodge	PB-970FNE-2 1/4	H,X,4
023352	2 7/16"	Dodge	PB-970FNE-2 7/16	H,X,4
023353	2 1/2"	Dodge	PB-970FNE-2 1/2	H,X,4
023354	2 11/16"	Dodge	PB-970FNE-2 11/16	J,X,4
023356	2 15/16"	Dodge	PB-970FNE-2 15/16	J,X,4
023357	3"	Dodge	PB-970FNE-3	J,X,4
023358	3 3/16"	Dodge	PB-970FNE-3 3/16	J,X,4
023360	3 7/16"	Dodge	PB-970FNE-3 7/16	J,X,4
023361	3 1/2"	Dodge	PB-970FNE-3 1/2	J,X,4
023362	3 15/16"	Dodge	PB-970FNE-3 15/16	G,X,4
023363	4"	Dodge	PB-970FNE-4	G,X,4
023364	4 7/16"	Dodge	PB-970FNE-4 7/16	G,X,4
023365	4 1/2"	Dodge	PB-970FNE-4 1/2	G,X,4
023366	4 15/16"	Dodge	PB-970FNE-4 15/16	L,X,4
023367	5"	Dodge	PB-970FNE-5	L,X,4
023379	1 1/2"	Dodge	PB-970NE-1 1/2	H,X,4
023380	1 5/8"	Dodge	PB-950NE-1 5/8	H,X,1,4
023381	1 11/16"	Dodge	PB-950NE-1 11/16	H,X,1,4
023382	1 3/4"	Dodge	PB-970NE-1 3/4	J,X,4
023383	1 7/8"	Dodge	PB-950NE-1 7/8	J,X,1,4

## Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements  
 4 - Different Housing Materials

Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023384	1 15/16"	Dodge	PB-970NE-1 15/16	J,X,4
	1 15/16"	Dodge	PB-950NE-1 15/16	J,X,1,4
023385	2"	Dodge	PB-970NE-2	J,X,4
	2"	Dodge	PB-950NE-2	J,X,1,4
023386	2 3/16"	Dodge	PB-970NE-2 3/16	H,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,1,4
023387	2 1/4"	Dodge	PB-970NE-2 1/4	H,X,4
	2 1/4"	Dodge	PB-950NE-2 1/4	H,X,1,4
023388	2 7/16"	Dodge	PB-970NE-2 7/16	H,X,4
	2 7/16"	Dodge	PB-950NE-2 7/16	H,X,1,4
023389	2 1/2"	Dodge	PB-970NE-2 1/2	H,X,4
	2 1/2"	Dodge	PB-950NE-2 1/2	H,X,1,4
023390	2 11/16"	Dodge	PB-970NE-2 11/16	J,X,4
	2 11/16"	Dodge	PB-950NE-2 11/16	J,X,1,4
023391	2 3/4"	Dodge	PB-950NE-2 3/4	J,X,1,4
023392	2 15/16"	Dodge	PB-970NE-2 15/16	J,X,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,X,1,4
023393	3"	Dodge	PB-970NE-3	J,X,4
	3"	Dodge	PB-950NE-3	L,M,1,4
023394	3 3/16"	Dodge	PB-970NE-3 3/16	J,X,4
023396	3 7/16"	Dodge	PB-970NE-3 7/16	J,X,4
	3 7/16"	Dodge	PB-950NE-3 7/16	J,X,1,4
023397	3 1/2"	Dodge	PB-970NE-3 1/2	J,X,4
	3 1/2"	Dodge	PB-950NE-3 1/2	J,X,1,4
023398	2 1/4"	Dodge	PB-970FNE-2 1/4	H,X,4
023399	2 7/16"	Dodge	PB-970FNE-2 7/16	H,X,4
023400	2 1/2"	Dodge	PB-970FNE-2 1/2	H,X,4
023401	2 11/16"	Dodge	PB-970FNE-2 11/16	J,X,4
023403	2 15/16"	Dodge	PB-970FNE-2 15/16	J,X,4
023404	3"	Dodge	PB-970FNE-3	J,X,4
023405	3 3/16"	Dodge	PB-970FNE-3 3/16	J,X,4
023407	3 7/16"	Dodge	PB-970FNE-3 7/16	J,X,4
023408	3 1/2"	Dodge	PB-970FNE-3 1/2	J,X,4
023409	3 15/16"	Dodge	PB-970FNE-3 15/16	G,X,4
023410	4"	Dodge	PB-970FNE-4	G,X,4
023411	4 7/16"	Dodge	PB-970FNE-4 7/16	G,X,4
023412	4 1/2"	Dodge	PB-970FNE-4 1/2	G,X,4
023413	4 15/16"	Dodge	PB-970FNE-4 15/16	L,X,4
023414	5"	Dodge	PB-970FNE-5	L,X,4
023424	1 3/8"	Dodge	FB-970NE-1 3/8	=
023425	1 7/16"	Dodge	FB-970NE-1 7/16	=
	1 7/16"	Dodge	FB-950NE-1 7/16	1
023426	1 1/2"	Dodge	FB-970NE-1 1/2	=
023427	1 5/8"	Dodge	FB-950NE-1 5/8	1
023428	1 11/16"	Dodge	FB-970NE-1 11/16	=
	1 11/16"	Dodge	FB-950NE-1 11/16	1
023429	1 3/4"	Dodge	FB-970NE-1 3/4	=
023430	1 7/8"	Dodge	FB-950NE-1 7/8	1
	1 7/8"	Dodge	FB-950NE-1 7/8	1

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023431	1 15/16"	Dodge	FB-970NE-1 15/16	=
	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-950NE-1 15/16	1
023432	2"	Dodge	FB-970NE-2	=
	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-950NE-2	1
023433	2 3/16"	Dodge	FB-970NE-2 3/16	=
	2 3/16"	Dodge	FB-950NE-2 3/16	1
023434	2 1/4"	Dodge	FB-970NE-2 1/4	=
	2 1/4"	Dodge	FB-950NE-2 1/4	1
023435	2 7/16"	Dodge	FB-970NE-2 7/16	=
	2 7/16"	Dodge	FB-950NE-2 7/16	1
023436	2 1/2"	Dodge	FB-970NE-2 1/2	=
	2 1/2"	Dodge	FB-950NE-2 1/2	1
023437	2 11/16"	Dodge	FB-970NE-2 11/16	=
	2 11/16"	Dodge	FB-950NE-2 11/16	1
023438	2 3/4"	Dodge	FB-950NE-2 3/4	1
023439	2 15/16"	Dodge	FB-970NE-2 15/16	=
	2 15/16"	Dodge	FB-950NE-2 15/16	1
023440	3"	Dodge	FB-970NE-3	=
	3"	Dodge	FB-950NE-3	1
023441	3 3/16"	Dodge	FB-970NE-3 3/16	=
023443	3 7/16"	Dodge	FB-970NE-3 7/16	=
	3 7/16"	Dodge	FB-950NE-3 7/16	1
023444	3 1/2"	Dodge	FB-970NE-3 1/2	=
	3 1/2"	Dodge	FB-950NE-3 1/2	1
023445	3 15/16"	Dodge	FB-950NE-3 15/16	1
023446	4"	Dodge	FB-950NE-4	1
023447	4 7/16"	Dodge	FB-970NE-4 7/16	4
	4 7/16"	Dodge	FB-950NE-4 7/16	1,4
023448	4 1/2"	Dodge	FB-970NE-4 1/2	4
	4 1/2"	Dodge	FB-950NE-4 1/2	1,4
023449	4 15/16"	Dodge	FB-970NE-4 15/16	4
	4 15/16"	Dodge	FB-950NE-4 15/16	1,4
023450	5"	Dodge	FB-970NE-5	4
	5"	Dodge	FB-950NE-5	1,4
023453	1 3/8"	Dodge	FB-970NE-1 3/8	=
023454	1 7/16"	Dodge	FB-970NE-1 7/16	=
	1 7/16"	Dodge	FB-950NE-1 7/16	1
023455	1 1/2"	Dodge	FB-970NE-1 1/2	=
023456	1 5/8"	Dodge	FB-950NE-1 5/8	1
023457	1 11/16"	Dodge	FB-970NE-1 11/16	=
	1 11/16"	Dodge	FB-950NE-1 11/16	1
023458	1 3/4"	Dodge	FB-970NE-1 3/4	=
023459	1 7/8"	Dodge	FB-950NE-1 7/8	1
	1 7/8"	Dodge	FB-950NE-1 7/8	1
023460	1 15/16"	Dodge	FB-970NE-1 15/16	=
	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-950NE-1 15/16	1

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable  
1 - Different Locking Devices  
4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
023461	2"	Dodge	FB-970NE-2	=
	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-950NE-2	1
023462	2 3/16"	Dodge	FB-970NE-2 3/16	=
	2 3/16"	Dodge	FB-950NE-2 3/16	1
023463	2 1/4"	Dodge	FB-970NE-2 1/4	=
	2 1/4"	Dodge	FB-950NE-2 1/4	1
023464	2 7/16"	Dodge	FB-970NE-2 7/16	=
	2 7/16"	Dodge	FB-950NE-2 7/16	1
023465	2 1/2"	Dodge	FB-970NE-2 1/2	=
	2 1/2"	Dodge	FB-950NE-2 1/2	1
023466	2 11/16"	Dodge	FB-970NE-2 11/16	=
	2 11/16"	Dodge	FB-950NE-2 11/16	1
023467	2 3/4"	Dodge	FB-970NE-2 3/4	1
023468	2 15/16"	Dodge	FB-970NE-2 15/16	=
	2 15/16"	Dodge	FB-950NE-2 15/16	1
023469	3"	Dodge	FB-970NE-3	=
	3"	Dodge	FB-950NE-3	1
023470	3 3/16"	Dodge	FB-970NE-3 3/16	=
023472	3 7/16"	Dodge	FB-970NE-3 7/16	=
	3 7/16"	Dodge	FB-950NE-3 7/16	1
023473	3 1/2"	Dodge	FB-970NE-3 1/2	=
	3 1/2"	Dodge	FB-950NE-3 1/2	1
023474	3 15/16"	Dodge	FB-950NE-3 15/16	1
023475	4"	Dodge	FB-950NE-4	1
023476	4 7/16"	Dodge	FB-970NE-4 7/16	4
	4 7/16"	Dodge	FB-950NE-4 7/16	1,4
023477	4 1/2"	Dodge	FB-970NE-4 1/2	4
	4 1/2"	Dodge	FB-950NE-4 1/2	1,4
037583	2 3/16"	Dodge	PB-970NE-2 3/16	H,Y,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,Y,1,4
037584	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,4
	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,4
037585	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,4
	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,4
037588	2 15/16"	Dodge	PB-970NE-2 15/16	J,M,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,M,1,4
037589	3"	Dodge	PB-970NE-3	J,M,4
037590	3 7/16"	Dodge	PB-970NE-3 7/16	L,M,4
	3 7/16"	Dodge	PB-950NE-3 7/16	L,M,1,4
037591	3 1/2"	Dodge	PB-970NE-3 1/2	L,M,4
	3 1/2"	Dodge	PB-950NE-3 1/2	L,M,1,4
037595	2 3/16"	Dodge	PB-970NE-2 3/16	H,Y,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,Y,1,4
037596	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,4
	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,4
037597	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,4
	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,4
037600	2 15/16"	Dodge	PB-970NE-2 15/16	J,M,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,M,1,4
037601	3"	Dodge	PB-970NE-3	J,M,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
037602	3 7/16"	Dodge	PB-970NE-3 7/16	L,M,4
	3 7/16"	Dodge	PB-950NE-3 7/16	L,M,1,4
037603	3 1/2"	Dodge	PB-970NE-3 1/2	L,M,4
	3 1/2"	Dodge	PB-950NE-3 1/2	L,M,1,4
040303	3 3/16"	Royersford	PBE-920F-3 3/16	L
040307	3 7/16"	Royersford	PBE-920F-3 7/16	L
040308	3 1/2"	Royersford	PBE-920F-3 1/2	L
040315	3 15/16"	Royersford	SPB-1000FNE-3 15/16	L,1,2
040400	4"	Royersford	SPB-1000FNE-4	L,1,2
042002	2 3/16"	Dodge	PB-950NE-2 3/16	H,X,1,2,4
	2 3/16"	Dodge	PB-970NE-2 3/16	H,X,1,2,4
042003	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,1,2,4
042004	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,2,4
	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,1,2,4
042007	2 15/16"	Dodge	PB-950NE-2 15/16	G,M,1,2,4
	2 15/16"	Dodge	PB-970NE-2 15/16	G,M,1,2,4
042008	3"	Dodge	PB-970NE-3	G,M,1,2,4
042400	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,1,2,4
042401	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,2,4
	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,1,2,4
042402	2 15/16"	Dodge	PB-950NE-2 15/16	G,M,1,2,4
	2 15/16"	Dodge	PB-970NE-2 15/16	G,M,1,2,4
042403	3"	Dodge	PB-970NE-3	G,M,1,2,4
042893	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
042894	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
042895	4"	Dodge	SFB-1000NE-4	=
042918	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
042919	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
042920	4"	Dodge	SFB-1000NE-4	=
042943	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
042944	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
042945	4"	Dodge	SFC-1000NE-4	=
042968	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
042969	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
042970	4"	Dodge	SFC-1000NE-4	=
043208	3 15/16"	Dodge	TUE-920-3 15/16	=
043218	3 15/16"	Dodge	TUE-920-3 15/16	=
043478	4 15/16"	Dodge	FB-970NE-4 15/16	4
	4 15/16"	Dodge	FB-950NE-4 15/16	1,4
043479	5"	Dodge	FB-970NE-5	4
	5"	Dodge	FB-950NE-5	1,4
044611	1 3/8"	Dodge	PBE-920-1 3/8	H,M,1,2
044612	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
044613	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
044614	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2

## Note Code

- |   |                                 |
|---|---------------------------------|
| G - Bolt Spacing Minimum within 1/8       | = - Fully Interchangeable       |
| H - Bolt Spacing Minimum within 1/4       | 1 - Different Locking Devices   |
| J - Bolt Spacing Minimum within 1/2       | 2 - Different Rolling Elements  |
| L - Bolt Spacing Minimum Greater than 1/2 | 4 - Different Housing Materials |
| M - Bolt Spacing Maximum Greater than 1/2 |                                 |
| X - Bolt Spacing Maximum within 1/8       |                                 |
| Y - Bolt Spacing Maximum within 1/4       |                                 |

Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
044615	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
044616	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
044617	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2
044618	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
044619	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
044620	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
044623	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
044624	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
044625	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
044626	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
044627	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
044628	3"	Dodge	SPB-1000NE-3	G,X
	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
044631	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
044632	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
	1 3/8"	Dodge	PBE-920-1 3/8	H,M,1,2
044640	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
044641	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
044642	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
044643	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
044644	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
044645	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
044646	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
044647	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
044648	2"	Dodge	PBE-920-2	H,M,1,2
	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
044651	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
044652	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
044653	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
044654	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
044655	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
044656	3"	Dodge	SPB-1000NE-3	G,X
044657	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
044659	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
044660	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
044671	2 1/2"	Dodge	SPB-1000FNE-2 1/2	G,Z
044672	2 11/16"	Dodge	SPB-1000FNE-2 11/16	G,X
044673	2 3/4"	Dodge	SPB-1000FNE-2 3/4	G,X
044674	2 15/16"	Dodge	SPB-1000FNE-2 15/16	G,X
044675	3"	Dodge	SPB-1000FNE-3	G,X
044676	3 3/16"	Dodge	SPB-1000FNE-3 3/16	G,X
044678	3 7/16"	Dodge	SPB-1000FNE-3 7/16	G,X
044679	3 1/2"	Dodge	SPB-1000FNE-3 1/2	G,X
044694	2 1/2"	Dodge	SPB-1000FNE-2 1/2	G,Z
044695	2 11/16"	Dodge	SPB-1000FNE-2 11/16	G,X
044696	2 3/4"	Dodge	SPB-1000FNE-2 3/4	G,X
044697	2 15/16"	Dodge	SPB-1000FNE-2 15/16	G,X
044698	3"	Dodge	SPB-1000FNE-3	G,X
044714	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
044715	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
044717	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
044718	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
044720	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
044721	2"	Dodge	SFB-1000NE-2	=
044722	2 3/16"	Dodge	SFB-1000NE-2 3/16	=

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8  
Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements  
4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
044725	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
044726	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
044727	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
044728	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
044729	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
044730	3"	Dodge	SFB-1000NE-3	=
044731	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
044733	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
044734	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
044735	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
044736	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
044737	4"	Dodge	SFB-1000NE-4	=
044742	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
044743	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
044745	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
044746	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
044748	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
044749	2"	Dodge	SFB-1000NE-2	=
044750	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
044753	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
044754	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
044755	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
044756	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
044757	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
044758	3"	Dodge	SFB-1000NE-3	=
044759	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
044761	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
044762	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
044763	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
044764	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
044765	4"	Dodge	SFB-1000NE-4	=
044770	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
044771	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
044772	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
044773	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
044774	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
044775	1 7/8"	Dodge	FC-900-1 7/8	1,2
044776	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
044777	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
044778	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
044781	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
	2 7/16"	Dodge	FC-900-2 7/16	1,2
044782	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
	2 1/2"	Dodge	FC-900-2 1/2	1,2
044783	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
	2 11/16"	Dodge	FC-900-2 11/16	1,2
044784	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
	2 3/4"	Dodge	FC-900-2 3/4	1,2
044785	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
	2 15/16"	Dodge	FC-900-2 15/16	1,2
044786	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
044787	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
044789	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
044790	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
044791	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
044792	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
044793	4"	Dodge	SFC-1000NE-4	=
044849	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
044850	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
044851	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
044852	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
044853	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
044854	1 7/8"	Dodge	FC-900-1 7/8	1,2
044855	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
044856	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
044857	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2
044860	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
	2 7/16"	Dodge	FC-900-2 7/16	1,2

## Note Code

K - Pilot within 1/64

= - Fully Interchangeable

Red - Roller Bearings

1 - Different Locking Devices

2 - Different Rolling Elements

4 - Different Housing Materials

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
044861	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
	2 1/2"	Dodge	FC-900-2 1/2	1,2
044862	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
	2 11/16"	Dodge	FC-900-2 11/16	1,2
044863	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
	2 3/4"	Dodge	FC-900-2 3/4	1,2
044864	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
	2 15/16"	Dodge	FC-900-2 15/16	1,2
044865	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
044866	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
044868	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
044869	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
044870	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
044871	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
044872	4"	Dodge	SFC-1000NE-4	=
044876	1 3/8"	Dodge	TUE-920-1 3/8	=
044877	1 7/16"	Dodge	TUE-920-1 7/16	=
044880	1 11/16"	Dodge	TUE-920-1 11/16	=
044881	1 3/4"	Dodge	TUE-920-1 3/4	=
044883	1 15/16"	Dodge	TUE-920-1 15/16	=
044884	2"	Dodge	TUE-920-2	=
044885	2 3/16"	Dodge	TUE-920-2 3/16	=
044888	2 7/16"	Dodge	TUE-920-2 7/16	=
044889	2 1/2"	Dodge	TUE-920-2 1/2	=
044890	2 11/16"	Dodge	TUE-920-2 11/16	=
044891	2 3/4"	Dodge	TUE-920-2 3/4	=
044892	2 15/16"	Dodge	TUE-920-2 15/16	=
044951	3 7/16"	Dodge	TUE-920-3 7/16	=
044954	3 15/16"	Dodge	TUE-920-3 15/16	=
044963	1 3/8"	Dodge	TUE-920-1 3/8	=
044964	1 7/16"	Dodge	TUE-920-1 7/16	=
044967	1 11/16"	Dodge	TUE-920-1 11/16	=
044968	1 3/4"	Dodge	TUE-920-1 3/4	=
044970	1 15/16"	Dodge	TUE-920-1 15/16	=
044971	2"	Dodge	TUE-920-2	=
044972	2 3/16"	Dodge	TUE-920-2 3/16	=
044975	2 7/16"	Dodge	TUE-920-2 7/16	=
044976	2 1/2"	Dodge	TUE-920-2 1/2	=
044977	2 11/16"	Dodge	TUE-920-2 11/16	=
044978	2 3/4"	Dodge	TUE-920-2 3/4	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
044979	2 15/16"	Dodge	TUE-920-2 15/16	=
044983	3 7/16"	Dodge	TUE-920-3 7/16	=
044986	3 15/16"	Dodge	TUE-920-3 15/16	=
045053	1 3/8"	Dodge	PBE-920-1 3/8	H,M,1,2
045054	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
045055	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
045056	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
045057	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
045058	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
045060	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
045061	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	PB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
045062	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
045065	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
045066	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
045067	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
045068	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
045069	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
045070	3"	Dodge	SPB-1000NE-3	G,X
045071	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
045073	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
045074	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
045078	1 3/8"	Dodge	PBE-920-1 3/8	H,M,1,2
045079	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
045080	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
045081	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements  
4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
045082	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
045083	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
045084	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2
045085	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
045086	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
045087	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
045090	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
045091	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
045092	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
045093	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
045094	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
045095	3"	Dodge	SPB-1000NE-3	G,X
045096	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
045098	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
045099	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
045107	2 1/2"	Dodge	SPB-1000FNE-2 1/2	G,Z
045108	2 11/16"	Dodge	SPB-1000FNE-2 11/16	G,X
045109	2 3/4"	Dodge	SPB-1000FNE-2 3/4	G,X
045110	2 15/16"	Dodge	SPB-1000FNE-2 15/16	G,X
045111	3"	Dodge	SPB-1000FNE-3	G,X
045112	3 3/16"	Dodge	SPB-1000FNE-3 3/16	G,X
045114	3 7/16"	Dodge	SPB-1000FNE-3 7/16	G,X
045115	3 1/2"	Dodge	SPB-1000FNE-3 1/2	G,X
045123	2 1/2"	Dodge	SPB-1000FNE-2 1/2	G,Z
045124	2 11/16"	Dodge	SPB-1000FNE-2 11/16	G,X
045125	2 3/4"	Dodge	SPB-1000FNE-2 3/4	G,X
045126	2 15/16"	Dodge	SPB-1000FNE-2 15/16	G,X
045127	3"	Dodge	SPB-1000FNE-3	G,X
045128	3 3/16"	Dodge	SPB-1000FNE-3 3/16	G,X
045130	3 7/16"	Dodge	SPB-1000FNE-3 7/16	G,X
045131	3 1/2"	Dodge	SPB-1000FNE-3 1/2	G,X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
045136	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
045137	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
045139	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
045140	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
045142	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
045143	2"	Dodge	SFB-1000NE-2	=
045144	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
045147	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
045148	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
045149	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
045150	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
045151	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
045152	3"	Dodge	SFB-1000NE-3	=
045153	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
045155	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
045156	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
045161	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
045162	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
045164	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
045165	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
045167	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
045168	2"	Dodge	SFB-1000NE-2	=
045169	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
045172	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
045173	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
045174	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
045175	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
045176	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
045177	3"	Dodge	SFB-1000NE-3	=
045178	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
045180	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
045181	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
045186	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
045187	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
045188	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
045189	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
045190	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
045191	1 7/8"	Dodge	FC-900-1 7/8	1,2
045192	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
045193	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
045194	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2

## Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 K - Pilot within 1/64  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements  
 4 - Different Housing Materials

Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
045197	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
	2 7/16"	Dodge	FC-900-2 7/16	1,2
045198	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
	2 1/2"	Dodge	FC-900-2 1/2	1,2
045199	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
	2 11/16"	Dodge	FC-900-2 11/16	1,2
045200	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
	2 3/4"	Dodge	FC-900-2 3/4	1,2
045201	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
	2 15/16"	Dodge	FC-900-2 15/16	1,2
045202	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
045203	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
045205	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
045206	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
045211	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
045212	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
045213	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
045214	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
045215	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
045216	1 7/8"	Dodge	FC-900-1 7/8	1,2
045217	1 15/16"	Dodge	SFC-1000E-1 15/16	=
	1 15/16"	Dodge	SFC-1100E-1 15/16	4
045218	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
045219	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2
045222	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
	2 7/16"	Dodge	FC-900-2 7/16	1,2
045223	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
	2 1/2"	Dodge	FC-900-2 1/2	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
045224	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
	2 11/16"	Dodge	FC-900-2 11/16	1,2
045225	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
	2 3/4"	Dodge	FC-900-2 3/4	1,2
045226	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
	2 15/16"	Dodge	FC-900-2 15/16	1,2
045227	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
045228	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
045230	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
045231	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
045235	1 3/8"	Dodge	TUE-920-1 3/8	=
045236	1 7/16"	Dodge	TUE-920-1 7/16	=
045239	1 11/16"	Dodge	TUE-920-1 11/16	=
045240	1 3/4"	Dodge	TUE-920-1 3/4	=
045242	1 15/16"	Dodge	TUE-920-1 15/16	=
045243	2"	Dodge	TUE-920-2	=
045244	2 3/16"	Dodge	TUE-920-2 3/16	=
045247	2 7/16"	Dodge	TUE-920-2 7/16	=
045248	2 1/2"	Dodge	TUE-920-2 1/2	=
045249	2 11/16"	Dodge	TUE-920-2 11/16	=
045250	2 3/4"	Dodge	TUE-920-2 3/4	=
045251	2 15/16"	Dodge	TUE-920-2 15/16	=
045255	3 7/16"	Dodge	TUE-920-3 7/16	=
045260	1 3/8"	Dodge	TUE-920-1 3/8	=
045261	1 7/16"	Dodge	TUE-920-1 7/16	=
045264	1 11/16"	Dodge	TUE-920-1 11/16	=
045265	1 3/4"	Dodge	TUE-920-1 3/4	=
045267	1 15/16"	Dodge	TUE-920-1 15/16	=
045268	2"	Dodge	TUE-920-2	=
045269	2 3/16"	Dodge	TUE-920-2 3/16	=
045272	2 7/16"	Dodge	TUE-920-2 7/16	=
045273	2 1/2"	Dodge	TUE-920-2 1/2	=
045274	2 11/16"	Dodge	TUE-920-2 11/16	=
045275	2 3/4"	Dodge	TUE-920-2 3/4	=
045276	2 15/16"	Dodge	TUE-920-2 15/16	=
045280	3 7/16"	Dodge	TUE-920-3 7/16	=
050103	1 3/16"	Royersford	FBE-920-1 3/16	=
050104	1 1/4"	Royersford	FBE-920-1 1/4	=

### Note Code

K - Pilot within 1/64

= - Fully Interchangeable

Red - Roller Bearings

1 - Different Locking Devices

2 - Different Rolling Elements

4 - Different Housing Materials

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
050106	1 3/8"	Royersford	FBE-920-1 3/8	=
050107	1 7/16"	Royersford	FBE-920-1 7/16	=
	1 7/16"	Royersford	FB-900-1 7/16	1
	1 7/16"	Royersford	SFB-1000NE-1 7/16	1,2
050108	1 1/2"	Royersford	FBE-920-1 1/2	=
050110	1 5/8"	Royersford	FBE-920-1 5/8	=
	1 5/8"	Royersford	FB-900-1 5/8	1
050111	1 11/16"	Royersford	FBE-920-1 11/16	=
	1 11/16"	Royersford	FB-900-1 11/16	1
050112	1 3/4"	Royersford	FBE-920-1 3/4	=
050114	1 7/8"	Royersford	FB-900-1 7/8	1
050115	1 15/16"	Royersford	FBE-920-1 15/16	=
	1 15/16"	Royersford	FB-900-1 15/16	1
	1 15/16"	Royersford	SFB-1100NE-1 15/16	1,2,4
050200	2"	Royersford	FBE-920-2	=
	2"	Royersford	FB-900-2	1
	2"	Royersford	SFB-1100NE-2	1,2,4
050203	2 3/16"	Royersford	FBE-920-2 3/16	=
	2 3/16"	Royersford	FB-900-2 3/16	1
	2 3/16"	Royersford	SFB-1100NE-2 3/16	1,2,4
050204	2 1/4"	Royersford	FBE-920-2 1/4	=
	2 1/4"	Royersford	FB-900-2 1/4	1
050207	2 7/16"	Royersford	FBE-920-2 7/16	=
	2 7/16"	Royersford	FB-900-2 7/16	1
	2 7/16"	Royersford	SFB-1100NE-2 7/16	1,2,4
050208	2 1/2"	Royersford	FBE-920-2 1/2	=
	2 1/2"	Royersford	FB-900-2 1/2	1
	2 1/2"	Royersford	SFB-1100NE-2 1/2	1,2,4
050211	2 11/16"	Royersford	FBE-920-2 11/16	=
	2 11/16"	Royersford	FB-900-2 11/16	1
	2 11/16"	Royersford	SFB-1100NE-2 11/16	1,2,4
050212	2 3/4"	Royersford	FBE-920-2 3/4	=
	2 3/4"	Royersford	FB-900-2 3/4	1
	2 3/4"	Royersford	SFB-1100NE-2 3/4	1,2,4
050215	2 15/16"	Royersford	FBE-920-2 15/16	=
	2 15/16"	Royersford	FB-900-2 15/16	1
	2 15/16"	Royersford	SFB-1100NE-2 15/16	1,2,4
050300	3"	Royersford	FBE-920-3	=
	3"	Royersford	SFB-1100NE-3	1,2,4
050303	3 3/16"	Royersford	FBE-920-3 3/16	=
	3 3/16"	Royersford	SFB-1100NE-3 3/16	1,2,4
050307	3 7/16"	Royersford	FBE-920-3 7/16	=
	3 7/16"	Royersford	FB-900-3 7/16	1
	3 7/16"	Royersford	SFB-1100NE-3 7/16	1,2,4
050308	3 1/2"	Royersford	FBE-920-3 1/2	=
	3 1/2"	Royersford	FB-900-3 1/2	1
	3 1/2"	Royersford	SFB-1100NE-3 1/2	1,2,4
050315	3 15/16"	Royersford	FBE-920-3 15/16	=
	3 15/16"	Royersford	FB-900-3 15/16	1
050400	4"	Royersford	FBE-920-4	=
	4"	Royersford	FB-900-4	1

Part Description	Size	Manufacturer	Browning Part Description	Note Code
050407	4 7/16"	Royersford	FB-900-4 7/16	1
050408	4 1/2"	Royersford	FB-900-4 1/2	1
053011	7/8	Dodge	VTBB-214	=
053175	2 7/16	Dodge	VF2S-239	B
060103	1 3/16"	Royersford	FC-900-1 3/16	1
060104	1 1/4"	Royersford	FC-900-1 1/4	1
060107	1 7/16"	Royersford	FC-900-1 7/16	1
	1 7/16"	Royersford	SFC-1000NE-1 7/16	1,2
060110	1 5/8"	Royersford	FC-900-1 5/8	K,1
060111	1 11/16"	Royersford	FC-900-1 11/16	K,1
	1 11/16"	Royersford	SFC-1000NE-1 11/16	1,2
060114	1 7/8"	Royersford	FC-900-1 7/8	1
060115	1 15/16"	Royersford	FC-900-1 15/16	1
060200	1 15/16"	Royersford	SFC-1000NE-1 15/16	1,2
	1 15/16"	Royersford	SFC-1100NE-1 15/16	1,2,4
	2"	Royersford	FC-900-2	1
060203	2"	Royersford	SFC-1000NE-2	1,2
	2"	Royersford	SFC-1100NE-2	1,2,4
060204	2 3/16"	Royersford	FC-900-2 3/16	1
	2 3/16"	Royersford	SFC-1000NE-2 3/16	1,2
	2 3/16"	Royersford	SFC-1100NE-2 3/16	1,2,4
060207	2 1/4"	Royersford	FC-900-2 1/4	1
060208	2 7/16"	Royersford	FC-900-2 7/16	1
	2 7/16"	Royersford	SFC-1000NE-2 7/16	1,2
	2 7/16"	Royersford	SFC-1100NE-2 7/16	1,2,4
060211	2 1/2"	Royersford	FC-900-2 1/2	1
	2 1/2"	Royersford	SFC-1000NE-2 1/2	1,2
	2 1/2"	Royersford	SFC-1100NE-2 1/2	1,2,4
060212	2 11/16"	Royersford	FC-900-2 11/16	1
	2 11/16"	Royersford	SFC-1000NE-2 11/16	1,2
	2 11/16"	Royersford	SFC-1100NE-2 11/16	1,2,4
060215	2 3/4"	Royersford	FC-900-2 3/4	1
	2 3/4"	Royersford	SFC-1000NE-2 3/4	1,2
	2 3/4"	Royersford	SFC-1100NE-2 3/4	1,2,4
060300	2 15/16"	Royersford	FC-900-2 15/16	1
	2 15/16"	Royersford	SFC-1000NE-2 15/16	1,2
	2 15/16"	Royersford	SFC-1100NE-2 15/16	1,2,4
060303	3"	Royersford	FC-900-3	1
	3"	Royersford	SFC-1000NE-3	1,2
	3"	Royersford	SFC-1100NE-3	1,2,4
060307	3 3/16"	Royersford	SFC-1000NE-3 3/16	1,2
	3 3/16"	Royersford	SFC-1100NE-3 3/16	1,2,4
	3 7/16"	Royersford	FC-900-3 7/16	1
060308	3 7/16"	Royersford	SFC-1000NE-3 7/16	1,2
	3 7/16"	Royersford	SFC-1100NE-3 7/16	1,2,4
	3 1/2"	Royersford	FC-900-3 1/2	1
060315	3 1/2"	Royersford	SFC-1000NE-3 1/2	1,2
	3 1/2"	Royersford	SFC-1100NE-3 1/2	1,2,4
	3 15/16"	Royersford	SFC-1000NE-3 15/16	1,2

## Note Code

B - Bolt Centers or OD within 1/16  
K - Pilot within 1/64

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements  
4 - Different Housing Materials

Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
060400	4"	Royersford	SFC-1000NE-4	1,2
070106	1 3/8"	Royersford	TUE-920-1 3/8	=
070107	1 7/16"	Royersford	TUE-920-1 7/16	=
070108	1 1/2"	Royersford	TUE-920-1 1/2	R
070111	1 11/16"	Royersford	TUE-920-1 11/16	R
070112	1 3/4"	Royersford	TUE-920-1 3/4	R
070115	1 15/16"	Royersford	TUE-920-1 15/16	R
070200	2"	Royersford	TUE-920-2	R
070203	2 3/16"	Royersford	TUE-920-2 3/16	R
070207	2 7/16"	Royersford	TUE-920-2 7/16	R
070208	2 1/2"	Royersford	TUE-920-2 1/2	R
070211	2 11/16"	Royersford	TUE-920-2 11/16	R
070212	2 3/4"	Royersford	TUE-920-2 3/4	R
070215	2 15/16"	Royersford	TUE-920-2 15/16	R
11F-2	2	Boston	VF4E-132	=
11F-2 3/16	2 3/16	Boston	VF4E-135	=
123170	1 1/4	Dodge	VPS-220S	G, X
123171	1 1/4	Dodge	VPLS-220S	G, X
123172	1 1/4	Dodge	VF2S-220S	=
123173	1 1/4	Dodge	VF4S-220S	=
123175	1 1/4	Dodge	VTWS-220	=
123580	3/4	Dodge	VPS-112	=
123581	1	Dodge	VPS-116	=
123583	1 1/4	Dodge	VPS-120	L, M
123584	1 7/16	Dodge	VPS-123	L, M
123586	1 15/16	Dodge	VPS-131	G, Y
123587	2	Dodge	VPS-132S	G, Y
123588	2 3/16	Dodge	VPS-135	H, X
123593	2	Dodge	VPS-132	H, X
123595	3/4	Dodge	VPLS-112	=
123596	1	Dodge	VPLS-116	X
123597	1 3/16	Dodge	VPLS-119	G, X
123598	1 1/4	Dodge	VPLS-120	L, M
123599	1 7/16	Dodge	VPLS-123	L, M
123600	1 1/2	Dodge	VPLS-124	J
123601	1 15/16	Dodge	VPLS-131	G, Y
123602	2	Dodge	VPLS-132S	G, Y
123603	2 3/16	Dodge	VPLS-135	H, X
123604	1 3/16	Dodge	VPS-119	G, X
123605	1 1/4	Dodge	VPLS-120S	G, X
123606	1 1/4	Dodge	VPS-120S	G, X
123607	2	Dodge	VPLS-132	H, X
123610	3/4	Dodge	VF2S-112	=
123611	1	Dodge	VF2S-116	=
123612	1 3/16	Dodge	VF2S-119	=
123613	1 1/4	Dodge	VF2S-120	=
123614	1 7/16	Dodge	VF2S-123	=
123615	1 1/2	Dodge	VF2S-124	=
123616	1 15/16	Dodge	VF2S-131	=
123617	2	Dodge	VF2S-132S	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
123618	1 1/4	Dodge	VF2S-120S	=
123619	2 3/16	Dodge	VF2S-135	=
123625	3/4	Dodge	VF4S-112	=
123626	1	Dodge	VF4S-116	=
123627	1 3/16	Dodge	VF4S-119	=
123628	1 1/4	Dodge	VF4S-120	=
123629	1 7/16	Dodge	VF4S-123	=
123630	1 1/2	Dodge	VF4S-124	=
123631	1 15/16	Dodge	VF4S-131	=
123632	2	Dodge	VF4S-132S	=
123633	2 3/16	Dodge	VF4S-135	=
123634	1 1/4	Dodge	VF4S-120S	=
123652	2	Dodge	VF4S-132	=
123694	2	Dodge	VF2S-132	=
123727	2 15/16	Dodge	VPS-247	L, Z
123728	2 15/16	Dodge	VPLS-247	L, Z
123753	1/2	Dodge	VPS-208	L, M
123754	5/8	Dodge	VPS-210	L, M
123803	3/4	Dodge	VPS-212	=
123804	7/8	Dodge	VPS-214	X
123805	15/16	Dodge	VPS-215	X
123806	1	Dodge	VPS-216	X
123808	1 1/8	Dodge	VPS-218	G, X
123809	1 3/16	Dodge	VPS-219	G, X
123810	1 1/4	Dodge	VPS-220	L, M
123812	1 3/8	Dodge	VPS-222	L, M
123813	1 7/16	Dodge	VPS-223	L, M
123815	1 5/8	Dodge	VPS-226	G, Y
123816	1 11/16	Dodge	VPS-227	H, X
123817	1 3/4	Dodge	VPS-228	H, X
123818	1 15/16	Dodge	VPS-231	G, Y
123819	2	Dodge	VPS-232S	G, Y
123820	2 3/16	Dodge	VPS-235	H, X
123822	2 7/16	Dodge	VPS-239	=
123830		Dodge	VPLS-208	L, M
123831	5/8	Dodge	VPLS-210	L, M
123839	2 11/16	Dodge	VPLS-243	G, Z
123860	3/4	Dodge	VPLS-212	=
123861	7/8	Dodge	VPLS-214	X
123862	15/16	Dodge	VPLS-215	X
123863	1	Dodge	VPLS-216	X
123864	1 1/8	Dodge	VPLS-218	G, X
123865	1 3/16	Dodge	VPLS-219	G, X
123866	1 1/4	Dodge	VPLS-220	L, M
123867	1 3/8	Dodge	VPLS-222	L, M
123868	1 7/16	Dodge	VPLS-223	L, M
123869	1 1/2	Dodge	VPLS-224	J
123870	1 11/16	Dodge	VPLS-227	H, X
123871	1 3/4	Dodge	VPLS-228	H, X
123872	1 15/16	Dodge	VPLS-231	G, Y

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
R - Slot Width within 1/64  
X - Bolt Spacing Maximum within 1/8  
Y - Bolt Spacing Maximum within 1/4  
Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements

Black - Ball Bearings  
Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
123873	2	Dodge	VPLS-232S	G, Y
123874	2 3/16	Dodge	VPLS-235	H, X
123875	2 7/16	Dodge	VPLS-239	=
124034	2 3/16	Dodge	VF2S-235	=
124048	1/2	Dodge	VF4S-208	=
124049	5/8	Dodge	VF4S-210	=
124100	3/4	Dodge	VF4S-212	=
124101	7/8	Dodge	VF4S-214	=
124102	15/16	Dodge	VF4S-215	=
124103	1	Dodge	VF4S-216	=
124170	3/4	Dodge	VF2S-212	=
124171	7/8	Dodge	VF2S-214	=
124172	15/16	Dodge	VF2S-215	=
124173	1	Dodge	VF2S-216	=
124198	1/2	Dodge	VF2S-208	=
124199	5/8	Dodge	VF2S-210	=
124204	1 1/8	Dodge	VF4S-218	=
124205	1 3/16	Dodge	VF4S-219	=
124207	1 3/8	Dodge	VF4S-222	=
124208	1 7/16	Dodge	VF4S-223	=
124209	1 1/2	Dodge	VF4S-224	=
124211	1 11/16	Dodge	VF4S-227	=
124212	1 3/4	Dodge	VF4S-228	=
124213	1 15/16	Dodge	VF4S-231	=
124214	2	Dodge	VF4S-232S	=
124215	2 3/16	Dodge	VF4S-235	=
124217	2 7/16	Dodge	VF4S-239	=
124220	2 15/16	Dodge	VF4S-247	=
124224	1 1/4	Dodge	VFCS-220	=
	1 1/4	Dodge	VFCS-320	=
124225	1 1/2	Dodge	VFCS-224	=
124229	1 15/16	Dodge	VFCS-231	=
124230	2	Dodge	VFCS-232S	=
124231	2 3/16	Dodge	VFCS-235	=
124233	2 7/16	Dodge	VFCS-239	=
124235	1 3/8	Dodge	VFCS-222	=
124236	1 7/16	Dodge	VFCS-223	=
124261	2 11/16	Dodge	VF4S-243	=
124268	1 1/2	Dodge	VF2S-224	=
124269	1 15/16	Dodge	VF2S-231	=
124270	2	Dodge	VF2S-232S	=
124274	1 1/8	Dodge	VF2S-218	=
124275	1 3/16	Dodge	VF2S-219	=
124276	1 1/4	Dodge	VF2S-320	=
124277	1 3/8	Dodge	VF2S-222	=
124278	1 1/4	Dodge	VF2S-220	=
	1 7/16	Dodge	VF2S-223	=
124279	1 11/16	Dodge	VF2S-227	=
124413	1 3/4	Dodge	VF2S-228	=
124460	1/2	Dodge	VTBS-208	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
124461	5/8	Dodge	VTBS-210	=
124462	3/4	Dodge	VTBS-212	=
124463	7/8	Dodge	VTBS-214	=
124464	15/16	Dodge	VTBS-215	=
124465	1	Dodge	VTBS-216	=
124467	1 1/8	Dodge	VTBS-218	T
124468	1 3/16	Dodge	VTBS-219	=
124469	1 1/4	Dodge	VTBS-220S	T
124470	1 1/4	Dodge	VTBS-220	T
124472	1 3/8	Dodge	VTBS-222	T
124473	1 7/16	Dodge	VTBS-223	T
124478	1 15/16	Dodge	VTBS-231	=
124479	1 1/2	Dodge	VTBS-224	T
124480	2	Dodge	VTBS-232S	=
124579	1 3/16	Dodge	VFCS-219	=
124582	1 1/8	Dodge	VFCS-218	=
124587	1 1/4	Dodge	VFCS-220S	=
124600	1/2	Dodge	VF3S-108M	=
124601	5/8	Dodge	VF3S-110M	=
124602	3/4	Dodge	VF3S-112M	=
124603	7/8	Dodge	VF3S-114M	=
124604	15/16	Dodge	VF3S-115M	=
124605	1	Dodge	VF3S-116M	=
124607	1 1/8	Dodge	VF3S-118M	=
124608	1 3/16	Dodge	VF3S-119M	=
124609	1 1/4	Dodge	VF3S-120SM	=
124610	1 1/4	Dodge	VF3S-120M	=
124612	1 3/8	Dodge	VF3S-122M	=
124613	1 7/16	Dodge	VF3S-123M	=
124640	1/2	Dodge	VF2S-108M	=
124641	5/8	Dodge	VF2S-110M	=
124642	3/4	Dodge	VF2S-112M	=
124643	7/8	Dodge	VF2S-114M	=
124644	15/16	Dodge	VF2S-115M	=
124645	1	Dodge	VF2S-116M	=
124647	1 1/8	Dodge	VF2S-118M	=
124648	1 3/16	Dodge	VF2S-119M	=
124649	1 1/4	Dodge	VF2S-120SM	=
124650	1 1/4	Dodge	VF2S-120M	=
124652	1 3/8	Dodge	VF2S-122M	=
124653	1 7/16	Dodge	VF2S-123M	=
124933	1 3/4	Dodge	VPS-128	H, X
125010	3/4	Dodge	VTWS-212	=
125011	15/16	Dodge	VTWS-215	=
125012	1	Dodge	VTWS-216	=
125113	1 3/16	Dodge	VTWS-219	=
125114	1 7/16	Dodge	VTWS-223	=
125115	1 11/16	Dodge	VTWS-227	=
125116	1 15/16	Dodge	VTWS-231	=
125117	2 3/16	Dodge	VTWS-235	=

### Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 T - Bolt Tap Differs  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
125118	2 7/16	Dodge	VTWS-239	=
125120	1 1/2	Dodge	VTWS-224	=
125169	1 5/8	Dodge	VPS-226	H, X
125170	1 5/8	Dodge	VF4S-226	=
125171	1 5/8	Dodge	VF2S-226	=
125343	1/2	Dodge	VTWS-208	=
125344	5/8	Dodge	VTWS-210	=
125355	1 5/8	Dodge	VTWS-226	=
125356	7/8	Dodge	VTWS-214	=
125358	1 1/8	Dodge	VTWS-218	=
125360	1 1/4	Dodge	VTWS-220	=
125361	1 3/8	Dodge	VTWS-222	=
125362	1 3/4	Dodge	VTWS-228	=
125410	3/4	Dodge	VPS-112	H, Z
125411	1	Dodge	VPS-116	J, Z
125412	1 1/4	Dodge	VPS-120	L, M
125413	1 7/16	Dodge	VPS-123	L, M
125414	1 3/16	Dodge	VPS-119	J, Y
125415	1 1/4	Dodge	VPS-120S	J, Y
125416	1 1/2	Dodge	VPLS-124	J, Z
125417	3/4	Dodge	VF2S-112	=
125418	1	Dodge	VF2S-116	=
125419	1 3/16	Dodge	VF2S-119	=
125420	1 1/4	Dodge	VF2S-120S	=
125421	1 1/4	Dodge	VF2S-120	=
125422	1 7/16	Dodge	VF2S-123	=
125423	1 1/2	Dodge	VF2S-124	=
125424	3/4	Dodge	VF4S-112	=
125425	1	Dodge	VF4S-116	=
125426	1 3/16	Dodge	VF4S-119	B
125427	1 1/4	Dodge	VF4S-120S	B
125428	1 1/4	Dodge	VF4S-120	=
125429	1 7/16	Dodge	VF4S-123	=
125430	1 1/2	Dodge	VF4S-124	B
125500	1/2	Dodge	VPLS-108	L, M
	1/2	Dodge	VPLS-108	L, M
125501	5/8	Dodge	VPLS-110	L, M
	5/8	Dodge	VPLS-110	L, M
125502	7/8	Dodge	VPS-114	=
125503	15/16	Dodge	VPS-115	=
125505	1 3/8	Dodge	VPS-122	L, M
125506	1 11/16	Dodge	VPS-127	H, X
125507	1 3/4	Dodge	VPLS-128	H, X
125508	7/8	Dodge	VPLS-114	X
125509	15/16	Dodge	VPLS-115	X
125510	1 1/8	Dodge	VPLS-118	G, X
125511	1 3/8	Dodge	VPLS-122	L, M
125512	1 11/16	Dodge	VPLS-127	H, X
125513	1/2	Dodge	VPS-108	L, M
125514	5/8	Dodge	VPS-110	J, Y

Part Description	Size	Manufacturer	Browning Part Number	Note Code
125515	1 1/8	Dodge	VPS-118	G, X
125516	1/2	Dodge	VF2S-108	=
125517	5/8	Dodge	VF2S-110	=
125518	7/8	Dodge	VF2S-114	=
125519	15/16	Dodge	VF2S-115	=
125520	1 1/8	Dodge	VF2S-118	=
125521	1 3/8	Dodge	VF2S-122	=
125522	1 11/16	Dodge	VF2S-127	=
125523	1 3/4	Dodge	VF2S-128	=
125524	1/2	Dodge	VF4S-108	=
125525	5/8	Dodge	VF4S-110	=
125526	7/8	Dodge	VF4S-114	=
125527	15/16	Dodge	VF4S-115	=
125528	1 1/8	Dodge	VF4S-118	=
125529	1 3/8	Dodge	VF4S-122	=
125530	1 11/16	Dodge	VF4S-127	=
125531	1 3/4	Dodge	VF4S-128	=
125549	3/4	Dodge	VTWS-112	=
125550	7/8	Dodge	VTWS-114	=
125551	15/16	Dodge	VTWS-115	=
125552	1	Dodge	VTWS-116	=
125553	1 1/8	Dodge	VTWS-118	=
125554	1 3/16	Dodge	VTWS-119	=
125555	1 1/4	Dodge	VTWS-120	=
	1 1/4	Dodge	VTWS-120S	=
125556	1 1/4	Dodge	VTWS-120	=
	1 1/4	Dodge	VTWS-120S	=
125557	1 3/8	Dodge	VTWS-122	=
125558	1 7/16	Dodge	VTWS-123	=
125564	2	Dodge	VTWS-132	=
125565	2 3/16	Dodge	VTWS-135	=
126168	1 3/16	Dodge	VFCS-319	=
126170	1 7/16	Dodge	VFCS-323	=
126172	1 11/16	Dodge	VFCS-327	=
126173	1 3/4	Dodge	VFCS-328	=
126174	1 15/16	Dodge	VFCS-331	=
126175	2	Dodge	VFCS-232	=
	2	Dodge	VFCS-332	=
126176	2 3/16	Dodge	VFCS-335	=
126177	2 1/4	Dodge	VFCS-236	=
	2 1/4	Dodge	VFCS-336	=
126178	2 7/16	Dodge	VFCS-339	=
126179	2 1/2	Dodge	VFCS-240	=
	2 1/2	Dodge	VFCS-340	=
126180	2 15/16	Dodge	VFCS-347	=
126182	3	Dodge	VFCS-348	=
126183	3 7/16	Dodge	VFCS-355	=
126184	3 1/2	Dodge	VFCS-356	=
126186	2 11/16	Dodge	VF4S-343	=
126187	1 7/16	Dodge	VF4S-323	=

### Note Code

B - Bolt Centers or OD within 1/16  
 G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4  
 Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
126188	1 1/2	Dodge	VF4S-324	=
126189	1 11/16	Dodge	VF4S-327	=
126190	1 3/4	Dodge	VF4S-328	=
126191	1 15/16	Dodge	VF4S-331	=
126192	2	Dodge	VF4S-232	=
	2	Dodge	VF4S-332	=
126193	2 3/16	Dodge	VF4S-335	=
126194	2 1/4	Dodge	VF4S-336	=
	2 7/16	Dodge	VF4S-339	=
126195	2 1/2	Dodge	VF4S-340	=
126196	2 15/16	Dodge	VF4S-347	=
126197	3	Dodge	VF4S-348	=
126198	3 7/16	Dodge	VF4S-355	=
126199	3 1/2	Dodge	VF4S-356	=
126226	1	Dodge	VF4S-316	=
126227	1 3/16	Dodge	VF4S-319	=
126283	2 1/4	Dodge	VF4S-236	=
126284	1	Dodge	VF2S-316	=
126285	1 3/16	Dodge	VF2S-319	=
126287	1 7/16	Dodge	VF2S-323	=
126288	1 1/2	Dodge	VF2S-324	=
126289	1 11/16	Dodge	VF2S-327	=
126290	1 3/4	Dodge	VF2S-328	=
126292	1 15/16	Dodge	VF2S-331	=
126293	2	Dodge	VF2S-232	=
	2	Dodge	VF2S-332	=
126815	2	Dodge	VPS-232	H, X
126817	2 1/4	Dodge	VPS-236	=
128082	1 1/4	Dodge	SSF3S-120	=
	1 1/4	Dodge	SSF3S-120S	=
	1 1/4	Dodge	SSF3TS-120S	=
128083	3/4	Dodge	SSF3S-112	=
	3/4	Dodge	SSF3TS-112	=
128084	1	Dodge	SSF3S-116	=
	1	Dodge	SSF3TS-116	=
128085	1 3/16	Dodge	SSF3S-119	=
	1 3/16	Dodge	SSF3TS-119	=
128086	1 1/4	Dodge	SSF3S-120	=
	1 1/4	Dodge	SSF3S-120S	=
	1 1/4	Dodge	SSF3TS-120S	=
128087	1 7/16	Dodge	SSF3S-123	=
128088	1 1/2	Dodge	SSF4S-124	=
128089	1 15/16	Dodge	SSF4S-131	=
128092	3/4	Dodge	SSF2S-112	=
128093	1	Dodge	SSF2S-116	=
128094	1 3/16	Dodge	SSF2S-119	=
128097	1 1/4	Dodge	SSF2S-120S	=
128107	1	Dodge	SSPS-116	D
128108	1 3/16	Dodge	SSPS-119	D
128111	1 1/4	Dodge	SSPS-120S	D

Part Description	Size	Manufacturer	Browning Part Description	Note Code
128132	15/16	Dodge	SSPE-115	D
128134	1 1/8	Dodge	SSPE-118	D
128137	3/4	Dodge	SSF2E-112	=
128138	7/8	Dodge	SSF3E-114	=
	7/8	Dodge	SSF3TE-114	=
128139	15/16	Dodge	SSF2E-115	=
128140	1	Dodge	SSF2E-116	=
128141	1 1/8	Dodge	SSF2E-118	=
128142	1 3/16	Dodge	SSF2E-119	=
128143	1 1/4	Dodge	SSF3E-120S	=
	1 1/4	Dodge	SSF3TE-120S	=
128144	3/4	Dodge	SSF3E-112	=
	3/4	Dodge	SSF3TE-112	=
128145	7/8	Dodge	SSF3E-114	=
	7/8	Dodge	SSF3TE-114	=
128146	15/16	Dodge	SSF3E-115	=
	15/16	Dodge	SSF3TE-115	=
128147	1	Dodge	SSF3E-116	=
	1	Dodge	SSF3TE-116	=
128148	1 1/8	Dodge	SSF3E-118	=
	1 1/8	Dodge	SSF3TE-118	=
128149	1 3/16	Dodge	SSF3E-119	=
	1 3/16	Dodge	SSF3TE-119	=
128150	1 3/16	Dodge	SSF3E-119	=
	1 3/16	Dodge	SSF3TE-119	=
128151	1/2	Dodge	SSF2S-108	=
128170	7/8	Dodge	SSPS-114	D
128171	15/16	Dodge	SSPS-115	D
128172	1 1/8	Dodge	SSPS-118	D
128174	7/8	Dodge	SSF2S-114	=
128175	15/16	Dodge	SSF2S-115	=
128176	1 1/8	Dodge	SSF2S-118	=
128178	7/8	Dodge	SSF3S-114	=
	7/8	Dodge	SSF3TS-114	=
128179	15/16	Dodge	SSF3S-115	=
	15/16	Dodge	SSF3TS-115	=
128180	1 1/8	Dodge	SSF3S-118	=
	1 1/8	Dodge	SSF3TS-118	=
128181	1 3/8	Dodge	SSF3S-122	=
128189	1 1/4	Dodge	SSF3E-120	=
	1 1/4	Dodge	SSF3E-120S	=
	1 1/4	Dodge	SSF3TE-120S	=
128190	1 3/8	Dodge	SSF3E-122	=
128191	1 7/16	Dodge	SSF3E-123	=
128192	1 1/2	Dodge	SSF4E-124	=
128193	1 15/16	Dodge	SSF4E-131	=
128432	3/4	Dodge	VPB-212	X
128435	1	Dodge	VPB-216	G, Y
128437	1 3/16	Dodge	VPB-219	H, X
128441	1 7/16	Dodge	VPB-223	G, X

### Note Code

D - Bolt Centers greater than 1/8  
 G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
128444	1 11/16	Dodge	VPB-227	H
128446	1 15/16	Dodge	VPB-231	G
128449	2 3/16	Dodge	VPB-235	G, Y
128451	2 7/16	Dodge	VPB-239	
128475	1 3/16	Dodge	VPB-319	G, X
128480	1 15/16	Dodge	VPB-331	G, Y
128482	2 3/16	Dodge	VPB-335	X
128700	3/4	Dodge	VPB-212	X
128701	7/8	Dodge	VPB-214	G, Y
128702	15/16	Dodge	VPB-215	G, Y
128703	1	Dodge	VPB-216	G, Y
128704	1 1/8	Dodge	VPB-218	H, X
128705	1 3/16	Dodge	VPB-219	H, X
128706	1 1/4	Dodge	VPB-220S	H, X
128707	1 1/4	Dodge	VPB-220	G, X
	1 1/4	Dodge	VPB-320	G, X
128708	1 3/8	Dodge	VPB-222	G, X
128709	1 7/16	Dodge	VPB-223	G, X
128710	1 1/2	Dodge	VPLB-224	J
	1 1/2	Dodge	VPLB-224	J
128711	1 5/8	Dodge	VPB-226	H
128712	1 11/16	Dodge	VPB-227	H
128713	1 3/4	Dodge	VPB-228	H
128714	1 15/16	Dodge	VPB-231	G
128715	2	Dodge	VPB-232S	G
128717	2 3/16	Dodge	VPB-235	G, Y
128719	2 7/16	Dodge	VPB-239	X
128721	3/4	Dodge	VPLB-212	X
128722	7/8	Dodge	VPLB-214	G, Y
128723	15/16	Dodge	VPLB-215	G, Y
128724	1	Dodge	VPLB-216	G, Y
128725	1 1/8	Dodge	VPLB-218	H, X
128726	1 3/16	Dodge	VPLB-219	H, X
128727	1 1/4	Dodge	VPLB-220S	H, X
128728	1 1/4	Dodge	VPLB-220	G, X
128729	1 3/8	Dodge	VPLB-222	G, X
128730	1 7/16	Dodge	VPLB-223	G, X
128731	1 5/8	Dodge	VPLB-226	H
128732	1 11/16	Dodge	VPLB-227	H
128733	1 3/4	Dodge	VPLB-228	H
128734	1 15/16	Dodge	VPLB-231	G
128735	2	Dodge	VPLB-232S	G
128736	2	Dodge	VPLB-232	G, Y
128741	2 7/16	Dodge	VPLB-239	X
128742	3/4	Dodge	VTBB-212	=
128743	15/16	Dodge	VTBB-215	=
128744	1	Dodge	VTBB-216	=
128745	1 1/8	Dodge	VTBB-218	
128746	1 3/16	Dodge	VTBB-219	T
128747	1 1/4	Dodge	VTBB-220S	T

Part Description	Size	Manufacturer	Browning Part Description	Note Code
128748	1 1/4	Dodge	VTBB-220	T
128749	1 3/8	Dodge	VTBB-222	T
128750	1 7/16	Dodge	VTBB-223	T
128751	1 1/2	Dodge	VTBB-224	T
128752	1 5/8	Dodge	VTBB-226	
128753	1 11/16	Dodge	VTBB-227	T
128754	1 3/4	Dodge	VTBB-228	T
128755	1 15/16	Dodge	VTBB-231	=
128756	2	Dodge	VTBB-232S	=
128757	3/4	Dodge	VF2B-212	=
128758	7/8	Dodge	VF2B-214	=
128759	15/16	Dodge	VF2B-215	=
128760	1	Dodge	VF2B-216	=
128761	1 1/8	Dodge	VF2B-218	=
128762	1 3/16	Dodge	VF2B-219	=
128763	1 1/4	Dodge	VF2B-220S	=
128764	1 1/4	Dodge	VF2B-220	=
	1 1/4	Dodge	VF2B-320	=
128765	1 3/8	Dodge	VF2B-222	=
128766	1 7/16	Dodge	VF2B-223	=
128767	1 1/2	Dodge	VF2B-224	=
128768	1 5/8	Dodge	VF2B-226	=
128769	1 11/16	Dodge	VF2B-227	=
128770	1 3/4	Dodge	VF2B-228	=
128771	1 15/16	Dodge	VF2B-231	=
128772	2	Dodge	VF2B-232S	=
128774	2 3/16	Dodge	VF2B-235	=
128775	3/4	Dodge	VF4B-212	=
128776	7/8	Dodge	VF4B-214	=
128777	1	Dodge	VF4B-215	=
128778	1	Dodge	VF4B-216	=
128779	1 1/8	Dodge	VF4B-218	=
128780	1 3/16	Dodge	VF4B-219	=
128781	1 1/4	Dodge	VF4B-220S	=
128782	1 1/4	Dodge	VF4B-220	=
	1 1/4	Dodge	VF4B-320	=
128783	1 3/8	Dodge	VF4B-222	=
128784	1 7/16	Dodge	VF4B-223	=
128785	1 1/2	Dodge	VF4B-224	=
128786	1 5/8	Dodge	VF4B-226	=
128787	1 11/16	Dodge	VF4B-227	=
128788	1 3/4	Dodge	VF4B-228	=
128789	115/16	Dodge	VF4B-231	=
128790	2	Dodge	VF4B-232S	=
128792	2 3/16	Dodge	VF4B-235	=
128794	2 7/16	Dodge	VF4B-239	=
128824	1 3/16	Dodge	VPB-319	G, X
128829	1 15/16	Dodge	VPB-331	G, Y
128830	2	Dodge	VPB-232	G, Y
	2	Dodge	VPB-332	G, Y

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
T - Bolt Tap Differs  
X - Bolt Spacing Maximum within 1/8  
Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
128831	2 3/16	Dodge	VPB-335	X
128832	2 1/4	Dodge	VPB-236	X
128835	1	Dodge	VF2B-316	=
128836	1 3/16	Dodge	VF2B-319	=
128837	1 7/16	Dodge	VF2B-323	=
128838	1 1/2	Dodge	VF2B-324	=
	2 3/16	Dodge	VPLB-235	G, Y
128839	2 1/4	Dodge	VPLB-236	X
	1 11/16	Dodge	VF2B-327	=
128840	1 3/4	Dodge	VF2B-328	=
128841	1 15/16	Dodge	VF2B-331	=
128842	2	Dodge	VF2B-232	=
	2	Dodge	VF2B-332	=
128843	1	Dodge	VF4B-316	=
128844	1 3/16	Dodge	VF4B-319	=
128845	1 7/16	Dodge	VF4B-323	=
128846	1 1/2	Dodge	VF4B-324	=
128847	1 11/16	Dodge	VF4B-327	=
128848	1 3/4	Dodge	VF4B-328	=
128849	1 15/16	Dodge	VF4B-331	=
128850	2	Dodge	VF4B-232	=
	2	Dodge	VF4B-332	=
128851	2 3/16	Dodge	VF4B-335	=
128852	2 1/4	Dodge	VF4B-236	=
12F-2 1/4	2 1/4	Boston	VF4E-136	=
12F-2 7/16	2 7/16	Boston	VF4E-139	=
130310	1/2	Dodge	VPLE-108	L, M
130311	5/8	Dodge	VPLE-110	L, M
130312	1 11/16	Dodge	VPE-127	H, X
130313	1 3/4	Dodge	VPE-128	H, X
130314	1 15/16	Dodge	VPE-131	G, Y
130315	2	Dodge	VPE-132S	G, Y
130316	2	Dodge	VPE-132	H, X
130317	2 3/16	Dodge	VPE-135	H, X
130318	1 11/16	Dodge	VPLE-127	H, X
130319	1 3/4	Dodge	VPLE-128	H, X
130320	1 15/16	Dodge	VPLE-131	G, Y
130321	2	Dodge	VPLE-132S	G, Y
130322	2	Dodge	VPLE-132	H, X
130323	2 3/16	Dodge	VPLE-135	H, X
130324	1/2	Dodge	VPE-108	L, M
130325	5/8	Dodge	VPE-110	L, M
130326	1/2	Dodge	VF2E-108	=
130327	5/8	Dodge	VF2E-110	=
130328	1 11/16	Dodge	VF2E-127	=
130329	1 3/4	Dodge	VF2E-128	=
130330	1 15/16	Dodge	VF2E-131	=
130331	2	Dodge	VF2E-132S	=
130333	5/8	Dodge	VF4E-110	=
130334	1 11/16	Dodge	VF4E-127	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
130335	1 3/4	Dodge	VF4E-128	=
130336	1 15/16	Dodge	VF4E-131	=
130337	2	Dodge	VF4E-132S	=
130338	2	Dodge	VF4E-132	=
130339	2 3/16	Dodge	VF4E-135	=
130346	1 11/16	Dodge	VTWE-127	=
130347	1 3/4	Dodge	VTWE-128	=
130348	1 15/16	Dodge	VTWE-131	=
130349	2	Dodge	VTWE-132S	=
130350	2	Dodge	VTWE-132	=
130351	2 3/16	Dodge	VTWE-135	=
130352	2	Dodge	VF2E-132	=
130353	2 3/16	Dodge	VF2E-135	=
131050	1/2	Dodge	VF2E-208	=
131052	5/8	Dodge	VF2E-210	=
131054	3/4	Dodge	VF2E-212	=
131056	7/8	Dodge	VF2E-214	=
131057	15/16	Dodge	VF2E-215	=
131058	1	Dodge	VF2E-216	=
131060	1 1/8	Dodge	VF2E-218	=
131061	1 3/16	Dodge	VF2E-219	=
131063	1 1/4	Dodge	VF2E-220	=
131065	1 3/8	Dodge	VF2E-222	=
131066	1 7/16	Dodge	VF2E-223	=
131067	1 1/2	Dodge	VF2E-224	=
131070	1 5/8	Dodge	VF2E-226	=
131071	1 11/16	Dodge	VF2E-227	=
131072	1 3/4	Dodge	VF2E-228	=
131074	2 3/16	Dodge	VF2E-235	=
131075	1 15/16	Dodge	VF2E-231	=
131083	1 1/8	Dodge	VPE-118	G, X
131085	1 1/4	Dodge	VPE-120S	G, X
131100	1/2	Dodge	VF4E-208	=
131102	5/8	Dodge	VF4E-210	=
131104	3/4	Dodge	VF4E-212	=
131106	7/8	Dodge	VF4E-214	=
131107	15/16	Dodge	VF4E-215	=
131108	1	Dodge	VF4E-216	=
131110	1 1/8	Dodge	VF4E-218	=
131111	1 3/16	Dodge	VF4E-219	=
131113	1 1/4	Dodge	VF4E-220	=
131115	1 3/8	Dodge	VF4E-222	=
131116	1 7/16	Dodge	VF4E-223	=
131117	1 1/2	Dodge	VF4E-224	=
131120	1 5/8	Dodge	VF4E-226	=
131121	1 11/16	Dodge	VF4E-227	=
131122	1 3/4	Dodge	VF4E-228	=
131125	1 15/16	Dodge	VF4E-231	=
131130	2 3/16	Dodge	VF4E-235	=
131132	2 1/4	Dodge	VF4E-236	=

### Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
131135	2 7/16	Dodge	VF4E-239	=
131137	2 15/16	Dodge	VF4E-247	=
131204	3/4	Dodge	VTWE-212	=
131206	7/8	Dodge	VTWE-214	=
131207	15/16	Dodge	VTWE-215	=
131208	1	Dodge	VTWE-216	=
131210	1 1/8	Dodge	VTWE-218	=
131211	1 3/16	Dodge	VTWE-219	=
131213	1 1/4	Dodge	VTWE-220	=
131215	1 3/8	Dodge	VTWE-222	=
131216	1 7/16	Dodge	VTWE-223	=
131230	2 3/16	Dodge	VTWE-235	=
131235	2 7/16	Dodge	VTWE-239	=
131238	3/4	Dodge	VTWE-112	=
131239	7/8	Dodge	VTWE-114	=
131240	15/16	Dodge	VTWE-115	=
131241	1	Dodge	VTWE-116	=
131243	1 1/8	Dodge	VTWE-118	=
131244	1 3/16	Dodge	VTWE-119	=
131245	1 1/4	Dodge	VTWE-120	=
	1 1/4	Dodge	VTWE-120S	=
131246	1 1/4	Dodge	VTWE-120	=
	1 1/4	Dodge	VTWE-120S	=
131248	1 3/8	Dodge	VTWE-122	=
131249	1 7/16	Dodge	VTWE-123	=
131250	1 1/2	Dodge	VTWE-124	=
131339	2	Dodge	VPE-232	H, X
131340	2	Dodge	VPLE-232	H, X
131341	1/2	Dodge	VPE-208	L, M
131342	5/8	Dodge	VPE-210	L, M
131343	2	Dodge	VF4E-232	=
131377	3/4	Dodge	VF4E-112	=
131378	7/8	Dodge	VF4E-114	=
131379	15/16	Dodge	VF4E-115	=
131380	1	Dodge	VF4E-116	=
131382	1 1/8	Dodge	VF4E-118	=
131383	1 3/16	Dodge	VF4E-119	=
131384	1 1/4	Dodge	VF4E-120S	=
131385	1 1/4	Dodge	VF4E-120	=
131387	1 3/8	Dodge	VF4E-122	=
131388	1 7/16	Dodge	VF4E-123	=
131389	1 1/2	Dodge	VF4E-124	=
131434	2 15/16	Dodge	VPE-247	L, Z
	2 15/16	Dodge	VPLE-247	L, Z
131737	3/4	Dodge	VF2E-112	=
131738	7/8	Dodge	VF2E-114	=
131739	15/16	Dodge	VF2E-115	=
131740	1	Dodge	VF2E-116	=
131742	1 1/8	Dodge	VF2E-118	=
131743	1 3/16	Dodge	VF2E-119	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
131744	1 1/4	Dodge	VF2E-120S	=
131745	1 1/4	Dodge	VF2E-120	=
131747	1 3/8	Dodge	VF2E-122	=
131748	1 7/16	Dodge	VF2E-123	=
131749	1 1/2	Dodge	VF2E-124	=
131800	1/2	Dodge	VPLE-208	L, M
131801	5/8	Dodge	VPLE-210	L, M
131802	3/4	Dodge	VPE-212	=
131803	7/8	Dodge	VPE-214	X
131804	15/16	Dodge	VPE-215	X
131805	1	Dodge	VPE-216	X
131809	1 1/4	Dodge	VPE-220	L, M
131811	1 3/8	Dodge	VPE-222	L, M
131812	1 7/16	Dodge	VPE-223	L, M
131814	1 5/8	Dodge	VPE-226	H, X
131815	1 11/16	Dodge	VPE-227	H, X
131816	1 3/4	Dodge	VPE-228	H, X
131817	1 15/16	Dodge	VPE-231	G, Y
131819	2 3/16	Dodge	VPE-235	H, X
131820	2 1/4	Dodge	VPE-236	=
131821	2 7/16	Dodge	VPE-239	=
131830	3/4	Dodge	VPLE-212	=
131831	7/8	Dodge	VPLE-214	X
131832	15/16	Dodge	VPLE-215	X
131833	1	Dodge	VPLE-216	X
131835	1 1/8	Dodge	VPLE-218	G, X
131836	1 3/16	Dodge	VPLE-219	G, X
131837	1 1/4	Dodge	VPLE-220	L, M
131839	1 3/8	Dodge	VPLE-222	L, M
131840	1 7/16	Dodge	VPLE-223	L, M
131841	1 1/2	Dodge	VPLE-224	J
131842	1 5/8	Dodge	VPLE-226	H, X
131843	1 11/16	Dodge	VPLE-227	H, X
131844	1 3/4	Dodge	VPLE-228	H, X
131845	1 15/16	Dodge	VPLE-231	G, Y
131847	2 3/16	Dodge	VPLE-235	H, X
131848	2 1/4	Dodge	VPLE-236	=
131849	2 7/16	Dodge	VPLE-239	=
131896	1 1/8	Dodge	VPE-218	G, X
131897	1 3/16	Dodge	VPE-219	G,
131970	3/4	Dodge	VPE-112	=
131971	7/8	Dodge	VPE-114	=
131972	15/16	Dodge	VPE-115	X
131973	1	Dodge	VPE-116	X
131978	1 1/4	Dodge	VPE-120	L, M
131980	1 3/8	Dodge	VPE-122	L, M
131981	1 7/16	Dodge	VPE-123	L, M
131983	3/4	Dodge	VPLE-112	=
131984	7/8	Dodge	VPLE-114	X
131985	15/16	Dodge	VPLE-115	X

### Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4  
 Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
131986	1	Dodge	VPLE-116	X
131988	1 1/8	Dodge	VPLE-118	G, X
131989	1 3/16	Dodge	VPLE-119	G, X
131990	1 1/4	Dodge	VPLE-120S	G, X
131991	1 1/4	Dodge	VPLE-120	L, M
131993	1 3/8	Dodge	VPLE-122	L, M
131994	1 7/16	Dodge	VPLE-123	L, M
131995	1 1/2	Dodge	VPLE-124	J
135117	1	Dodge	VTWS-316	=
135118	1 3/16	Dodge	VTWS-319	=
135123	1 15/16	Dodge	VTWS-331	=
135125	2 3/16	Dodge	VTWS-335	=
135129	2 11/16	Dodge	VTWS-343	=
135130	2 15/16	Dodge	VTWS-347	=
135181	3	Dodge	VTWS-348	=
135183	2	Dodge	VTWS-132	=
	2	Dodge	VTWS-332	=
135184	2 1/4	Dodge	VTWS-336	=
3F-1/2	1/2	Boston	VF4E-108	=
3F-5/8	5/8	Boston	VF4E-110	=
47MSC1 3/4	3/4	Link-Belt	SSF3S-112	=
	3/4	Link-Belt	SSF3TS-112	=
47MSTR 3/4	3/4	Link-Belt	SSF3S-112	=
	3/4	Link-Belt	SSF3TS-112	=
4F-3/4	3/4	Boston	VF4E-112	=
52MS2 1	1	Link-Belt	SSF3S-116	=
	1	Link-Belt	SSF3TS-116	=
52MS2 15/16	15/16	Link-Belt	SSF3S-115	=
	15/16	Link-Belt	SSF3TS-115	=
52MS2 7/8	7/8	Link-Belt	SSF3S-114	=
	7/8	Link-Belt	SSF3TS-114	=
52MSC1 1	1	Link-Belt	SSF3S-116	=
	1	Link-Belt	SSF3TS-116	=
52MSC1 15/16	15/16	Link-Belt	SSF3S-115	=
	15/16	Link-Belt	SSF3TS-115	=
52MSC1 7/8	7/8	Link-Belt	SSF3S-114	=
	7/8	Link-Belt	SSF3TS-114	=
52MSTR 1	1	Link-Belt	SSF3S-116	=
	1	Link-Belt	SSF3TS-116	=
52MSTR 15/16	15/16	Link-Belt	SSF3S-115	=
	15/16	Link-Belt	SSF3TS-115	=
52MSTR 7/8	7/8	Link-Belt	SSF3S-114	=
	7/8	Link-Belt	SSF3TS-114	=
5F-1	1	Boston	VF4E-116	=
5F-15/16	15/16	Boston	VF4E-115	=
5F-7/8	7/8	Boston	VF4E-114	=
62MSC1 1 1/4	1 1/4	Link-Belt	SSF3S-120S	=
	1 1/4	Link-Belt	SSF3TS-120S	=
62MSC1 1 1/8	1 1/8	Link-Belt	SSF3S-118	=
	1 1/8	Link-Belt	SSF3TS-118	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
62MSC1 1 3/16	1 3/16	Link-Belt	SSF3S-119	=
	1 3/16	Link-Belt	SSF3TS-119	=
62MSTR 1 1/4	1 1/4	Link-Belt	SSF3S-120S	=
	1 1/4	Link-Belt	SSF3TS-120S	=
62MSTR 1 1/8	1 1/8	Link-Belt	SSF3S-118	=
	1 1/8	Link-Belt	SSF3TS-118	=
62MSTR 1 3/16	1 3/16	Link-Belt	SSF3S-119	=
	1 3/16	Link-Belt	SSF3TS-119	=
6F-1 1/4S	1 1/4	Boston	VF4E-120S	=
6F-1 1/8	1 1/8	Boston	VF4E-118	=
6F-1 3/16	1 3/16	Boston	VF4E-119	=
72MS2 1 1/4	1 1/4	Link-Belt	SSF3S-120	=
72MS2 1 3/8	1 3/8	Link-Belt	SSF3S-122	=
72MS2 1 7/16	1 7/16	Link-Belt	SSF3S-123	=
72MS3 1 1/4	1 1/4	Link-Belt	SSF3S-120	=
72MS3 1 3/8	1 3/8	Link-Belt	SSF3S-122	=
72MS3 1 7/16	1 7/16	Link-Belt	SSF3S-123	=
72MSC1 1 1/4	1 1/4	Link-Belt	SSF3S-120	=
72MSC1 1 3/8	1 3/8	Link-Belt	SSF3S-122	=
72MSC1 1 7/16	1 7/16	Link-Belt	SSF3S-123	=
7F- 1 3/8	1 3/8	Boston	VF4E-122	=
7F-1 1/4	3/4	Boston	VF4E-1120	=
7F-1 7/16	1 7/16	Boston	VF4E-123	=
8F-1 1/2	1 1/2	Boston	VF4E-124	=
9F-1 11/16	1 11/16	Boston	VF4E-127	=
9F-1 3/4	1 3/4	Boston	VF4E-128	=
9F-1 5/8	1 5/8	Boston	VF4E-126	=
AELFD201-008	1/2	NTN	VF2E-108M	B
AELFD202-010	5/8	NTN	VF2E-110M	B
AELFD204-012	3/4	NTN	VF2E-112M	B
AELFD205-014	7/8	NTN	VF2E-114M	=
AELFD205-015	15/16	NTN	VF2E-115M	=
AELFD205-100	1	NTN	VF2E-116M	=
AELFD206-102	1 1/8	NTN	VF2E-118M	B
AELFD206-103	1 3/16	NTN	VF2E-119M	B
AELFD206-104	1 1/4	NTN	VF2E-120SM	B
AELFD207-104	1 1/4	NTN	VF2E-120M	=
AELFD207-106	1 3/8	NTN	VF2E-122M	=
AELFD207-107	1 7/16	NTN	VF2E-123M	=
AELPF204-012	3/4	NTN	SSF3E-112	B
	3/4	NTN	SSF3TE-112	B
AELPF205-014	7/8	NTN	SSF3E-114	=
	7/8	NTN	SSF3TE-114	=
AELPF205-015	15/16	NTN	SSF3E-115	=
	15/16	NTN	SSF3TE-115	=
AELPF205-100	1	NTN	SSF3E-116	=
	1	NTN	SSF3TE-116	=
AELPF206-102	1 1/8	NTN	SSF3E-118	B
	1 1/8	NTN	SSF3TE-118	B

### Note Code

B - Bolt Centers or OD within 1/16  
 G - Bolt Spacing Minimum within 1/8  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable

Black - Ball Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
AELPF206-103	1 3/16	NTN	SSF3E-119	B
	1 3/16	NTN	SSF3TE-119	B
AELPF206-104	1 1/4	NTN	SSF3E-120S	B
	1 1/4	NTN	SSF3TE-120S	B
AELPF207-104	1 1/4	NTN	SSF3E-120	=
AELPF207-106	1 3/8	NTN	SSF3E-122	=
AELPF207-107	1 7/16	NTN	SSF3E-123	=
AELPFL201-008	1/2	NTN	SSF2E-108	B
AELPFL202-010	5/8	NTN	SSF2E-110	B
AELPFL204-012	3/4	NTN	SSF2E-112	B
AELPFL205-014	7/8	NTN	SSF2E-114	=
AELPFL205-015	15/16	NTN	SSF2E-115	=
AELPFL205-100	1	NTN	SSF2E-116	=
AELPFL206-102	1 1/8	NTN	SSF2E-118	B
AELPFL206-103	1 3/16	NTN	SSF2E-119	B
AELPFL206-104	1 1/4	NTN	SSF2E-120S	B
AELPL201-008	1/2	NTN	VPLE-108	J, M
AELPL202-010	5/8	NTN	VPLE-110	J, M
AELPL205-014	7/8	NTN	VPLE-114	H, Z
AELPL205-015	15/16	NTN	VPLE-115	H, Z
AELPL205-100	1	NTN	VPLE-116	H, Z
AELPL206-102	1 1/8	NTN	VPLE-118	J, Z
AELPL206-103	1 3/16	NTN	VPLE-119	J, Z
AELPL206-104	1 1/4	NTN	VPLE-120S	J, Z
AELPL207-104	1 1/4	NTN	VPLE-120	H, M
AELPL207-106	1 3/8	NTN	VPLE-122	H, M
AELPL207-107	1 7/16	NTN	VPLE-123	H, M
AELPP205-014	7/8	NTN	SSPE-114	=
AELPP205-015	15/16	NTN	SSPE-115	=
AELPP205-100	1	NTN	SSPE-116	=
AELPP206-102	1 1/8	NTN	SSPE-118	=
AELPP206-103	1 3/16	NTN	SSPE-119	=
AELPP206-104	1 1/4	NTN	SSPE-120S	=
ASFD201-008	1/2	NTN	VF2S-108M	B
ASFD202-010	5/8	NTN	VF2S-110M	B
ASFD204-012	3/4	NTN	VF2S-112M	B
ASFD205-014	7/8	NTN	VF2S-114M	=
ASFD205-015	15/16	NTN	VF2S-115M	=
ASFD205-016	1	NTN	VF2S-116M	=
ASFD206-102	1 1/8	NTN	VF2S-118M	B
ASFD206-103	1 3/16	NTN	VF2S-119M	B
ASFD206-104	1 1/4	NTN	VF2S-120SM	B
ASFD207-104	1 1/4	NTN	VF2S-120M	=
ASFD207-106	1 3/8	NTN	VF2S-122M	=
ASFD207-107	1 7/16	NTN	VF2S-123M	=
ASPF204-012	3/4	NTN	SSF3S-112	B
	3/4	NTN	SSF3TS-112	B
ASPF205-014	7/8	NTN	SSF3S-114	=
	7/8	NTN	SSF3TS-114	=
ASPF205-015	15/16	NTN	SSF3S-115	=
	15/16	NTN	SSF3TS-115	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ASPF205-100	1	NTN	SSF3S-116	=
	1	NTN	SSF3TS-116	=
ASPF206-102	1 1/8	NTN	SSF3S-118	B
	1 1/8	NTN	SSF3TS-118	B
ASPF206-103	1 3/16	NTN	SSF3S-119	B
	1 3/16	NTN	SSF3TS-119	B
ASPF206-104	1 1/4	NTN	SSF3S-120S	B
	1 1/4	NTN	SSF3TS-120S	B
ASPF207-104	1 1/4	NTN	SSF3S-120	=
ASPF207-106	1 3/8	NTN	SSF3S-122	=
ASPF207-107	1 7/16	NTN	SSF3S-123	=
ASPFL201-008	1/2	NTN	SSF2S-108	B
ASPFL202-010	5/8	NTN	SSF2S-110	B
ASPFL205-014	7/8	NTN	SSF2S-114	=
ASPFL205-015	15/16	NTN	SSF2S-115	=
ASPFL205-100	1	NTN	SSF2S-116	=
ASPFL206-102	1 1/8	NTN	SSF2S-118	B
ASPFL206-103	1 3/16	NTN	SSF2S-119	B
ASPFL206-104	1 1/4	NTN	SSF2S-120S	B
ASPL201-008	1/2	NTN	VPLS-108	H, M
ASPL202-010	5/8	NTN	VPLS-110	H, M
ASPL204-012	3/4	NTN	VPLS-112	L, Y
ASPL205-014	7/8	NTN	VPLS-114	L, Y
ASPL205-100	1	NTN	VPLS-116	L, Y
ASPL205-105	15/16	NTN	VPLS-115	L, Y
ASPL206-102	1 1/8	NTN	VPLS-118	L, X
ASPL206-103	1 3/16	NTN	VPLS-119	L, X
ASPL206-104	1 1/4	NTN	VPLS-120S	L, X
ASPL207-104	1 1/4	NTN	VPLS-120	H, M
ASPL207-106	1 3/8	NTN	VPLS-122	H, M
ASPL207-107	1 7/16	NTN	VPLS-123	H, M
ASPP205-014	7/8	NTN	SSPS-114	=
ASPP205-015	15/16	NTN	SSPS-115	=
ASPP205-100	1	NTN	SSPS-116	=
ASPP206-102	1 1/8	NTN	SSPS-118	=
ASPP206-103	1 3/16	NTN	SSPS-119	=
ASPP206-104	1 1/4	NTN	SSPS-120S	=
BFX201-8	1/2	AMI	VF2S-108M	=
BFX202-10	5/8	AMI	VF2S-110M	=
BFX204-12	3/4	AMI	VF2S-112M	=
BFX205-14	7/8	AMI	VF2S-114M	=
BFX205-15	15/16	AMI	VF2S-115M	=
BFX205-16	1	AMI	VF2S-116M	=
BFX206-18	1 1/8	AMI	VF2S-118M	=
BFX206-19	1 3/16	AMI	VF2S-119M	=
BFX206-20	1 1/4	AMI	VF2S-120SM	=
BFX207-20	1 1/4	AMI	VF2S-120M	=
BFX207-22	1 3/8	AMI	VF2S-122M	=
BFX207-23	1 7/16	AMI	VF2S-123M	=
BLLP1-8	1/2	AMI	VPS-108	=
	1/2	AMI	VPS-108	=

## Note Code

- B - Bolt Centers or OD within 1/16
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
BLLP2-10	5/8	AMI	VPS-110	=
	5/8	AMI	VPS-110	=
BLLP4-12	3/4	AMI	VPS-112	=
	3/4	AMI	VPS-112	=
BLLP5-14	7/8	AMI	VPS-114	=
	7/8	AMI	VPS-114	=
BLLP5-15	15/16	AMI	VPS-115	=
	15/16	AMI	VPS-115	=
BLLP5-16	1	AMI	VPS-116	=
	1	AMI	VPS-116	=
BLLP6-18	1 1/8	AMI	VPS-118	=
	1 1/8	AMI	VPS-118	=
BLLP6-19	1 3/16	AMI	VPS-119	=
	1 3/16	AMI	VPS-119	=
BLLP6-20	1 1/4	AMI	VPS-120S	=
	1 1/4	AMI	VPS-120S	=
BLLP7-20	1 1/4	AMI	VPS-120	=
	1 1/4	AMI	VPS-120	=
BLLP7-22	1 3/8	AMI	VPS-122	=
	1 3/8	AMI	VPS-122	=
BLLP7-23	1 7/16	AMI	VPS-123	=
	1 7/16	AMI	VPS-123	=
BPF5-14	7/8	AMI	SSF3S-114	=
	7/8	AMI	SSF3TS-114	=
BPF5-15	15/16	AMI	SSF3S-115	=
	15/16	AMI	SSF3TS-115	=
BPF5-16	1	AMI	SSF3S-116	=
	1	AMI	SSF3TS-116	=
BPF6-18	1 1/8	AMI	SSF3S-118	=
	1 1/8	AMI	SSF3TS-118	=
BPF6-19	1 3/16	AMI	SSF3S-119	=
	1 3/16	AMI	SSF3TS-119	=
BPF6-20	1 1/4	AMI	SSF3S-120S	=
	1 1/4	AMI	SSF3TS-120S	=
BPF7-20	1 1/4	AMI	SSF3S-120	=
BPF7-22	1 3/8	AMI	SSF3S-122	=
BPF7-23	1 7/16	AMI	SSF3S-123	=
BPFL1-8	1/2	AMI	SSF2S-108	=
BPFL2-10	5/8	AMI	SSF2S-110	=
BPFL4-12	3/4	AMI	SSF2S-112	=
BPFL5-14	7/8	AMI	SSF2S-114	=
BPFL5-15	15/16	AMI	SSF2S-115	=
BPFL5-16	1	AMI	SSF2S-116	=
BPFL6-18	1 1/8	AMI	SSF2S-118	=
BPFL6-19	1 3/16	AMI	SSF2S-119	=
BPFL6-20	1 1/4	AMI	SSF2S-120S	=
BPFT5-14	7/8	AMI	SSF3S-114	=
	7/8	AMI	SSF3TS-114	=
BPFT5-15	15/16	AMI	SSF3S-115	=
	15/16	AMI	SSF3TS-115	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
BPFT5-16	1	AMI	SSF3S-116	=
	1	AMI	SSF3TS-116	=
BPFT6-18	1 1/8	AMI	SSF3S-118	=
	1 1/8	AMI	SSF3TS-118	=
BPFT6-19	1 3/16	AMI	SSF3S-119	=
	1 3/16	AMI	SSF3TS-119	=
BPFT6-20	1 1/4	AMI	SSF3S-120S	=
	1 1/4	AMI	SSF3TS-120S	=
BPFT7-20	1 1/4	AMI	SSF3S-120	=
BPFT7-22	1 3/8	AMI	SSF3S-122	=
BPFT7-23	1 7/16	AMI	SSF3S-123	=
BPP7-20	1 1/4	AMI	VPLS-120S	=
	1 1/4	AMI	VPLS-120S	=
BPW201-8	1/2	AMI	VPS-108M	=
BPW202-10	5/8	AMI	VPS-110M	=
BPW204-12	3/4	AMI	VPS-112M	=
BPW205-14	7/8	AMI	VPS-114M	=
BPW205-15	15/16	AMI	VPS-115M	=
BPW206-16	1	AMI	VPS-116M	=
BPW206-18	1 1/8	AMI	VPS-118M	=
BPW206-19	1 3/16	AMI	VPS-119M	=
BPW206-20	1 1/4	AMI	VPS-120SM	=
BPW207-20	1 1/4	AMI	VPS-120M	=
BPW207-22	1 3/8	AMI	VPS-122M	=
BPW207-23	1 7/16	AMI	VPS-123M	=
C-25-1	1	MB	VPS-116	H
C-25-1 1/4	1 1/4	MB	VPS-120	L, M
C-25-1 1/4S	1 1/4	MB	VPS-120S	G, X
C-25-1 1/8	1 1/8	MB	VPS-118	G, X
C-25-1 11/16	1 11/16	MB	VPS-127	H, Z
C-25-1 15/16	1 15/16	MB	VPS-131	G, Z
C-25-1 3/16	1 3/16	MB	VPS-119	G, X
C-25-1 3/4	1 3/4	MB	VPS-128	H, Z
C-25-1 3/8	1 3/8	MB	VPS-122	L, M
C-25-1 7/16	1 7/16	MB	VPS-123	L, M
C-25-1/2	1/2	MB	VPS-108	L, M
C-25-15/16	15/16	MB	VPS-115	H
C-25-2	2	MB	VPS-132S	G, Z
C-25-2 3/16	2 3/16	MB	VPS-135	H, Y
C-25-2L	2	MB	VPS-132	H, Y
C-25-3/4	3/4	MB	VPS-112	=
C-25-5/8	5/8	MB	VPS-110	H, Y
C-25-7/8	7/8	MB	VPS-114	H
C-35-1 15/16	1 15/16	MB	VPS-331	H, Y
C-35-1 3/16	1 3/16	MB	VPS-319	L, M
C-35-1 7/16	1 7/16	MB	VPS-323	G, X
C-35-2	2	MB	VPS-332	H, Y
C-35-2 1/2	2 1/2	MB	VPS-340	G, X
C-35-2 1/4	2 1/4	MB	VPS-336	G, Y

### Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4  
 Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
C-35-2 11/16	2 11/16	MB	VPS-343	L, M
C-35-2 15/16	2 15/16	MB	VPS-347	L, M
C-35-2 3/16	2 3/16	MB	VPS-335	G, Y
C-35-2 7/16	2 7/16	MB	VPS-339	G, X
C-35-3	3	MB	VPS-348	L, M
C-35-3 1/2	3 1/2	MB	VPS-356	L, M
C-35-3 7/16	3 7/16	MB	VPS-355	L, M
CL-25-1	1	MB	VPLS-116	H
CL-25-1 1/2	1 1/2	MB	VPLS-124	H, Y
CL-25-1 1/4	1 1/4	MB	VPLS-120	L, M
CL-25-1 1/4S	1 1/4	MB	VPLS-120S	G, X
CL-25-1 1/8	1 1/8	MB	VPLS-118	G, X
CL-25-1 11/16	1 11/16	MB	VPLS-127	H, Z
CL-25-1 15/16	1 15/16	MB	VPLS-131	G, Z
CL-25-1 3/16	1 3/16	MB	VPLS-119	G, X
CL-25-1 3/4	1 3/4	MB	VPLS-128	H, Z
CL-25-1 3/8	1 3/8	MB	VPLS-122	L, M
CL-25-1 7/16	1 7/16	MB	VPLS-123	L, M
CL-25-1/2	1/2	MB	VPLS-108	L, M
CL-25-15/16	15/16	MB	VPLS-115	H
CL-25-2	2	MB	VPLS-132S	G, Z
CL-25-2 3/16	2 3/16	MB	VPLS-135	H, Y
CL-25-2L	2	MB	VPLS-132	H, Y
CL-25-3/4	3/4	MB	VPLS-112	=
CL-25-5/8	5/8	MB	VPLS-110	L, M
CL-25-7/8	7/8	MB	VPLS-114	H
EF-B22523H	1 7/16"	Link-Belt	SFB-1000NE-1 7/16	=
	1 7/16"	Link-Belt	FB-900-1 7/16	1,2
	1 7/16"	Link-Belt	FBE-920-1 7/16	1,2
EF-B22527H	1 11/16"	Link-Belt	FB-900-1 11/16	1,2
	1 11/16"	Link-Belt	FBE-920-1 11/16	1,2
EF-B22531H	1 15/16"	Link-Belt	SFB-1100NE-1 15/16	4
	1 15/16"	Link-Belt	FB-900-1 15/16	1,2
	1 15/16"	Link-Belt	FBE-920-1 15/16	1,2
EF-B22535H	2 3/16"	Link-Belt	SFB-1100NE-2 3/16	4
	2 3/16"	Link-Belt	FB-900-2 3/16	1,2
	2 3/16"	Link-Belt	FBE-920-2 3/16	1,2
EF-B22539H	2 7/16"	Link-Belt	SFB-1100NE-2 7/16	4
	2 7/16"	Link-Belt	FB-900-2 7/16	1,2
	2 7/16"	Link-Belt	FBE-920-2 7/16	1,2
EF-B22543H	2 11/16"	Link-Belt	SFB-1100NE-2 11/16	4
	2 11/16"	Link-Belt	FB-900-2 11/16	1,2
	2 11/16"	Link-Belt	FBE-920-2 11/16	1,2
EF-B22547H	2 15/16"	Link-Belt	SFB-1100NE-2 15/16	4
	2 15/16"	Link-Belt	FB-900-2 15/16	1,2
	2 15/16"	Link-Belt	FBE-920-2 15/16	1,2
EF-B22555H	3 7/16"	Link-Belt	SFB-1100NE-3 7/16	4
	3 7/16"	Link-Belt	FB-900-3 7/16	1,2
	3 7/16"	Link-Belt	FBE-920-3 7/16	1,2
EF-B22563H	3 15/16"	Link-Belt	FB-900-3 15/16	1,2
	3 15/16"	Link-Belt	FBE-920-3 15/16	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EF-B22564H	4"	Link-Belt	FB-900-4	1,2
	4"	Link-Belt	FBE-920-4	1,2
EFB4-1 1/4	1 1/4"	Hub City	FBE-920-1 1/4	=
EFB4-1 3/16	1 3/16"	Hub City	FBE-920-1 3/16	=
EFB4-1 3/8	1 3/8"	Hub City	FBE-920-1 3/8	=
EFC4- 3 15/16	3 15/16"	Hub City	SFC-1000NE-3 15/16	1,2
EFC4-1 1/4	1 1/4"	Hub City	FC-900-1 1/4	1
EFC4-1 11/16	1 11/16"	Hub City	FC-900-1 11/16	K,1
	1 11/16"	Hub City	SFC-1000NE-1 11/16	1,2
EFC4-1 15/16	1 15/16"	Hub City	FC-900-1 15/16	1
	1 15/16"	Hub City	SFC-1000NE-1 15/16	1,2
	1 15/16"	Hub City	SFC-1100NE-1 15/16	1,2,4
EFC4-1 3/16	1 3/16"	Hub City	FC-900-1 3/16	1
EFC4-1 5/8	1 5/8"	Hub City	FC-900-1 5/8	K,1
EFC4-1 7/16	1 7/16"	Hub City	FC-900-1 7/16	1
	1 7/16"	Hub City	SFC-1000NE-1 7/16	1,2
EFC4-1 7/8	1 7/8"	Hub City	FC-900-1 7/8	1
EFC4-2	2"	Hub City	FC-900-2	1
	2"	Hub City	SFC-1000NE-2	1,2
	2"	Hub City	SFC-1100NE-2	1,2,4
EFC4-2 1/2	2 1/2"	Hub City	FC-900-2 1/2	1
	2 1/2"	Hub City	SFC-1000NE-2 1/2	1,2
	2 1/2"	Hub City	SFC-1100NE-2 1/2	1,2,4
EFC4-2 1/4	2 1/4"	Hub City	FC-900-2 1/4	1
EFC4-2 11/16	2 11/16"	Hub City	FC-900-2 11/16	1
	2 11/16"	Hub City	SFC-1000NE-2 11/16	1,2
	2 11/16"	Hub City	SFC-1100NE-2 11/16	1,2,4
EFC4-2 15/16	2 15/16"	Hub City	FC-900-2 15/16	1
	2 15/16"	Hub City	SFC-1000NE-2 15/16	1,2
	2 15/16"	Hub City	SFC-1100NE-2 15/16	1,2,4
EFC4-2 3/16	2 3/16"	Hub City	FC-900-2 3/16	1
	2 3/16"	Hub City	SFC-1000NE-2 3/16	1,2
	2 3/16"	Hub City	SFC-1100NE-2 3/16	1,2,4
EFC4-2 3/4	2 3/4"	Hub City	FC-900-2 3/4	1
	2 3/4"	Hub City	SFC-1000NE-2 3/4	1,2
	2 3/4"	Hub City	SFC-1100NE-2 3/4	1,2,4
EFC4-2 7/16	2 7/16"	Hub City	FC-900-2 7/16	1
	2 7/16"	Hub City	SFC-1000NE-2 7/16	1,2
	2 7/16"	Hub City	SFC-1100NE-2 7/16	1,2,4
EFC4-3	3"	Hub City	FC-900-3	1
	3"	Hub City	SFC-1000NE-3	1,2
	3"	Hub City	SFC-1100NE-3	1,2,4
EFC4-3 1/2	3 1/2"	Hub City	FC-900-3 1/2	1
	3 1/2"	Hub City	SFC-1000NE-3 1/2	1,2
	3 1/2"	Hub City	SFC-1100NE-3 1/2	1,2,4
EFC4-3 3/16	3 3/16"	Hub City	SFC-1000NE-3 3/16	1,2
	3 3/16"	Hub City	SFC-1100NE-3 3/16	1,2,4
EFC4-3 7/16	3 7/16"	Hub City	FC-900-3 7/16	1
	3 7/16"	Hub City	SFC-1000NE-3 7/16	1,2
	3 7/16"	Hub City	SFC-1100NE-3 7/16	1,2,4

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- K - Pilot within 1/64
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EFC4-4	4"	Hub City	SFC-1000NE-4	1,2
EFR-B22423H	1 7/16"	Link-Belt	SFB-1000NE-1 7/16	=
	1 7/16"	Link-Belt	FB-900-1 7/16	1,2
	1 7/16"	Link-Belt	FBE-920-1 7/16	1,2
EFR-B22426H	1 5/8"	Link-Belt	FB-900-1 5/8	1,2
	1 5/8"	Link-Belt	FBE-920-1 5/8	1,2
EFR-B22427H	1 11/16"	Link-Belt	FB-900-1 11/16	1,2
	1 11/16"	Link-Belt	FBE-920-1 11/16	1,2
EFR-B22431H	1 15/16"	Link-Belt	SFB-1100NE-1 15/16	4
	1 15/16"	Link-Belt	FB-900-1 15/16	1,2
	1 15/16"	Link-Belt	FBE-920-1 15/16	1,2
EFR-B22432H	2"	Link-Belt	SFB-1100NE-2	4
	2"	Link-Belt	FB-900-2	1,2
	2"	Link-Belt	FBE-920-2	1,2
EFR-B22435H	2 3/16"	Link-Belt	SFB-1100NE-2 3/16	4
	2 3/16"	Link-Belt	FB-900-2 3/16	1,2
	2 3/16"	Link-Belt	FBE-920-2 3/16	1,2
EFR-B22439H	2 7/16"	Link-Belt	SFB-1100NE-2 7/16	4
	2 7/16"	Link-Belt	FB-900-2 7/16	1,2
	2 7/16"	Link-Belt	FBE-920-2 7/16	1,2
EFR-B22440H	2 1/2"	Link-Belt	SFB-1100NE-2 1/2	4
	2 1/2"	Link-Belt	FB-900-2 1/2	1,2
	2 1/2"	Link-Belt	FBE-920-2 1/2	1,2
EFR-B22443H	2 11/16"	Link-Belt	SFB-1100NE-2 11/16	4
	2 11/16"	Link-Belt	FB-900-2 11/16	1,2
	2 11/16"	Link-Belt	FBE-920-2 11/16	1,2
EFR-B22444H	2 3/4"	Link-Belt	SFB-1100NE-2 3/4	4
	2 3/4"	Link-Belt	FB-900-2 3/4	1,2
	2 3/4"	Link-Belt	FBE-920-2 3/4	1,2
EFR-B22447H	2 15/16"	Link-Belt	SFB-1100NE-2 15/16	4
	2 15/16"	Link-Belt	FB-900-2 15/16	1,2
	2 15/16"	Link-Belt	FBE-920-2 15/16	1,2
EFR-B22448H	3"	Link-Belt	SFB-1100NE-3	4
	3"	Link-Belt	FBE-920-3	1,2
EFR-B22451H	3 3/16"	Link-Belt	SFB-1100NE-3 3/16	4
	3 3/16"	Link-Belt	FBE-920-3 3/16	1,2
EFR-B22455H	3 7/16"	Link-Belt	SFB-1100NE-3 7/16	4
	3 7/16"	Link-Belt	FB-900-3 7/16	1,2
	3 7/16"	Link-Belt	FBE-920-3 7/16	1,2
EFR-B22456H	3 1/2"	Link-Belt	SFB-1100NE-3 1/2	4
	3 1/2"	Link-Belt	FB-900-3 1/2	1,2
	3 1/2"	Link-Belt	FBE-920-3 1/2	1,2
EFR-B22463H	3 15/16"	Link-Belt	FB-900-3 15/16	1,2
	3 15/16"	Link-Belt	FBE-920-3 15/16	1,2
EFR-B22464H	4"	Link-Belt	FB-900-4	1,2
	4"	Link-Belt	FBE-920-4	1,2
EFR-B224B24H	1 1/2"	Link-Belt	FBE-920-1 1/2	1,2
EFR-B224B28H	1 3/4"	Link-Belt	FBE-920-1 3/4	1,2
EFR-B224B36H	2 1/4"	Link-Belt	FB-900-2 1/4	1,2
	2 1/4"	Link-Belt	FBE-920-2 1/4	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EP-B22423H	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	G,M
	1 7/16"	Link-Belt	PBE-920-1 7/16	H,1,2
	1 7/16"	Link-Belt	PB-900-1 7/16	X,1,2
EP-B22426H	1 5/8"	Link-Belt	PBE-920-1 5/8	J,1,2
	1 5/8"	Link-Belt	PB-900-1 5/8	X,1,2
EP-B22427H	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	G,M
	1 11/16"	Link-Belt	PBE-920-1 11/16	J,1,2
	1 11/16"	Link-Belt	PB-900-1 11/16	X,1,2
EP-B22431H	1 15/16"	Link-Belt	SPB-1000NE-1 15/16	G,M
	1 15/16"	Link-Belt	PBE-920-1 15/16	H,1,2
	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	G,X,4
	1 15/16"	Link-Belt	PB-900-1 15/16	G,X,1,2
EP-B22432H	2"	Link-Belt	SPB-1000NE-2	G,M
	2"	Link-Belt	PBE-920-2	H,1,2
	2"	Link-Belt	SPB-1100NE-2	G,X,4
	2"	Link-Belt	PB-900-2	G,X,1,2
EP-B22435H	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	M
	2 3/16"	Link-Belt	PBE-920-2 3/16	G,1,2
	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	G,X,4
	2 3/16"	Link-Belt	PB-900-2 3/16	G,X,1,2
EP-B22439FH	2 7/16"	Link-Belt	PBE-920F-2 7/16	H,1,2
EP-B22439H	2 7/16"	Link-Belt	PBE-920-2 7/16	H,1,2
	2 7/16"	Link-Belt	SPB-1100NE-2 7/16	G,X,4
	2 7/16"	Link-Belt	PB-900-2 7/16	G,X,1,2
EP-B22440FH	2 1/2"	Link-Belt	PBE-920F-2 1/2	H,1,2
EP-B22440H	2 1/2"	Link-Belt	PBE-920-2 1/2	H,1,2
	2 1/2"	Link-Belt	SPB-1100NE-2 1/2	G,X,4
	2 1/2"	Link-Belt	PB-900-2 1/2	G,X,1,2
EP-B22443FH	2 11/16"	Link-Belt	PBE-920F-2 11/16	H,1,2
	2 11/16"	Link-Belt	PBE-920-2 11/16	L,1,2
	2 11/16"	Link-Belt	SPB-1100NE-2 11/16	G,X,4
	2 11/16"	Link-Belt	PB-900-2 11/16	G,X,1,2
EP-B22444FH	2 3/4"	Link-Belt	PBE-920F-2 3/4	H,1,2
	2 3/4"	Link-Belt	PBE-920-2 3/4	L,1,2
	2 3/4"	Link-Belt	SPB-1100NE-2 3/4	G,X,4
	2 3/4"	Link-Belt	PB-900-2 3/4	G,X,1,2
EP-B22447FH	2 15/16"	Link-Belt	PBE-920F-2 15/16	H,1,2
EP-B22447H	2 15/16"	Link-Belt	PBE-920-2 15/16	L,1,2
	2 15/16"	Link-Belt	SPB-1100NE-2 15/16	G,X,4
	2 15/16"	Link-Belt	PB-900-2 15/16	G,X,1,2
EP-B22448FH	3"	Link-Belt	PBE-920F-3	H,1,2
EP-B22448H	3"	Link-Belt	PBE-920-3	L,1,2
	3"	Link-Belt	SPB-1100NE-3	G,X,4
EP-B22451FH	3 3/16"	Link-Belt	PBE-920F-3 3/16	J,X,1,2
EP-B22451H	3 3/16"	Link-Belt	SPB-1000NE-3 3/16"	G,M
	3 3/16"	Link-Belt	SPB-1100NE-3 3/16	G,X,4
	3 3/16"	Link-Belt	PBE-920-3 3/16	J,Y,1,2
EP-B22455FH	3 7/16"	Link-Belt	PBE-920F-3 7/16	J,X,1,2

## Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements  
4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EP-B22455H	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	G,M
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	G,X,4
	3 7/16"	Link-Belt	PB-900-3 7/16	G,X,1,2
	3 7/16"	Link-Belt	PBE-920-3 7/16	J,Y,1,2
EP-B22456H	3 1/2"	Link-Belt	SPB-1000NE-3 1/2	G,M
	3 1/2"	Link-Belt	SPB-1100NE-3 1/2	G,X,4
	3 1/2"	Link-Belt	PB-900-3 1/2	G,X,1,2
	3 1/2"	Link-Belt	PBE-920-3 1/2	J,Y,1,2
EP-B224B24H	1 1/2"	Link-Belt	PBE-920- 1 1/2	J,1,2
EP-B224B28H	1 3/4"	Link-Belt	PBE-920-1 3/4	H,1,2
EP-B224B36FH	2 1/4"	Link-Belt	PBE-920F-2 1/4	H,1,2
EP-B224B36H	2 1/4"	Link-Belt	PBE-920-2 1/4	H,1,2
EP-B22523H	2 1/4"	Link-Belt	PB-900-2 1/4	G,X,1,2
	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	G,M
	1 7/16"	Link-Belt	PBE-920-1 7/16	H,1,2
EP-B22527H	1 7/16"	Link-Belt	PB-900-1 7/16	X,1,2
	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	J,M
	1 11/16"	Link-Belt	PBE-920-1 11/16	H,1,2
EP-B22531H	1 11/16"	Link-Belt	PB-900-1 11/16	H,X,1,2
	1 15/16"	Link-Belt	SPB-1000NE-1 15/16	G,M
	1 15/16"	Link-Belt	PBE-920-1 15/16	H,1,2
EP-B22535H	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	G,X,4
	1 15/16"	Link-Belt	PB-900-1 15/16	G,X,1,2
	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	M
	2 3/16"	Link-Belt	PBE-920-2 3/16	G,1,2
EP-B22539FH	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	G,X,4
	2 3/16"	Link-Belt	PB-900-2 3/16	G,X,1,2
	2 7/16"	Link-Belt	PBE-920F-2 7/16	H,1,2
EP-B22539H	2 7/16"	Link-Belt	PBE-920-2 7/16	H,1,2
	2 7/16"	Link-Belt	SPB-1100NE-2 7/16	G,X,4
	2 7/16"	Link-Belt	PB-900-2 7/16	G,X,1,2
EP-B22543FH	2 11/16"	Link-Belt	PBE-920F-2 11/16	H,1,2
EP-B22543H	2 11/16"	Link-Belt	PBE-920-2 11/16	L,1,2
	2 11/16"	Link-Belt	SPB-1100NE-2 11/16	G,X,4
	2 11/16"	Link-Belt	PB-900-2 11/16	G,X,1,2
EP-B22547FH	2 15/16"	Link-Belt	PBE-920F-2 15/16	H,1,2
EP-B22547H	2 15/16"	Link-Belt	PBE-920-2 15/16	L,1,2
	2 15/16"	Link-Belt	SPB-1100NE-2 15/16	G,X,4
	2 15/16"	Link-Belt	PB-900-2 15/16	G,X,1,2
EP-B22555FH	3 7/16"	Link-Belt	PBE-920F-3 7/16	J,X,1,2
EP-B22555H	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	G,M
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	G,X,4
	3 7/16"	Link-Belt	PB-900-3 7/16	G,X,1,2
	3 7/16"	Link-Belt	PBE-920-3 7/16	J,Y,1,2
EP-B22563FH	3 15/16"	Link-Belt	SPB-1000FNE-3 15/16	L
EP-B22564FH	4"	Link-Belt	SPB-1000FNE-4	L
EPB2-1 1/2	1 1/2"	Hub City	PBE-920- 1 1/2	J
EPB2-1 1/4	1 1/4"	Hub City	PBE-920-1 1/4	H
EPB2-1 3/16	1 3/16"	Hub City	PBE-920-1 3/16	H
EPB2-1 3/8	1 3/8"	Hub City	PBE-920-1 3/8	J

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EPB2-1 5/8	1 5/8"	Hub City	PBE-920-1 5/8	J
	1 5/8"	Hub City	PB-900-1 5/8	L,X,1
EPB2-1 7/16	1 7/16"	Hub City	PBE-920-1 7/16	J
	1 7/16"	Hub City	PB-900-1 7/16	L,X,1
	1 7/16"	Hub City	SPB-1000NE-1 7/16	L,M,1,2
EPB2-2 11/16	2 11/16"	Hub City	PBE-920-2 11/16	L,X
EPB2-2 15/16	2 15/16"	Hub City	PBE-920-2 15/16	L,X
EPB2-2 3/16	2 3/16"	Hub City	PBE-920-2 3/16	L
	2 3/16"	Hub City	PB-900-2 3/16	L,X,1
EPB2-2 3/4	2 3/16"	Hub City	SPB-1000NE-2 3/16	L,M,1,2
	2 3/16"	Hub City	SPB-1100NE-2 3/16	L,X,1,2,4
	2 3/4"	Hub City	PBE-920-2 3/4	L,X
EPB2-3	3"	Hub City	PBE-920-3	L,X
EPB2-3 1/2	3 1/2"	Hub City	PBE-920-3 1/2	L,Y
EPB2-3 3/16	3 3/16"	Hub City	PBE-920-3 3/16	L,Y
	3 3/16"	Hub City	PB-950NE-3 3/16	M,1,3,4
EPB2-3 7/16	3 7/16"	Hub City	PBE-920-3 7/16	L,Y
EPB4-3 1/2	3 1/2"	Hub City	PBE-920F-3 1/2	L
EPB4-3 3/16	3 3/16"	Hub City	PBE-920F-3 3/16	L
EPB4-3 7/16	3 7/16"	Hub City	PBE-920F-3 7/16	L
EPE-B22423H	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	G,M
	1 7/16"	Link-Belt	PBE-920-1 7/16	H,1,2
	1 7/16"	Link-Belt	PB-900-1 7/16	X,1,2
EPE-B22426H	1 5/8"	Link-Belt	PBE-920-1 5/8	J,1,2
	1 5/8"	Link-Belt	PB-900-1 5/8	X,1,2
EPE-B22427H	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	G,M
	1 11/16"	Link-Belt	PBE-920-1 11/16	J,1,2
	1 11/16"	Link-Belt	PB-900-1 11/16	X,1,2
	1 11/16"	Link-Belt	SPB-1000NE-1 15/16	G,M
EPE-B22431H	1 15/16"	Link-Belt	PBE-920-1 15/16	H,1,2
	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	G,X,4
	1 15/16"	Link-Belt	PB-900-1 15/16	G,X,1,2
EPE-B22432H	2"	Link-Belt	SPB-1000NE-2	G,M
	2"	Link-Belt	PBE-920-2	H,1,2
	2"	Link-Belt	SPB-1100NE-2	G,X,4
	2"	Link-Belt	PB-900-2	G,X,1,2
EPE-B22435H	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	M
	2 3/16"	Link-Belt	PBE-920-2 3/16	G,1,2
	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	G,X,4
	2 3/16"	Link-Belt	PB-900-2 3/16	G,X,1,2
	2 7/16"	Link-Belt	PBE-920F-2 7/16	H,1,2
EPE-B22439FH	2 7/16"	Link-Belt	PBE-920-2 7/16	H,1,2
	2 7/16"	Link-Belt	SPB-1100NE-2 7/16	G,X,4
EPE-B22439H	2 7/16"	Link-Belt	PB-900-2 7/16	G,X,1,2
	2 7/16"	Link-Belt	PBE-920F-2 7/16	H,1,2
	2 7/16"	Link-Belt	PBE-920-2 7/16	H,1,2
EPE-B22440FH	2 1/2"	Link-Belt	PBE-920F-2 1/2	H,1,2
	2 1/2"	Link-Belt	PBE-920-2 1/2	H,1,2
EPE-B22440H	2 1/2"	Link-Belt	SPB-1100NE-2 1/2	G,X,4
	2 1/2"	Link-Belt	PB-900-2 1/2	G,X,1,2
	2 11/16"	Link-Belt	PBE-920F-2 11/16	H,1,2
EPE-B22443H	2 11/16"	Link-Belt	PBE-920-2 11/16	L,1,2
	2 11/16"	Link-Belt	SPB-1100NE-2 11/16	G,X,4
	2 11/16"	Link-Belt	PB-900-2 11/16	G,X,1,2

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 3 - Only One Has a Split Housing
- 4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EPE-B22444FH	2 3/4"	Link-Belt	PBE-920F-2 3/4	H,1,2
EPE-B22444H	2 3/4"	Link-Belt	PBE-920-2 3/4	L,1,2
	2 3/4"	Link-Belt	SPB-1100NE-2 3/4	G,X,4
	2 3/4"	Link-Belt	PB-900-2 3/4	G,X,1,2
EPE-B22447FH	2 15/16"	Link-Belt	PBE-920F-2 15/16	H,1,2
EPE-B22447H	2 15/16"	Link-Belt	PBE-920-2 15/16	L,1,2
	2 15/16"	Link-Belt	SPB-1100NE-2 15/16	G,X,4
	2 15/16"	Link-Belt	PB-900-2 15/16	G,X,1,2
EPE-B22448FH	3"	Link-Belt	PBE-920F-3	H,1,2
EPE-B22448H	3"	Link-Belt	PBE-920-3	L,1,2
	3"	Link-Belt	SPB-1100NE-3	G,X,4
EPE-B22451FH	3 3/16"	Link-Belt	PBE-920F-3 3/16	J,X,1,2
EPE-B22451H	3 3/16"	Link-Belt	SPB-1000NE-3 3/16"	G,M
	3 3/16"	Link-Belt	SPB-1100NE-3 3/16	G,X,4
	3 3/16"	Link-Belt	PBE-920-3 3/16	J,Y,1,2
EPE-B22455FH	3 7/16"	Link-Belt	PBE-920F-3 7/16	J,X,1,2
EPE-B22455H	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	G,M
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	G,X,4
	3 7/16"	Link-Belt	PB-900-3 7/16	G,X,1,2
	3 7/16"	Link-Belt	PBE-920-3 7/16	J,Y,1,2
EPE-B22456FH	3 1/2"	Link-Belt	PBE-920F-3 1/2	J,X,1,2
EPE-B22456H	3 1/2"	Link-Belt	SPB-1000NE-3 1/2	G,M
	3 1/2"	Link-Belt	SPB-1100NE-3 1/2	G,X,4
	3 1/2"	Link-Belt	PB-900-3 1/2	G,X,1,2
	3 1/2"	Link-Belt	PBE-920-3 1/2	J,Y,1,2
EPE-B224B24H	1 1/2"	Link-Belt	PBE-920- 1 1/2	J,1,2
EPE-B224B28H	1 3/4"	Link-Belt	PBE-920-1 3/4	H,1,2
EPE-B224B36FH	2 1/4"	Link-Belt	PBE-920F-2 1/4	H,1,2
EPE-B224B36H	2 1/4"	Link-Belt	PBE-920-2 1/4	H,1,2
	2 1/4"	Link-Belt	PB-900-2 1/4	G,X,1,2
EPE-B22523H	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	G,M
	1 7/16"	Link-Belt	PBE-920-1 7/16	H,1,2
	1 7/16"	Link-Belt	PB-900-1 7/16	X,1,2
EPE-B22527H	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	J,M
	1 11/16"	Link-Belt	PBE-920-1 11/16	H,1,2
	1 11/16"	Link-Belt	PB-900-1 11/16	H,X,1,2
EPE-B22531H	1 15/16"	Link-Belt	SPB-1000NE-1 15/16	G,M
	1 15/16"	Link-Belt	PBE-920-1 15/16	H,1,2
	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	G,X,4
	1 15/16"	Link-Belt	PB-900-1 15/16	G,X,1,2
EPE-B22535H	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	M
	2 3/16"	Link-Belt	PBE-920-2 3/16	G,1,2
	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	G,X,4
	2 3/16"	Link-Belt	PB-900-2 3/16	G,X,1,2
EPE-B22539FH	2 7/16"	Link-Belt	PBE-920F-2 7/16	H,1,2
EPE-B22539H	2 7/16"	Link-Belt	PBE-920-2 7/16	H,1,2
	2 7/16"	Link-Belt	SPB-1100NE-2 7/16	G,X,4
	2 7/16"	Link-Belt	PB-900-2 7/16	G,X,1,2
EPE-B22543FH	2 11/16"	Link-Belt	PBE-920F-2 11/16	H,1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EPE-B22543H	2 11/16"	Link-Belt	PBE-920-2 11/16	L,1,2
	2 11/16"	Link-Belt	SPB-1100NE-2 11/16	G,X,4
	2 11/16"	Link-Belt	PB-900-2 11/16	G,X,1,2
EPE-B22546FH	2 15/16"	Link-Belt	PBE-920F-2 15/16	H,1,2
EPE-B22547H	2 15/16"	Link-Belt	PBE-920-2 15/16	L,1,2
	2 15/16"	Link-Belt	SPB-1100NE-2 15/16	G,X,4
	2 15/16"	Link-Belt	PB-900-2 15/16	G,X,1,2
EPE-B22555FH	3 7/16"	Link-Belt	PBE-920F-3 7/16	J,X,1,2
EPE-B22555H	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	G,M
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	G,X,4
	3 7/16"	Link-Belt	PB-900-3 7/16	G,X,1,2
	3 7/16"	Link-Belt	PBE-920-3 7/16	J,Y,1,2
EPE-B22563FH	3 15/16"	Link-Belt	SPB-1000FNE-3 15/16	L
EPE-B22564FH	4"	Link-Belt	SPB-1000FNE-4	L
ER-10	5/8	Fafnir	VER-210	=
	5/8	MB	VER-210	=
ER-12	3/4	Fafnir	VER-212	=
	3/4	MB	VER-212	=
ER-14	7/8	Fafnir	VER-214	=
	7/8	MB	VER-214	=
ER-15	15/16	Fafnir	VER-215	=
	15/16	MB	VER-215	=
ER-16	1	Fafnir	VER-216	=
	1	MB	VER-216	=
ER-17	1 1/16	MB	VER-217	=
ER-18	1 1/8	Fafnir	VER-218	=
	1 1/8	MB	VER-218	=
ER-19	1 3/16	Fafnir	VER-219	=
	1 3/16	MB	VER-219	=
ER-20	1 1/4	Fafnir	VER-220	=
	1 1/4	MB	VER-220	=
ER-20S	1 1/4	MB	VER-220S	=
ER-22	1 3/8	Fafnir	VER-222	=
	1 3/8	MB	VER-222	=
ER-23	1 7/16	Fafnir	VER-223	G, X
	1 7/16	MB	VER-223	G, X
ER-24	1 1/2	Fafnir	VER-224	G, X
	1 1/2	MB	VER-224	G, X
ER-25	1 9/16	MB	VER-225	J, X
ER-26	1 5/8	MB	VER-226	J, X
ER-27	1 11/16	Fafnir	VER-227	J, X
	1 11/16	MB	VER-227	L, M
ER-28	1 3/4	Fafnir	VER-228	L, M
	1 3/4	MB	VER-228	L, M
ER-30	1 7/8	Fafnir	VER-230	H, X
	1 7/8	MB	VER-230	H, X
ER-31	1 15/16	MB	VER-231	G, X
	1 15/16	Fafnir	VER-231	H, X
ER-32	2	Fafnir	VER-232	H, Y
	2	MB	VER-232	H, Y

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ER-35	2 3/16	MB	VER-235	=
	2 3/16	Fafnir	VER-235	J, X
ER-36	2 1/4	MB	VER-236	=
ER-38	2 3/8	MB	VER-238	=
ER-39	2 7/16	Fafnir	VER-239	=
	2 7/16	MB	VER-239	=
ER-43	2 11/16	MB	VER-243	=
ER-47	2 15/16	Fafnir	VER-247	=
	2 15/16	MB	VER-247	=
ER-48	3	MB	VER-248	=
ER-51	3 3/16	MB	VER-251	=
ER-8	1/2	Fafnir	VER-208	=
	1/2	MB	VER-208	=
ETUWS 1 1/2	1 1/2"	Hub City	TUE-920-1 1/2	R
ETUWS 1 11/16	1 11/16"	Hub City	TUE-920-1 11/16	R
ETUWS 1 15/16	1 15/16"	Hub City	TUE-920-1 15/16	R
ETUWS 1 3/4	1 3/4"	Hub City	TUE-920-1 3/4	R
ETUWS 1 3/8	1 3/8"	Hub City	TUE-920-1 3/8	=
ETUWS 1 7/16	1 7/16"	Hub City	TUE-920-1 7/16	=
ETUWS 2	2"	Hub City	TUE-920-2	R
ETUWS 2 1/2	2 1/2"	Hub City	TUE-920-2 1/2	R
ETUWS 2 11/16	2 11/16"	Hub City	TUE-920-2 11/16	R
ETUWS 2 15/16	2 15/16"	Hub City	TUE-920-2 15/16	R
ETUWS 2 3/16	2 3/16"	Hub City	TUE-920-2 3/16	R
ETUWS 2 3/4	2 3/4"	Hub City	TUE-920-2 3/4	R
ETUWS 2 7/16	2 7/16"	Hub City	TUE-920-2 7/16	R
EWP201-8S	1/2	NSK	VF4E-208	=
EWP202-10S	5/8	NSK	VF4E-210	=
EWP204-12S	3/4	NSK	VF4E-212	=
EWP205-14S	7/8	NSK	VF4E-214	=
EWP205-15S	15/16	NSK	VF4E-215	=
EWP205-16S	1	NSK	VF4E-216	=
EWP206-18S	1 1/8	NSK	VF4E-218	=
EWP206-19S	1 3/16	NSK	VF4E-219	=
EWP206-20S	1 1/4	NSK	VF4E-220S	=
EWP207-20S	1 1/4	NSK	VF4E-220	=
EWP207-22S	1 3/8	NSK	VF4E-222	=
EWP207-23S	1 7/16	NSK	VF4E-223	=
EWP208-24S	1 1/2	NSK	VF4E-224	=
EWP209-26S	1 5/8	NSK	VF4E-226	=
EWP209-27S	1 11/16	NSK	VF4E-227	=
EWP209-28S	1 3/4	NSK	VF4E-228	=
EWP210-31S	1 15/16	NSK	VF4E-231	=
EWP211-32S	2	NSK	VF4E-232	=
EWP211-35S	2 3/16	NSK	VF4E-235	=
EWP212-36S	2 1/4	NSK	VF4E-236	=
EWPLL204-12S	3/4	NSK	VPLE-212	=
EWPLL205-14S	7/8	NSK	VPLE-214	=
EWPLL205-15S	15/16	NSK	VPLE-215	=
EWPLL205-16S	1	NSK	VPLE-216	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
EWPLL206-18S	1 1/8	NSK	VPLE-218	=
EWPLL206-19S	1 3/16	NSK	VPLE-219	=
EWPLL206-20S	1 1/4	NSK	VPLE-220S	=
EWPLL207-20S	1 1/4	NSK	VPLE-220	=
EWPLL207-22S	1 3/8	NSK	VPLE-222	=
EWPLL207-23S	1 7/16	NSK	VPLE-223	=
EWPLL209-26S	1 5/8	NSK	VPLE-226	=
EWPLL209-27S	1 11/16	NSK	VPLE-227	=
EWPLL209-28S	1 3/4	NSK	VPLE-228	=
EWPLL210-31S	1 15/16	NSK	VPLE-231	=
EWPLL211-32S	2	NSK	VPLE-232	=
EWPLL211-35S	2 3/16	NSK	VPLE-235	=
EWPLL212-36S	2 1/4	NSK	VPLE-236	=
F-B22419H	1 3/16"	Link-Belt	SFB-1000NE3-1 3/16	=
F-B22420H	1 1/4"	Link-Belt	SFB-1000NE3-1 1/4	=
F-B22423H	1 7/16"	Link-Belt	SFB-1000NE3-1 7/16	=
F-B22424H	1 1/2"	Link-Belt	SFB-1000NE3-1 1/2	=
F-B22427H	1 11/16"	Link-Belt	SFB-1000NE-1 11/16	=
F-B22428H	1 3/4"	Link-Belt	SFB-1000NE-1 3/4	=
F-B22431H	1 15/16"	Link-Belt	SFB-1000NE-1 15/16	=
F-B22432H	2"	Link-Belt	SFB-1000NE-2	=
F-B22435H	2 3/16"	Link-Belt	SFB-1000NE-2 3/16	=
F-B22439H	2 7/16"	Link-Belt	SFB-1000NE-2 7/16	=
F-B22440H	2 1/2"	Link-Belt	SFB-1000NE-2 1/2	=
F-B22443H	2 11/16"	Link-Belt	SFB-1000NE-2 11/16	=
F-B22444H	2 3/4"	Link-Belt	SFB-1000NE-2 3/4	=
F-B22447H	2 15/16"	Link-Belt	SFB-1000NE-2 15/16	=
F-B22448H	3"	Link-Belt	SFB-1000NE-3	=
F-B22451H	3 3/16"	Link-Belt	SFB-1000NE-3 3/16	=
F-B22455H	3 7/16"	Link-Belt	SFB-1000NE-3 7/16	=
F-B22456H	3 1/2"	Link-Belt	SFB-1000NE-3 1/2	=
F-B22459H	3 11/16"	Link-Belt	SFB-1000NE-3 11/16	=
F-B22463H	3 15/16"	Link-Belt	SFB-1000NE-3 15/16	=
F-B22464H	4"	Link-Belt	SFB-1000NE-4	=
F-UG210N	5/8	Link-Belt	VF3S-110M	=
F-UG212N	3/4	Link-Belt	VF3S-112M	=
F-UG214N	7/8	Link-Belt	VF3S-114M	=
F-UG215N	15/16	Link-Belt	VF3S-115M	=
F-UG216N	1	Link-Belt	VF3S-116M	=
F-UG218N	1 1/8	Link-Belt	VF3S-118M	=
F-UG219N	1 3/16	Link-Belt	VF3S-119M	=
F-UG220N	1 1/4	Link-Belt	VF3S-120M	=
F-UG222N	1 3/8	Link-Belt	VF3S-122M	=
F-UG223N	1 7/16	Link-Belt	VF3S-123M	=
F-UG2B08N	1/2	Link-Belt	VF3S-108M	=
F-UG2E20N	1 1/4	Link-Belt	VF3S-120SM	=
F-W210U	5/8	Link-Belt	VF3E-110M	=
F-W212U	3/4	Link-Belt	VF3E-112M	=
F-W214U	7/8	Link-Belt	VF3E-114M	=
F-W215U	15/16	Link-Belt	VF3E-115M	=

## Note Code

J - Bolt Spacing Minimum within 1/2  
 R - Slot Width within 1/64  
 X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable

Black - Ball Bearings  
 Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F-W216U	1	Link-Belt	VF3E-116M	=
F-W218E	1 1/8	Link-Belt	VF3E-118M	=
F-W219E	1 3/16	Link-Belt	VF3E-119M	=
F-W220E	1 1/4	Link-Belt	VF3E-120M	=
F-W222E	1 3/8	Link-Belt	VF3E-122M	=
F-W223E	1 7/16	Link-Belt	VF3E-123M	=
F-W2B08U	1/2	Link-Belt	VF3E-108M	=
F-W2E20E	1 1/4	Link-Belt	VF3E-120SM	=
F-WG210U	5/8	Link-Belt	VF3E-110M	=
F-WG212U	3/4	Link-Belt	VF3E-112M	=
F-WG214U	7/8	Link-Belt	VF3E-114M	=
F-WG215U	15/16	Link-Belt	VF3E-115M	=
F-WG216U	1	Link-Belt	VF3E-116M	=
F-WG218E	1 1/8	Link-Belt	VF3E-118M	=
F-WG219E	1 3/16	Link-Belt	VF3E-119M	=
F-WG220E	1 1/4	Link-Belt	VF3E-120M	=
F-WG222E	1 3/8	Link-Belt	VF3E-122M	=
F-WG223E	1 7/16	Link-Belt	VF3E-123M	=
F-WG2B08U	1/2	Link-Belt	VF3E-108M	=
F-WG2E20E	1 1/4	Link-Belt	VF3E-120SM	=
F-Y210N	5/8	Link-Belt	VF3E-110M	=
F-Y212N	3/4	Link-Belt	VF3E-112M	=
F-Y214N	7/8	Link-Belt	VF3E-114M	=
F-Y215N	15/16	Link-Belt	VF3E-115M	=
F-Y216N	1	Link-Belt	VF3E-116M	=
F-Y218N	1 1/8	Link-Belt	VF3E-118M	=
F-Y219N	1 3/16	Link-Belt	VF3E-119M	=
F-Y220N	1 1/4	Link-Belt	VF3E-120M	=
F-Y222N	1 3/8	Link-Belt	VF3E-122M	=
F-Y223N	1 7/16	Link-Belt	VF3E-123M	=
F-Y2B08N	1/2	Link-Belt	VF3E-108M	=
F-Y2E20N	1 1/4	Link-Belt	VF3E-120SM	=
F-YG210N	5/8	Link-Belt	VF3E-110M	=
F-YG212N	3/4	Link-Belt	VF3E-112M	=
F-YG214N	7/8	Link-Belt	VF3E-114M	=
F-YG215N	15/16	Link-Belt	VF3E-115M	=
F-YG216N	1	Link-Belt	VF3E-116M	=
F-YG218N	1 1/8	Link-Belt	VF3E-118M	=
F-YG219N	1 3/16	Link-Belt	VF3E-119M	=
F-YG220N	1 1/4	Link-Belt	VF3E-120M	=
F-YG222N	1 3/8	Link-Belt	VF3E-122M	=
F-YG223N	1 7/16	Link-Belt	VF3E-123M	=
F-YG2B08N	1/2	Link-Belt	VF3E-108M	B
F-YG2E20N	1 1/4	Link-Belt	VF3E-120SM	=
F2B-DL-012	3/4	Dodge	VF2B-212	=
F2B-DL-014	7/8	Dodge	VF2B-214	=
F2B-DL-015	15/16	Dodge	VF2B-215	=
F2B-DL-100	1	Dodge	VF2B-216	=
F2B-DL-102	1 1/8	Dodge	VF2B-218	=
F2B-DL-103	1 3/16	Dodge	VF2B-219	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F2B-DL-104	1 1/4	Dodge	VF2B-220	=
	1 1/4	Dodge	VF2B-320	=
F2B-DL-104S	1 1/4	Dodge	VF2B-220S	=
F2B-DL-106	1 3/8	Dodge	VF2B-222	=
F2B-DL-107	1 7/16	Dodge	VF2B-223	=
F2B-DL-108	1 1/2	Dodge	VF2B-224	=
F2B-DL-110L	1 5/8	Dodge	VF2B-226	=
F2B-DL-111	1 11/16	Dodge	VF2B-227	=
F2B-DL-112	1 3/4	Dodge	VF2B-228	=
F2B-DL-115	1 15/16	Dodge	VF2B-231	=
F2B-DL-200	2	Dodge	VF2B-232S	=
	2 3/16	Dodge	VF2B-235	=
F2B-DLM-100	1	Dodge	VF2B-316	=
F2B-DLM-103	1 3/16	Dodge	VF2B-319	=
F2B-DLM-107	1 7/16	Dodge	VF2B-323	=
F2B-DLM-108	1 1/2	Dodge	VF2B-324	=
F2B-DLM-111	1 11/16	Dodge	VF2B-327	=
F2B-DLM-112	1 3/4	Dodge	VF2B-328	=
F2B-DLM-115	1 15/16	Dodge	VF2B-331	=
F2B-DLM-200	2	Dodge	VF2B-232	=
	2	Dodge	VF2B-332	=
F2B-SC-008	1/2	Dodge	VF2S-208	=
F2B-SC-010	5/8	Dodge	VF2S-210	=
F2B-SC-012	3/4	Dodge	VF2S-212	=
F2B-SC-014	7/8	Dodge	VF2S-214	=
F2B-SC-015	15/16	Dodge	VF2S-215	=
F2B-SC-100	1	Dodge	VF2S-216	=
F2B-SC-102	1 1/8	Dodge	VF2S-218	=
F2B-SC-103	1 3/16	Dodge	VF2S-219	=
F2B-SC-104	1 1/4	Dodge	VF2S-220	=
	1 1/4	Dodge	VF2S-320	=
F2B-SC-104S	1 1/4	Dodge	VF2S-220S	=
F2B-SC-106	1 3/8	Dodge	VF2S-222	=
F2B-SC-107	1 7/16	Dodge	VF2S-223	=
F2B-SC-108	1 1/2	Dodge	VF2S-224	=
F2B-SC-110L	1 5/8	Dodge	VF2S-226	=
F2B-SC-111	1 11/16	Dodge	VF2S-227	=
F2B-SC-112	1 3/4	Dodge	VF2S-228	=
F2B-SC-115	1 15/16	Dodge	VF2S-231	=
F2B-SC-200	2	Dodge	VF2S-232S	=
F2B-SC-203	2 3/16	Dodge	VF2S-235	=
F2B-SC-207	2 7/16	Dodge	VF2S-239	=
F2B-SCEZ-012-W	3/4	Dodge	VF2S-112	=
F2B-SCEZ-100-W	1	Dodge	VF2S-116	=
F2B-SCEZ-103-W	1 3/16	Dodge	VF2S-119	=
F2B-SCEZ-104-W	1 1/4	Dodge	VF2S-120	=
F2B-SCEZ-104S-W	1 1/4	Dodge	VF2S-120S	=
F2B-SCEZ-107-W	1 7/16	Dodge	VF2S-123	=
F2B-SCEZ-108-W	1 1/2	Dodge	VF2S-124	=
F2B-SCM-100	1	Dodge	VF2S-316	=

### Note Code

B - Bolt Centers or OD within 1/16

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F2B-SCM-103	1 3/16	Dodge	VF2S-319	=
F2B-SCM-107	1 7/16	Dodge	VF2S-323	=
F2B-SCM-108	1 1/2	Dodge	VF2S-324	=
F2B-SCM-111	1 11/16	Dodge	VF2S-327	=
F2B-SCM-112	1 3/4	Dodge	VF2S-328	=
F2B-SCM-115	1 15/16	Dodge	VF2S-331	=
F2B-SCM-200	2	Dodge	VF2S-232	=
	2	Dodge	VF2S-332	=
F2B-SL-008	1/2	Dodge	SSF2S-108	=
F2B-SL-010	5/8	Dodge	SSF2S-110	=
F2B-SL-012	3/4	Dodge	SSF2S-112	=
F2B-SL-014	7/8	Dodge	SSF2S-114	=
F2B-SL-015	15/16	Dodge	SSF2S-115	=
F2B-SL-100	1	Dodge	SSF2S-116	=
F2B-SL-102	1 1/8	Dodge	SSF2S-118	=
F2B-SL-103	1 3/16	Dodge	SSF2S-119	=
F2B-SL-104S	1 1/4	Dodge	SSF2S-120S	=
F2B-SLX-012	3/4	Dodge	SSF2E-112	=
F2B-SLX-014	7/8	Dodge	SSF3E-114	=
	7/8	Dodge	SSF3TE-114	=
F2B-SLX-015	15/16	Dodge	SSF2E-115	=
F2B-SLX-100	1	Dodge	SSF2E-116	=
F2B-SLX-102	1 1/8	Dodge	SSF2E-118	=
F2B-SLX-103	1 3/16	Dodge	SSF2E-119	=
F2B-SLX-104S	1 1/4	Dodge	SSF3E-120S	=
	1 1/4	Dodge	SSF3TE-120S	=
F2B-SXR-008	1/2	Dodge	VF2E-208	=
F2B-SXR-010	5/8	Dodge	VF2E-210	=
F2B-SXR-012	3/4	Dodge	VF2E-212	=
F2B-SXR-014	7/8	Dodge	VF2E-214	=
F2B-SXR-015	15/16	Dodge	VF2E-215	=
F2B-SXR-100	1	Dodge	VF2E-216	=
F2B-SXR-102	1 1/8	Dodge	VF2E-218	=
F2B-SXR-103	1 3/16	Dodge	VF2E-219	=
F2B-SXR-104	1 1/4	Dodge	VF2E-220	=
F2B-SXR-106	1 3/8	Dodge	VF2E-222	=
F2B-SXR-107	1 7/16	Dodge	VF2E-223	=
F2B-SXR-108	1 1/2	Dodge	VF2E-224	=
F2B-SXR-110	1 5/8	Dodge	VF2E-226	=
F2B-SXR-111	1 11/16	Dodge	VF2E-227	=
F2B-SXR-112	1 3/4	Dodge	VF2E-228	=
F2B-SXR-115	1 15/16	Dodge	VF2E-231	=
F2B-SXR-200L	2	Dodge	VF2E-232	=
F2B-SXR-203	2 3/16	Dodge	VF2E-235	=
F2B-SXV-008	1/2	Dodge	VF2E-108	=
F2B-SXV-010	5/8	Dodge	VF2E-110	=
F2B-SXV-012	3/4	Dodge	VF2E-112	=
F2B-SXV-014	7/8	Dodge	VF2E-114	=
F2B-SXV-015	15/16	Dodge	VF2E-115	=
F2B-SXV-100	1	Dodge	VF2E-116	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F2B-SXV-102	1 1/8	Dodge	VF2E-118	=
F2B-SXV-103	1 3/16	Dodge	VF2E-119	=
F2B-SXV-104	1 1/4	Dodge	VF2E-120	=
F2B-SXV-104S	1 1/4	Dodge	VF2E-120S	=
F2B-SXV-106	1 3/8	Dodge	VF2E-122	=
F2B-SXV-107	1 7/16	Dodge	VF2E-123	=
F2B-SXV-108	1 1/2	Dodge	VF2E-124	=
F2B-SXV-111	1 11/16	Dodge	VF2E-127	=
F2B-SXV-112	1 3/4	Dodge	VF2E-128	=
F2B-SXV-115	1 15/16	Dodge	VF2E-131	=
F2B-SXV-200	2	Dodge	VF2E-132S	=
F2B-SXV-200L	2	Dodge	VF2E-132	=
F2B-SXV-203	2 3/16	Dodge	VF2E-135	=
F2B-VSC-008	1/2	Dodge	VF2S-108	=
F2B-VSC-010	5/8	Dodge	VF2S-110	=
F2B-VSC-012	3/4	Dodge	VF2S-112	=
F2B-VSC-014	7/8	Dodge	VF2S-114	=
F2B-VSC-015	15/16	Dodge	VF2S-115	=
F2B-VSC-100	1	Dodge	VF2S-116	=
F2B-VSC-102	1 1/8	Dodge	VF2S-118	=
F2B-VSC-103	1 3/16	Dodge	VF2S-119	=
F2B-VSC-104	1 1/4	Dodge	VF2S-120	=
F2B-VSC-104S	1 1/4	Dodge	VF2S-120S	=
F2B-VSC-106	1 3/8	Dodge	VF2S-122	=
F2B-VSC-107	1 7/16	Dodge	VF2S-123	=
F2B-VSC-108	1 1/2	Dodge	VF2S-124	=
F2B-VSC-111	1 11/16	Dodge	VF2S-127	=
F2B-VSC-112	1 3/4	Dodge	VF2S-128	=
F2B-VSC-115	1 15/16	Dodge	VF2S-131	=
F2B-VSC-200	2	Dodge	VF2S-132S	=
F2B-VSC-200L	2	Dodge	VF2S-132	=
F2B-VSC-203	2 3/16	Dodge	VF2S-135	=
F3-S212E	3/4	Link-Belt	VF4S-112	=
F3-S214E	7/8	Link-Belt	VF4S-114	=
F3-S215E	15/16	Link-Belt	VF4S-115	=
F3-S216E	1	Link-Belt	VF4S-116	=
F3-S218E	1 1/8	Link-Belt	VF4S-118	=
F3-S219E	1 3/16	Link-Belt	VF4S-119	=
F3-S220E	1 1/4	Link-Belt	VF4S-120	=
F3-S222E	1 3/8	Link-Belt	VF4S-122	=
F3-S223E	1 7/16	Link-Belt	VF4S-123	=
F3-S224E	1 1/2	Link-Belt	VF4S-124	=
F3-S227E	1 11/16	Link-Belt	VF4S-127	=
F3-S228E	1 3/4	Link-Belt	VF4S-128	=
F3-S231E	1 15/16	Link-Belt	VF4S-131	=
F3-S2E20E	1 1/4	Link-Belt	VF4S-120S	=
F3-U208N	1/2	Link-Belt	VF4S-208	=
F3-U210N	5/8	Link-Belt	VF4S-210	=
F3-U212N	3/4	Link-Belt	VF4S-212	=
F3-U214N	7/8	Link-Belt	VF4S-214	=

### Note Code

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F3-U215N	15/16	Link-Belt	VF4S-215	=
F3-U216N	1	Link-Belt	VF4S-216	=
F3-U218N	1 1/8	Link-Belt	VF4S-218	=
F3-U219N	1 3/16	Link-Belt	VF4S-219	=
F3-U220N	1 1/4	Link-Belt	VF4S-220	=
F3-U222N	1 3/8	Link-Belt	VF4S-222	=
F3-U223N	1 7/16	Link-Belt	VF4S-223	=
F3-U224N	1 1/2	Link-Belt	VF4S-224	=
F3-U226N	1 5/8	Link-Belt	VF4S-226	=
F3-U227N	1 11/16	Link-Belt	VF4S-227	=
F3-U228N	1 3/4	Link-Belt	VF4S-228	=
F3-U231N	1 15/16	Link-Belt	VF4S-231	=
F3-U232N	2	Link-Belt	VF4S-232	=
F3-U235N	2 3/16	Link-Belt	VF4S-235	=
F3-U236N	2 1/4	Link-Belt	VF4S-236	=
F3-U239N	2 7/16	Link-Belt	VF4S-239	=
F3-U2E20N	1 1/4	Link-Belt	VF4S-220S	=
F3-U2E32N	2	Link-Belt	VF4S-232S	=
F3-W210U	5/8	Link-Belt	VF4E-110	=
F3-W212U	3/4	Link-Belt	VF4E-112	=
F3-W214U	7/8	Link-Belt	VF4E-114	=
F3-W215U	15/16	Link-Belt	VF4E-115	=
F3-W216U	1	Link-Belt	VF4E-116	=
F3-W227U	1 11/16	Link-Belt	VF4E-127	=
F3-W228U	1 3/4	Link-Belt	VF4E-128	=
F3-W231U	1 15/16	Link-Belt	VF4E-131	=
F3-W2E32U	2	Link-Belt	VF4E-132S	=
F3-Y210N	5/8	Link-Belt	VF4E-210	=
F3-Y212N	3/4	Link-Belt	VF4E-212	=
F3-Y214N	7/8	Link-Belt	VF4E-214	=
F3-Y215N	15/16	Link-Belt	VF4E-215	=
F3-Y216N	1	Link-Belt	VF4E-216	=
F3-Y218N	1 1/8	Link-Belt	VF4E-218	=
F3-Y219N	1 3/16	Link-Belt	VF4E-219	=
F3-Y220N	1 1/4	Link-Belt	VF4E-220	=
F3-Y222N	1 3/8	Link-Belt	VF4E-222	=
F3-Y223N	1 7/16	Link-Belt	VF4E-223	=
F3-Y224N	1 1/2	Link-Belt	VF4E-224	=
F3-Y226N	1 5/8	Link-Belt	VF4E-226	=
F3-Y227N	1 11/16	Link-Belt	VF4E-227	=
F3-Y228N	1 3/4	Link-Belt	VF4E-228	=
F3-Y231N	1 15/16	Link-Belt	VF4E-231	=
F3-Y232N	2	Link-Belt	VF4E-232	=
F3-Y235N	2 3/16	Link-Belt	VF4E-235	=
F3-Y236N	2 1/4	Link-Belt	VF4E-236	=
F3-Y239N	2 7/16	Link-Belt	VF4E-239	=
F3-Y2B08N	1/2	Link-Belt	VF4E-208	=
F3-Y2E20N	1 1/4	Link-Belt	VF4E-220S	=
F3B-S2-107R	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
F3B-S2-107RE	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F3B-S2-107S	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
F3B-S2-107SE	1 7/16"	Dodge	SFB-1000NE3-1 7/16	=
F3B-S2-108R	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
F3B-S2-108RE	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
F3B-S2-108S	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
F3B-S2-108SE	1 1/2"	Dodge	SFB-1000NE3-1 1/2	=
F3B-SL-012	3/4	Dodge	SSF3S-112	=
	3/4	Dodge	SSF3TS-112	=
F3B-SL-014	7/8	Dodge	SSF3S-114	=
	7/8	Dodge	SSF3TS-114	=
F3B-SL-015	15/16	Dodge	SSF3S-115	=
	15/16	Dodge	SSF3TS-115	=
F3B-SL-100	1	Dodge	SSF3S-116	=
	1	Dodge	SSF3TS-116	=
F3B-SL-102	1 1/8	Dodge	SSF3S-118	=
	1 1/8	Dodge	SSF3TS-118	=
F3B-SL-103	1 3/16	Dodge	SSF3S-119	=
	1 3/16	Dodge	SSF3TS-119	=
F3B-SL-104	1 1/4	Dodge	SSF3S-120	=
	1 1/4	Dodge	SSF3S-120S	=
	1 1/4	Dodge	SSF3TS-120S	=
F3B-SL-104S	1 1/4	Dodge	SSF3S-120	=
	1 1/4	Dodge	SSF3S-120S	=
	1 1/4	Dodge	SSF3TS-120S	=
F3B-SL-106	1 3/8	Dodge	SSF3S-122	=
F3B-SL-107	1 7/16	Dodge	SSF3S-123	=
F3B-SLX-012	3/4	Dodge	SSF3E-112	=
	3/4	Dodge	SSF3TE-112	=
F3B-SLX-014	7/8	Dodge	SSF3E-114	=
	7/8	Dodge	SSF3TE-114	=
F3B-SLX-015	15/16	Dodge	SSF3E-115	=
	15/16	Dodge	SSF3TE-115	=
F3B-SLX-100	1	Dodge	SSF3E-116	=
	1	Dodge	SSF3TE-116	=
F3B-SLX-102	1 1/8	Dodge	SSF3E-118	=
	1 1/8	Dodge	SSF3TE-118	=
F3B-SLX-103	1 3/16	Dodge	SSF3E-119	=
	1 3/16	Dodge	SSF3E-119	=
	1 3/16	Dodge	SSF3TE-119	=
	1 3/16	Dodge	SSF3TE-119	=
F3B-SLX-104	1 1/4	Dodge	SSF3E-120	=
	1 1/4	Dodge	SSF3E-120S	=
	1 1/4	Dodge	SSF3TE-120S	=
F3B-SLX-106	1 3/8	Dodge	SSF3E-122	=
F3B-SLX-107	1 7/16	Dodge	SSF3E-123	=
F4B-DI-106R	1 3/8"	Dodge	FB-970NE-1 3/8	=
F4B-DI-106RE	1 3/8"	Dodge	FB-970NE-1 3/8	=
F4B-DI-107R	1 7/16"	Dodge	FB-970NE-1 7/16	=
	1 7/16"	Dodge	FB-950NE-1 7/16	1
F4B-DI-107RE	1 7/16"	Dodge	FB-970NE-1 7/16	=
	1 7/16"	Dodge	FB-950NE-1 7/16	1

## Note Code

= - Fully Interchangeable

1 - Different Locking Devices

Black - Ball Bearings

Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-DI-108R	1 1/2"	Dodge	FB-970NE-1 1/2	=
F4B-DI-108RE	1 1/2"	Dodge	FB-970NE-1 1/2	=
F4B-DI-110R	1 5/8"	Dodge	FB-950NE-1 5/8	1
F4B-DI-110RE	1 5/8"	Dodge	FB-950NE-1 5/8	1
F4B-DI-111R	1 11/16"	Dodge	FB-970NE-1 11/16	=
F4B-DI-111RE	1 11/16"	Dodge	FB-950NE-1 11/16	1
F4B-DI-111RE	1 11/16"	Dodge	FB-970NE-1 11/16	=
F4B-DI-112R	1 3/4"	Dodge	FB-970NE-1 3/4	=
F4B-DI-112RE	1 3/4"	Dodge	FB-970NE-1 3/4	=
F4B-DI-114R	1 7/8"	Dodge	FB-950NE-1 7/8	1
F4B-DI-114RE	1 7/8"	Dodge	FB-950NE-1 7/8	1
F4B-DI-114RE	1 7/8"	Dodge	FB-950NE-1 7/8	1
F4B-DI-115R	1 15/16"	Dodge	FB-970NE-1 15/16	=
F4B-DI-115RE	1 15/16"	Dodge	FB-950NE-1 15/16	1
F4B-DI-115RE	1 15/16"	Dodge	FB-970NE-1 15/16	=
F4B-DI-115RE	1 15/16"	Dodge	FB-950NE-1 15/16	1
F4B-DI-115RE	1 15/16"	Dodge	FB-950NE-1 15/16	1
F4B-DI-200R	2"	Dodge	FB-970NE-2	=
F4B-DI-200RE	2"	Dodge	FB-950NE-2	1
F4B-DI-200RE	2"	Dodge	FB-970NE-2	=
F4B-DI-200RE	2"	Dodge	FB-950NE-2	1
F4B-DI-200RE	2"	Dodge	FB-950NE-2	1
F4B-DI-203R	2 3/16"	Dodge	FB-970NE-2 3/16	=
F4B-DI-203RE	2 3/16"	Dodge	FB-950NE-2 3/16	1
F4B-DI-203RE	2 3/16"	Dodge	FB-970NE-2 3/16	=
F4B-DI-204R	2 1/4"	Dodge	FB-970NE-2 1/4	=
F4B-DI-204RE	2 1/4"	Dodge	FB-950NE-2 1/4	1
F4B-DI-204RE	2 1/4"	Dodge	FB-970NE-2 1/4	=
F4B-DI-207R	2 7/16"	Dodge	FB-970NE-2 7/16	=
F4B-DI-207RE	2 7/16"	Dodge	FB-950NE-2 7/16	1
F4B-DI-207RE	2 7/16"	Dodge	FB-970NE-2 7/16	=
F4B-DI-208R	2 1/2"	Dodge	FB-970NE-2 1/2	=
F4B-DI-208RE	2 1/2"	Dodge	FB-950NE-2 1/2	1
F4B-DI-208RE	2 1/2"	Dodge	FB-970NE-2 1/2	=
F4B-DI-211R	2 11/16"	Dodge	FB-970NE-2 11/16	=
F4B-DI-211RE	2 11/16"	Dodge	FB-950NE-2 11/16	1
F4B-DI-211RE	2 11/16"	Dodge	FB-970NE-2 11/16	=
F4B-DI-212R	2 3/4"	Dodge	FB-950NE-2 3/4	1
F4B-DI-212RE	2 3/4"	Dodge	FB-950NE-2 3/4	1
F4B-DI-215R	2 15/16"	Dodge	FB-970NE-2 15/16	=
F4B-DI-215R	2 15/16"	Dodge	FB-950NE-2 15/16	1

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-DI-215RE	2 15/16"	Dodge	FB-970NE-2 15/16	=
F4B-DI-215RE	2 15/16"	Dodge	FB-950NE-2 15/16	1
F4B-DI-300R	3"	Dodge	FB-970NE-3	=
F4B-DI-300RE	3"	Dodge	FB-950NE-3	1
F4B-DI-300RE	3"	Dodge	FB-970NE-3	=
F4B-DI-300RE	3"	Dodge	FB-950NE-3	1
F4B-DI-303R	3 3/16"	Dodge	FB-970NE-3 3/16	=
F4B-DI-303RE	3 3/16"	Dodge	FB-970NE-3 3/16	=
F4B-DI-307R	3 7/16"	Dodge	FB-970NE-3 7/16	=
F4B-DI-307RE	3 7/16"	Dodge	FB-950NE-3 7/16	1
F4B-DI-307RE	3 7/16"	Dodge	FB-970NE-3 7/16	=
F4B-DI-308R	3 1/2"	Dodge	FB-970NE-3 1/2	=
F4B-DI-308RE	3 1/2"	Dodge	FB-950NE-3 1/2	1
F4B-DI-308RE	3 1/2"	Dodge	FB-970NE-3 1/2	=
F4B-DI-308RE	3 1/2"	Dodge	FB-950NE-3 1/2	1
F4B-DI-315R	3 15/16"	Dodge	FB-950NE-3 15/16	1
F4B-DI-315RE	3 15/16"	Dodge	FB-950NE-3 15/16	1
F4B-DI-400R	4"	Dodge	FB-950NE-4	1
F4B-DI-400RE	4"	Dodge	FB-950NE-4	1
F4B-DI-407R	4 7/16"	Dodge	FB-970NE-4 7/16	4
F4B-DI-407RE	4 7/16"	Dodge	FB-950NE-4 7/16	1,4
F4B-DI-407RE	4 7/16"	Dodge	FB-970NE-4 7/16	4
F4B-DI-407RE	4 7/16"	Dodge	FB-950NE-4 7/16	1,4
F4B-DI-408R	4 1/2"	Dodge	FB-970NE-4 1/2	4
F4B-DI-408RE	4 1/2"	Dodge	FB-950NE-4 1/2	1,4
F4B-DI-408RE	4 1/2"	Dodge	FB-970NE-4 1/2	4
F4B-DI-408RE	4 1/2"	Dodge	FB-950NE-4 1/2	1,4
F4B-DI-415R	4 15/16"	Dodge	FB-970NE-4 15/16	4
F4B-DI-415RE	4 15/16"	Dodge	FB-950NE-4 15/16	1,4
F4B-DI-415RE	4 15/16"	Dodge	FB-970NE-4 15/16	4
F4B-DI-415RE	4 15/16"	Dodge	FB-950NE-4 15/16	1,4
F4B-DI-500R	5"	Dodge	FB-970NE-5	4
F4B-DI-500RE	5"	Dodge	FB-950NE-5	1,4
F4B-DI-500RE	5"	Dodge	FB-970NE-5	4
F4B-DI-500RE	5"	Dodge	FB-950NE-5	1,4
F4B-DL-012	3/4	Dodge	VF4B-212	=
F4B-DL-014	7/8	Dodge	VF4B-214	=
F4B-DL-015	15/16	Dodge	VF4B-215	=
F4B-DL-100	1	Dodge	VF4B-216	=
F4B-DL-102	1 1/8	Dodge	VF4B-218	B
F4B-DL-103	1 3/16	Dodge	VF4B-219	=
F4B-DL-104	1 1/4	Dodge	VF4B-220	B
F4B-DL-104	1 1/4	Dodge	VF4B-320	=
F4B-DL-104S	1 1/4	Dodge	VF4B-220S	B
F4B-DL-106	1 3/8	Dodge	VF4B-222	=
F4B-DL-107	1 7/16	Dodge	VF4B-223	=
F4B-DL-108	1 1/2	Dodge	VF4B-224	=
F4B-DL-110L	1 5/8	Dodge	VF4B-226	=

### Note Code

B - Bolt Centers or OD within 1/16

= - Fully Interchangeable

Black - Ball Bearings

1 - Different Locking Devices

Red - Roller Bearings

4 - Different Housing Materials

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-DL-111	1 11/16	Dodge	VF4B-227	=
F4B-DL-112	1 3/4	Dodge	VF4B-228	=
F4B-DL-115	1 15/16	Dodge	VF4B-231	=
F4B-DL-200	2	Dodge	VF4B-232S	=
F4B-DL-203	2 3/16	Dodge	VF4B-235	=
F4B-DL-207	2 7/16	Dodge	VF4B-239	=
F4B-DLM-100	1	Dodge	VF4B-316	=
F4B-DLM-103	1 3/16	Dodge	VF4B-319	=
F4B-DLM-107	1 7/16	Dodge	VF4B-323	=
F4B-DLM-108	1 1/2	Dodge	VF4B-324	=
F4B-DLM-111	1 11/16	Dodge	VF4B-327	=
F4B-DLM-112	1 3/4	Dodge	VF4B-328	=
F4B-DLM-115	1 15/16	Dodge	VF4B-331	=
F4B-DLM-200	2	Dodge	VF4B-232	=
	2	Dodge	VF4B-332	=
F4B-DLM-203	2 3/16	Dodge	VF4B-335	=
F4B-DLM-204	2 1/4	Dodge	VF4B-236	=
F4B-E-103R	1 3/16"	Dodge	FBE-920-1 3/16	=
F4B-E-104R	1 1/4"	Dodge	FBE-920-1 1/4	=
F4B-E-106R	1 3/8"	Dodge	FBE-920- 1 3/8	=
F4B-E-107R	1 7/16"	Dodge	FBE-920-1 7/16	=
	1 7/16"	Dodge	FB-900-1 7/16	1
	1 7/16"	Dodge	SFB-1000NE-1 7/16	1,2
F4B-E-108R	1 1/2"	Dodge	FBE-920-1 1/2	=
F4B-E-110R	1 5/8"	Dodge	FBE-920-1 5/8	=
	1 5/8"	Dodge	FB-900-1 5/8	1
F4B-E-111R	1 11/16"	Dodge	FBE-920-1 11/16	=
	1 11/16"	Dodge	FB-900-1 11/16	1
F4B-E-112R	1 3/4"	Dodge	FBE-920-1 3/4	=
F4B-E-114R	1 7/8"	Dodge	FB-900-1 7/8	1
F4B-E-115R	1 15/16"	Dodge	FBE-920-1 15/16	=
	1 15/16"	Dodge	FB-900-1 15/16	1
	1 15/16"	Dodge	SFB-1100NE-1 15/16	1,2,4
F4B-E-200R	2"	Dodge	FBE-920-2	=
	2"	Dodge	FB-900-2	1
	2"	Dodge	SFB-1100NE-2	1,2,4
F4B-E-203R	2 3/16"	Dodge	FBE-920-2 3/16	=
	2 3/16"	Dodge	FB-900-2 3/16	1
	2 3/16"	Dodge	SFB-1100NE-2 3/16	1,2,4
F4B-E-204R	2 1/4"	Dodge	FBE-920-2 1/4	=
	2 1/4"	Dodge	FB-900-2 1/4	1
F4B-E-207R	2 7/16"	Dodge	FBE-920-2 7/16	=
	2 7/16"	Dodge	FB-900-2 7/16	1
	2 7/16"	Dodge	SFB-1100NE-2 7/16	1,2,4
F4B-E-208R	2 1/2"	Dodge	FBE-920-2 1/2	=
	2 1/2"	Dodge	FB-900-2 1/2	1
	2 1/2"	Dodge	SFB-1100NE-2 1/2	1,2,4
F4B-E-211R	2 11/16"	Dodge	FBE-920-2 11/16	=
	2 11/16"	Dodge	FB-900-2 11/16	1
	2 11/16"	Dodge	SFB-1100NE-2 11/16	1,2,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-E-212R	2 3/4"	Dodge	FBE-920-2 3/4	=
	2 3/4"	Dodge	FB-900-2 3/4	1
	2 3/4"	Dodge	SFB-1100NE-2 3/4	1,2,4
F4B-E-215R	2 15/16"	Dodge	FBE-920-2 15/16	=
	2 15/16"	Dodge	FB-900-2 15/16	1
	2 15/16"	Dodge	SFB-1100NE-2 15/16	1,2,4
F4B-E-300R	3"	Dodge	FBE-920-3	=
	3"	Dodge	SFB-1100NE-3	1,2,4
F4B-E-303R	3 3/16"	Dodge	FBE-920-3 3/16	=
	3 3/16"	Dodge	SFB-1100NE-3 3/16	1,2,4
F4B-E-307R	3 7/16"	Dodge	FBE-920-3 7/16	=
	3 7/16"	Dodge	FB-900-3 7/16	1
	3 7/16"	Dodge	SFB-1100NE-3 7/16	1,2,4
F4B-E-308R	3 1/2"	Dodge	FBE-920-3 1/2	=
	3 1/2"	Dodge	FB-900-3 1/2	1
	3 1/2"	Dodge	SFB-1100NE-3 1/2	1,2,4
F4B-E-315R	3 15/16"	Dodge	FBE-920-3 15/16	=
	3 15/16"	Dodge	FB-900-3 15/16	1
F4B-E-400R	4"	Dodge	FBE-920-4	=
	4"	Dodge	FB-900-4	1
F4B-E-407R	4 7/16"	Dodge	FB-900-4 7/16	1
F4B-E-408R	4 1/2"	Dodge	FB-900-4 1/2	1
F4B-K-106R	1 3/8"	Dodge	FB-970NE-1 3/8	1
F4B-K-106RE	1 3/8"	Dodge	FB-970NE-1 3/8	1
F4B-K-107R	1 7/16"	Dodge	FB-950NE-1 7/16	1
	1 7/16"	Dodge	FB-970NE-1 7/16	1
F4B-K-107RE	1 7/16"	Dodge	FB-950NE-1 7/16	1
	1 7/16"	Dodge	FB-970NE-1 7/16	1
F4B-K-108R	1 1/2"	Dodge	FB-970NE-1 1/2	1
F4B-K-108RE	1 1/2"	Dodge	FB-970NE-1 1/2	1
F4B-K-110R	1 5/8"	Dodge	FB-950NE-1 5/8	1
F4B-K-110RE	1 5/8"	Dodge	FB-950NE-1 5/8	1
F4B-K-111R	1 11/16"	Dodge	FB-950NE-1 11/16	1
	1 11/16"	Dodge	FB-970NE-1 11/16	1
F4B-K-111RE	1 11/16"	Dodge	FB-950NE-1 11/16	1
	1 11/16"	Dodge	FB-970NE-1 11/16	1
F4B-K-112R	1 3/4"	Dodge	FB-970NE-1 3/4	1
F4B-K-112RE	1 3/4"	Dodge	FB-970NE-1 3/4	1
F4B-K-115R	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-970NE-1 15/16	1
F4B-K-115RE	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-950NE-1 15/16	1
	1 15/16"	Dodge	FB-970NE-1 15/16	1
F4B-K-200R	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-970NE-2	1
F4B-K-200RE	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-950NE-2	1
	2"	Dodge	FB-970NE-2	1

## Note Code

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-K-203R	2 3/16"	Dodge	FB-950NE- 2 3/16	1
	2 3/16"	Dodge	FB-970NE-2 3/16	1
F4B-K-203RE	2 3/16"	Dodge	FB-950NE- 2 3/16	1
	2 3/16"	Dodge	FB-970NE-2 3/16	1
F4B-K-204R	2 1/4"	Dodge	FB-950NE-2 1/4	1
	2 1/4"	Dodge	FB-970NE-2 1/4	1
F4B-K-204RE	2 1/4"	Dodge	FB-950NE-2 1/4	1
	2 1/4"	Dodge	FB-970NE-2 1/4	1
F4B-K-207R	2 7/16"	Dodge	FB-950NE-2 7/16	1
	2 7/16"	Dodge	FB-970NE-2 7/16	1
F4B-K-207RE	2 7/16"	Dodge	FB-950NE-2 7/16	1
	2 7/16"	Dodge	FB-970NE-2 7/16	1
F4B-K-208R	2 1/2"	Dodge	FB-950NE-2 1/2	1
	2 1/2"	Dodge	FB-970NE-2 1/2	1
F4B-K-208RE	2 1/2"	Dodge	FB-950NE-2 1/2	1
	2 1/2"	Dodge	FB-970NE-2 1/2	1
F4B-K-211R	2 11/16"	Dodge	FB-950NE-2 11/16	1
	2 11/16"	Dodge	FB-970NE-2 11/16	1
F4B-K-211RE	2 11/16"	Dodge	FB-950NE-2 11/16	1
	2 11/16"	Dodge	FB-970NE-2 11/16	1
F4B-K-212R	2 3/4"	Dodge	FB-950NE-2 3/4	1
F4B-K-212RE	2 3/4"	Dodge	FB-950NE-2 3/4	1
F4B-K-215R	2 15/16"	Dodge	FB-950NE-2 15/16	1
	2 15/16"	Dodge	FB-970NE-2 15/16	1
F4B-K-215RE	2 15/16"	Dodge	FB-950NE-2 15/16	1
	2 15/16"	Dodge	FB-970NE-2 15/16	1
F4B-K-300R	3"	Dodge	FB-950NE-3	1
	3"	Dodge	FB-970NE-3	1
F4B-K-300RE	3"	Dodge	FB-950NE-3	1
	3"	Dodge	FB-970NE-3	1
F4B-K-303R	3 3/16"	Dodge	FB-970NE-3 3/16	1
F4B-K-303RE	3 3/16"	Dodge	FB-970NE-3 3/16	1
F4B-K-307R	3 7/16"	Dodge	FB-950NE-3 7/16	1
	3 7/16"	Dodge	FB-970NE-3 7/16	1
F4B-K-307RE	3 7/16"	Dodge	FB-950NE-3 7/16	1
	3 7/16"	Dodge	FB-970NE-3 7/16	1
F4B-K-308R	3 1/2"	Dodge	FB-950NE-3 1/2	1
	3 1/2"	Dodge	FB-970NE-3 1/2	1
F4B-K-308RE	3 1/2"	Dodge	FB-950NE-3 1/2	1
	3 1/2"	Dodge	FB-970NE-3 1/2	1
F4B-K-315R	3 15/16"	Dodge	FB-950NE-3 15/16	1
F4B-K-315RE	3 15/16"	Dodge	FB-950NE-3 15/16	1
F4B-S2-111R	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
F4B-S2-111RE	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
F4B-S2-111S	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
F4B-S2-111SE	1 11/16"	Dodge	SFB-1000NE-1 11/16	=
F4B-S2-112R	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
F4B-S2-112RE	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
F4B-S2-112S	1 3/4"	Dodge	SFB-1000NE-1 3/4	=
F4B-S2-112SE	1 3/4"	Dodge	SFB-1000NE-1 3/4	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-S2-115R	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
F4B-S2-115RE	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
F4B-S2-115S	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
F4B-S2-115SE	1 15/16"	Dodge	SFB-1000NE-1 15/16	=
F4B-S2-200R	2"	Dodge	SFB-1000NE-2	=
F4B-S2-200RE	2"	Dodge	SFB-1000NE-2	=
F4B-S2-200S	2"	Dodge	SFB-1000NE-2	=
F4B-S2-200SE	2"	Dodge	SFB-1000NE-2	=
F4B-S2-203R	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
F4B-S2-203RE	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
F4B-S2-203S	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
F4B-S2-203SE	2 3/16"	Dodge	SFB-1000NE-2 3/16	=
F4B-S2-207R	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
F4B-S2-207RE	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
F4B-S2-207S	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
F4B-S2-207SE	2 7/16"	Dodge	SFB-1000NE-2 7/16	=
F4B-S2-208R	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
F4B-S2-208RE	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
F4B-S2-208S	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
F4B-S2-208SE	2 1/2"	Dodge	SFB-1000NE-2 1/2	=
F4B-S2-211R	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
F4B-S2-211RE	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
F4B-S2-211S	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
F4B-S2-211SE	2 11/16"	Dodge	SFB-1000NE-2 11/16	=
F4B-S2-212R	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
F4B-S2-212RE	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
F4B-S2-212S	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
F4B-S2-212SE	2 3/4"	Dodge	SFB-1000NE-2 3/4	=
F4B-S2-215R	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
F4B-S2-215RE	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
F4B-S2-215S	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
F4B-S2-215SE	2 15/16"	Dodge	SFB-1000NE-2 15/16	=
F4B-S2-300R	3"	Dodge	SFB-1000NE-3	=
F4B-S2-300RE	3"	Dodge	SFB-1000NE-3	=
F4B-S2-300S	3"	Dodge	SFB-1000NE-3	=
F4B-S2-300SE	3"	Dodge	SFB-1000NE-3	=
F4B-S2-303R	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
F4B-S2-303RE	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
F4B-S2-303S	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
F4B-S2-303SE	3 3/16"	Dodge	SFB-1000NE-3 3/16	=
F4B-S2-307R	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
F4B-S2-307RE	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
F4B-S2-307S	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
F4B-S2-307SE	3 7/16"	Dodge	SFB-1000NE-3 7/16	=
F4B-S2-308R	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
F4B-S2-308RE	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
F4B-S2-308S	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
F4B-S2-308SE	3 1/2"	Dodge	SFB-1000NE-3 1/2	=
F4B-S2-311R	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
F4B-S2-311RE	3 11/16"	Dodge	SFB-1000NE-3 11/16	=

## Note Code

- = - Fully Interchangeable
- 1 - Different Locking Devices

Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-S2-311S	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
F4B-S2-311SE	3 11/16"	Dodge	SFB-1000NE-3 11/16	=
F4B-S2-315R	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
F4B-S2-315RE	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
F4B-S2-315S	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
F4B-S2-315SE	3 15/16"	Dodge	SFB-1000NE-3 15/16	=
F4B-S2-400R	4"	Dodge	SFB-1000NE-4	=
F4B-S2-400RE	4"	Dodge	SFB-1000NE-4	=
F4B-S2-400S	4"	Dodge	SFB-1000NE-4	=
F4B-S2-400SE	4"	Dodge	SFB-1000NE-4	=
F4B-SC-008	1/2	Dodge	VF4S-208	=
F4B-SC-010	5/8	Dodge	VF4S-210	=
F4B-SC-012	3/4	Dodge	VF4S-212	=
F4B-SC-014	7/8	Dodge	VF4S-214	=
F4B-SC-015	15/16	Dodge	VF4S-215	=
F4B-SC-100	1	Dodge	VF4S-216	=
F4B-SC-102	1 1/8	Dodge	VF4S-218	=
F4B-SC-103	1 3/16	Dodge	VF4S-219	=
F4B-SC-104S	1 1/4	Dodge	VF4S-220S	=
F4B-SC-106	1 3/8	Dodge	VF4S-222	=
F4B-SC-107	1 7/16	Dodge	VF4S-223	=
F4B-SC-108	1 1/2	Dodge	VF4S-224	=
F4B-SC-110L	1 5/8	Dodge	VF4S-226	=
F4B-SC-111	1 11/16	Dodge	VF4S-227	=
F4B-SC-112	1 3/4	Dodge	VF4S-228	=
F4B-SC-115	1 15/16	Dodge	VF4S-231	=
F4B-SC-200	2	Dodge	VF4S-232S	=
F4B-SC-203	2 3/16	Dodge	VF4S-235	=
F4B-SC-207	2 7/16	Dodge	VF4S-239	=
F4B-SC-211	2 11/16	Dodge	VF4S-243	=
F4B-SC-215	2 15/16	Dodge	VF4S-247	=
F4B-SCEZ-012-W	3/4	Dodge	VF4S-112	=
F4B-SCEZ-100-W	1	Dodge	VF4S-116	=
F4B-SCEZ-103-W	1 3/16	Dodge	VF4S-119	=
F4B-SCEZ-104-W	1 1/4	Dodge	VF4S-120	=
F4B-SCEZ-104S-W	1 1/4	Dodge	VF4S-120S	=
F4B-SCEZ-107-W	1 7/16	Dodge	VF4S-123	=
F4B-SCEZ-108-W	1 1/2	Dodge	VF4S-124	=
F4B-SCM-100	1	Dodge	VF4S-316	=
F4B-SCM-103	1 3/16	Dodge	VF4S-319	=
F4B-SCM-107	1 7/16	Dodge	VF4S-323	=
F4B-SCM-108	1 1/2	Dodge	VF4S-324	=
F4B-SCM-111	1 11/16	Dodge	VF4S-327	=
F4B-SCM-112	1 3/4	Dodge	VF4S-328	=
F4B-SCM-115	1 15/16	Dodge	VF4S-331	=
F4B-SCM-200	2	Dodge	VF4S-232	=
	2	Dodge	VF4S-332	=
F4B-SCM-203	2 3/16	Dodge	VF4S-335	=
F4B-SCM-204	2 1/4	Dodge	VF4S-236	=
	2 1/4	Dodge	VF4S-336	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-SCM-207	2 7/16	Dodge	VF4S-339	=
F4B-SCM-208	2 1/2	Dodge	VF4S-340	=
F4B-SCM-211	2 11/16	Dodge	VF4S-343	=
F4B-SCM-215	2 15/16	Dodge	VF4S-347	=
F4B-SCM-300	3	Dodge	VF4S-348	=
F4B-SCM-307	3 7/16	Dodge	VF4S-355	=
F4B-SCM-308	3 1/2	Dodge	VF4S-356	=
F4B-SL-108	1 1/2	Dodge	SSF4S-124	=
F4B-SL-115	1 15/16	Dodge	SSF4S-131	=
F4B-SLX-108	1 1/2	Dodge	SSF4E-124	=
F4B-SLX-115	1 15/16	Dodge	SSF4E-131	=
F4B-SXR-008	1/2	Dodge	VF4E-208	=
F4B-SXR-010	5/8	Dodge	VF4E-210	=
F4B-SXR-012	3/4	Dodge	VF4E-212	=
F4B-SXR-014	7/8	Dodge	VF4E-214	=
F4B-SXR-015	15/16	Dodge	VF4E-215	=
F4B-SXR-100	1	Dodge	VF4E-216	=
F4B-SXR-102	1 1/8	Dodge	VF4E-218	=
F4B-SXR-103	1 3/16	Dodge	VF4E-219	=
F4B-SXR-104	1 1/4	Dodge	VF4E-220	=
F4B-SXR-106	1 3/8	Dodge	VF4E-222	=
F4B-SXR-107	1 7/16	Dodge	VF4E-223	=
F4B-SXR-108	1 1/2	Dodge	VF4E-224	=
F4B-SXR-110	1 5/8	Dodge	VF4E-226	=
F4B-SXR-111	1 11/16	Dodge	VF4E-227	=
F4B-SXR-112	1 3/4	Dodge	VF4E-228	=
F4B-SXR-115	1 15/16	Dodge	VF4E-231	=
F4B-SXR-200L	2	Dodge	VF4E-232	=
F4B-SXR-203	2 3/16	Dodge	VF4E-235	=
F4B-SXR-204	2 1/4	Dodge	VF4E-236	=
F4B-SXR-207	2 7/16	Dodge	VF4E-239	=
F4B-SXR-215	2 15/16	Dodge	VF4E-247	=
F4B-SXV-010	5/8	Dodge	VF4E-110	=
F4B-SXV-012	3/4	Dodge	VF4E-112	=
F4B-SXV-014	7/8	Dodge	VF4E-114	=
F4B-SXV-015	15/16	Dodge	VF4E-115	=
F4B-SXV-100	1	Dodge	VF4E-116	=
F4B-SXV-102	1 1/8	Dodge	VF4E-118	=
F4B-SXV-103	1 3/16	Dodge	VF4E-119	=
F4B-SXV-104	1 1/4	Dodge	VF4E-120	=
F4B-SXV-104S	1 1/4	Dodge	VF4E-120S	=
F4B-SXV-106	1 3/8	Dodge	VF4E-122	=
F4B-SXV-107	1 7/16	Dodge	VF4E-123	=
F4B-SXV-108	1 1/2	Dodge	VF4E-124	=
F4B-SXV-111	1 11/16	Dodge	VF4E-127	=
F4B-SXV-112	1 3/4	Dodge	VF4E-128	=
F4B-SXV-115	1 15/16	Dodge	VF4E-131	=
F4B-SXV-200	2	Dodge	VF4E-132S	=
F4B-SXV-200L	2	Dodge	VF4E-132	=
F4B-SXV-203	2 3/16	Dodge	VF4E-135	=

### Note Code

= - Fully Interchangeable

Black - Ball Bearings

Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
F4B-VSC-008	1/2	Dodge	VF4S-108	=
F4B-VSC-010	5/8	Dodge	VF4S-110	=
F4B-VSC-012	3/4	Dodge	VF4S-112	=
F4B-VSC-014	7/8	Dodge	VF4S-114	=
F4B-VSC-015	15/16	Dodge	VF4S-115	=
F4B-VSC-100	1	Dodge	VF4S-116	=
F4B-VSC-102	1 1/8	Dodge	VF4S-118	=
F4B-VSC-103	1 3/16	Dodge	VF4S-119	=
F4B-VSC-104	1 1/4	Dodge	VF4S-120	=
F4B-VSC-104S	1 1/4	Dodge	VF4S-120S	=
F4B-VSC-106	1 3/8	Dodge	VF4S-122	=
F4B-VSC-107	1 7/16	Dodge	VF4S-123	=
F4B-VSC-108	1 1/2	Dodge	VF4S-124	=
F4B-VSC-111	1 11/16	Dodge	VF4S-127	=
F4B-VSC-112	1 3/4	Dodge	VF4S-128	=
F4B-VSC-115	1 15/16	Dodge	VF4S-131	=
F4B-VSC-200	2	Dodge	VF4S-132S	=
F4B-VSC-200L	2	Dodge	VF4S-132	=
F4B-VSC-203	2 3/16	Dodge	VF4S-135	=
FB100-1	1	Hub City	SSF3S-116	=
	1	Hub City	SSF3TS-116	=
FB100-1 1/4	1 1/4	Hub City	SSF3S-120	=
FB100-1 1/4S	1 1/4	Hub City	SSF3S-120S	=
	1 1/4	Hub City	SSF3TS-120S	=
FB100-1 1/8	1 1/8	Hub City	SSF3S-118	=
	1 1/8	Hub City	SSF3TS-118	=
FB100-1 3/16	1 3/16	Hub City	SSF3S-119	=
	1 3/16	Hub City	SSF3TS-119	=
FB100-1 3/8	1 3/8	Hub City	SSF3S-122	=
FB100-1 7/16	1 7/16	Hub City	SSF3S-123	=
FB100-15/16	15/16	Hub City	SSF3S-115	=
	15/16	Hub City	SSF3TS-115	=
FB100-3/4	3/4	Hub City	SSF3S-112	=
	3/4	Hub City	SSF3TS-112	=
FB100-7/8	7/8	Hub City	SSF3S-114	=
	7/8	Hub City	SSF3TS-114	=
FB100S-1	1	Hub City	SSF3S-116	=
	1	Hub City	SSF3TS-116	=
FB100S-1 1/4S	1 1/4	Hub City	SSF3S-120S	=
	1 1/4	Hub City	SSF3TS-120S	=
FB100S-1 1/8	1 1/8	Hub City	SSF3S-118	=
	1 1/8	Hub City	SSF3TS-118	=
FB110-1	1	Hub City	SSF2S-116	=
FB110-1 1/4S	1 1/4	Hub City	SSF2S-120S	=
FB110-1 1/8	1 1/8	Hub City	SSF2S-118	=
FB110-1 3/16	1 3/16	Hub City	SSF2S-119	=
FB110-1/2	1/2	Hub City	SSF2S-108	=
FB110-15/16	15/16	Hub City	SSF2S-115	=
FB110-3/4	3/4	Hub City	SSF2S-112	=
FB110-5/8	5/8	Hub City	SSF2S-110	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FB110-7/8	7/8	Hub City	SSF2S-114	=
FB110S-1	1	Hub City	SSF2E-116	=
FB110S-1 1/4S	1 1/4	Hub City	SSF2E-120S	=
FB110S-1 1/8	1 1/8	Hub City	SSF2E-118	=
FB110S-1 3/16	1 3/16	Hub City	SSF2E-119	=
FB110S-1/2	1/2	Hub City	SSF2E-108	=
FB110S-15/16	15/16	Hub City	SSF2E-115	=
FB110S-3/4	3/4	Hub City	SSF2E-112	B
FB110S-5/8	5/8	Hub City	SSF2E-110	=
FB110S-7/8	7/8	Hub City	SSF2E-114	=
FB150-1	1	Hub City	VF3S-116M	B
FB150-1 1/4	1 1/4	Hub City	VF3S-120M	=
FB150-1 1/4S	1 1/4	Hub City	VF3S-120SM	=
FB150-1 1/8	1 1/8	Hub City	VF3S-118M	=
FB150-1 3/16	1 3/16	Hub City	VF3S-119M	=
FB150-1 3/8	1 3/8	Hub City	VF3S-122M	=
FB150-1 7/16	1 7/16	Hub City	VF3S-123M	=
FB150-1/2	1/2	Hub City	VF3S-108M	=
FB150-15/16	15/16	Hub City	VF3S-115M	=
FB150-3/4	3/4	Hub City	VF3S-112M	=
FB150-5/8	5/8	Hub City	VF3S-110M	=
FB150-7/8	7/8	Hub City	VF3S-114M	=
FB160-1	1	Hub City	VF2S-116M	=
FB160-1 1/4	1 1/4	Hub City	VF2S-120M	=
FB160-1 1/4S	1 1/4	Hub City	VF2S-120SM	=
FB160-1 1/8	1 1/8	Hub City	VF2S-118M	=
FB160-1 3/16	1 3/16	Hub City	VF2S-119M	=
FB160-1 3/8	1 3/8	Hub City	VF2S-122M	=
FB160-1 7/16	1 7/16	Hub City	VF2S-123M	=
FB160-1/2	1/2	Hub City	VF2S-108M	=
FB160-15/16	15/16	Hub City	VF2S-115M	=
FB160-3/4	3/4	Hub City	VF2S-112M	=
FB160-5/8	5/8	Hub City	VF2S-110M	=
FB160-7/8	7/8	Hub City	VF2S-114M	=
FB220-1	1	Hub City	VF4E-116	=
FB220-1 1/2	1 1/2	Hub City	VF4E-124	=
FB220-1 1/4	1 1/4	Hub City	VF4E-120	=
FB220-1 1/4S	1 1/4	Hub City	VF4E-120S	=
FB220-1 1/8	1 1/8	Hub City	VF4E-118	=
FB220-1 11/16	1 11/16	Hub City	VF4E-127	=
FB220-1 15/16	1 15/16	Hub City	VF4E-131	=
FB220-1 3/16	1 3/16	Hub City	VF4E-119	=
FB220-1 3/4	1 3/4	Hub City	VF4E-128	=
FB220-1 3/8	1 3/8	Hub City	VF4E-122	=
FB220-1 7/16	1 7/16	Hub City	VF4E-123	B
FB220-15/16	15/16	Hub City	VF4E-115	=
FB220-2	2	Hub City	VF4E-132	=
FB220-2 3/16	2 3/16	Hub City	VF4E-135	B
FB220-3/4	3/4	Hub City	VF4E-112	=
FB220-5/8	5/8	Hub City	VF4E-110	=

## Note Code

B - Bolt Centers or OD within 1/16

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FB220-7/8	7/8	Hub City	VF4E-114	=
FB230-1	1	Hub City	VF2E-116	=
FB230-1 1/2	1 1/2	Hub City	VF2E-124	=
FB230-1 1/4	1 1/4	Hub City	VF2E-120	=
FB230-1 1/4S	1 1/4	Hub City	VF2E-120S	=
FB230-1 1/8	1 1/8	Hub City	VF2E-118	=
FB230-1 11/16	1 11/16	Hub City	VF2E-127	=
FB230-1 15/16	1 15/16	Hub City	VF2E-131	=
FB230-1 3/16	1 3/16	Hub City	VF2E-119	=
FB230-1 3/4	1 3/4	Hub City	VF2E-128	=
FB230-1 3/8	1 3/8	Hub City	VF2E-122	=
FB230-1 7/16	1 7/16	Hub City	VF2E-123	=
FB230-1/2	1/2	Hub City	VF2E-108	=
FB230-15/16	15/16	Hub City	VF2E-115	=
FB230-2	2	Hub City	VF2E-132	=
FB230-2 3/16	2 3/16	Hub City	VF2E-135	=
FB230-3/4	3/4	Hub City	VF2E-112	=
FB230-5/8	5/8	Hub City	VF2E-110	=
FB230-7/8	7/8	Hub City	VF2E-114	=
FB250-1	1	Hub City	VF4S-116	=
FB250-1 1/2	1 1/2	Hub City	VF4S-124	=
FB250-1 1/4	1 1/4	Hub City	VF4S-120	=
FB250-1 1/4S	1 1/4	Hub City	VF4S-120S	=
FB250-1 1/8	1 1/8	Hub City	VF4S-118	=
FB250-1 11/16	1 11/16	Hub City	VF4S-127	=
FB250-1 15/16	1 15/16	Hub City	VF4S-131	=
FB250-1 3/16	1 3/16	Hub City	VF4S-119	=
FB250-1 3/4	1 3/4	Hub City	VF4S-128	=
FB250-1 3/8	1 3/8	Hub City	VF4S-122	=
FB250-1 7/16	1 7/16	Hub City	VF4S-123	=
FB250-1/2	1/2	Hub City	VF4S-108	=
FB250-15/16	15/16	Hub City	VF4S-115	=
FB250-2	2	Hub City	VF4S-132	=
FB250-2 3/16	2 3/16	Hub City	VF4S-135	=
FB250-2S	2	Hub City	VF4S-132S	=
FB250-3/4	3/4	Hub City	VF4S-112	=
FB250-5/8	5/8	Hub City	VF4S-110	=
FB250-7/8	7/8	Hub City	VF4S-114	=
FB260-1	1	Hub City	VF2S-116	=
FB260-1 1/2	1 1/2	Hub City	VF2S-124	=
FB260-1 1/4	1 1/4	Hub City	VF2S-120	=
FB260-1 1/4S	1 1/4	Hub City	VF2S-120S	=
FB260-1 1/8	1 1/8	Hub City	VF2S-118	=
FB260-1 11/16	1 11/16	Hub City	VF2S-127	=
FB260-1 15/16	1 15/16	Hub City	VF2S-131	=
FB260-1 3/16	1 3/16	Hub City	VF2S-119	=
FB260-1 3/4	1 3/4	Hub City	VF2S-128	=
FB260-1 3/8	1 3/8	Hub City	VF2S-122	=
FB260-1 7/16	1 7/16	Hub City	VF2S-123	=
FB260-1/2	1/2	Hub City	VF2S-108	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FB260-15/16	15/16	Hub City	VF2S-115	=
FB260-2	2	Hub City	VF2S-132	=
FB260-2 3/16	2 3/16	Hub City	VF2S-135	=
FB260-2S	2	Hub City	VF2S-132S	=
FB260-3/4	3/4	Hub City	VF2S-112	=
FB260-5/8	5/8	Hub City	VF2S-110	=
FB260-7/8	7/8	Hub City	VF2S-114	=
FB350-1	1	Hub City	VF4S-316	=
FB350-1 1/2	1 1/2	Hub City	VF4S-324	=
FB350-1 11/16	1 11/16	Hub City	VF4S-327	=
FB350-1 15/16	1 15/16	Hub City	VF4S-331	=
FB350-1 3/16	1 3/16	Hub City	VF4S-319	=
FB350-1 3/4	1 3/4	Hub City	VF4S-328	=
FB350-1 7/16	1 7/16	Hub City	VF4S-323	=
FB350-2	2	Hub City	VF4S-332	=
FB350-2 1/2	2 1/2	Hub City	VF4S-340	=
FB350-2 1/4	2 1/4	Hub City	VF4S-336	=
FB350-2 11/16	2 11/16	Hub City	VF4S-343	=
FB350-2 15/16	2 15/16	Hub City	VF4S-347	=
FB350-2 3/16	2 3/16	Hub City	VF4S-335	=
FB350-2 7/16	2 7/16	Hub City	VF4S-339	=
FB350-3	3	Hub City	VF4S-348	=
FB350-3 1/2	3 1/2	Hub City	VF4S-356	=
FB350-3 7/16	3 7/16	Hub City	VF4S-355	=
FBS100-15/16	15/16	Hub City	SSF3S-115	=
	15/16	Hub City	SSF3TS-115	=
FBS100-7/8	7/8	Hub City	SSF3S-114	=
	7/8	Hub City	SSF3TS-114	=
FC-B22416H	1"	Link-Belt	FC-900-1	1,2
FC-B22419H	1 3/16"	Link-Belt	FC-900-1 3/16	1,2
FC-B22420H	1 1/4"	Link-Belt	FC-900-1 1/4	1,2
FC-B22423H	1 7/16"	Link-Belt	SFC-1000NE-1 7/16	=
	1 7/16"	Link-Belt	FC-900-1 7/16	1,2
FC-B22424H	1 1/2"	Link-Belt	SFC-1000NE-1 1/2	=
	1 1/2"	Link-Belt	FC-900-1 1/2	1,2
FC-B22426H	1 5/8"	Link-Belt	FC-900-1 5/8	K,1,2
FC-B22427H	1 11/16"	Link-Belt	SFC-1000NE-1 11/16	=
	1 11/16"	Link-Belt	FC-900-1 11/16	K,1,2
FC-B22428H	1 3/4"	Link-Belt	SFC-1000NE-1 3/4	=
	1 3/4"	Link-Belt	FC-900-1 3/4	K,1,2
FC-B22431H	1 15/16"	Link-Belt	SFC-1000NE-1 15/16	=
	1 15/16"	Link-Belt	SFC-1100NE-1 15/16	4
	1 15/16"	Link-Belt	FC-900-1 15/16	1,2
FC-B22432H	2"	Link-Belt	SFC-1000NE-2	=
	2"	Link-Belt	SFC-1100NE-2	4
	2"	Link-Belt	FC-900-2	1,2
FC-B22435H	2 3/16"	Link-Belt	SFC-1000NE-2 3/16	=
	2 3/16"	Link-Belt	SFC-1100NE-2 3/16	4
	2 3/16"	Link-Belt	FC-900-2 3/16	1,2

## Note Code

K - Pilot within 1/64

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC-B22439H	2 7/16"	Link-Belt	SFC-1000NE-2 7/16	=
	2 7/16"	Link-Belt	SFC-1100NE-2 7/16	4
	2 7/16"	Link-Belt	FC-900-2 7/16	1,2
FC-B22440H	2 1/2"	Link-Belt	SFC-1000NE-2 1/2	=
	2 1/2"	Link-Belt	SFC-1100NE-2 1/2	4
	2 1/2"	Link-Belt	FC-900-2 1/2	1,2
FC-B22443H	2 11/16"	Link-Belt	SFC-1000NE-2 11/16	=
	2 11/16"	Link-Belt	SFC-1100NE-2 11/16	4
	2 11/16"	Link-Belt	FC-900-2 11/16	1,2
FC-B22444H	2 3/4"	Link-Belt	SFC-1000NE-2 3/4	=
	2 3/4"	Link-Belt	SFC-1100NE-2 3/4	4
	2 3/4"	Link-Belt	FC-900-2 3/4	1,2
FC-B22447H	2 15/16"	Link-Belt	SFC-1000NE-2 15/16	=
	2 15/16"	Link-Belt	SFC-1100NE-2 15/16	4
	2 15/16"	Link-Belt	FC-900-2 15/16	1,2
FC-B22448H	3"	Link-Belt	SFC-1000NE-3	=
	3"	Link-Belt	SFC-1100NE-3	4
	3"	Link-Belt	FC-900-3	1,2
FC-B22451H	3 3/16"	Link-Belt	SFC-1000NE-3 3/16	=
	3 3/16"	Link-Belt	SFC-1100NE-3 3/16	4
FC-B22456H	3 7/16"	Link-Belt	SFC-1000NE-3 7/16	=
	3 7/16"	Link-Belt	SFC-1100NE-3 7/16	4
	3 7/16"	Link-Belt	FC-900-3 7/16	1,2
FC-B22459H	3 11/16"	Link-Belt	SFC-1000NE-3 11/16	=
FC-B22463H	3 15/16"	Link-Belt	SFC-1000NE-3 15/16	=
FC-B22464H	4"	Link-Belt	SFC-1000NE-4	=
FC-E-103R	1 3/16"	Dodge	FC-900-1 3/16	1
FC-E-104R	1 1/4"	Dodge	FC-900-1 1/4	1
FC-E-107R	1 7/16"	Dodge	FC-900-1 7/16	1
	1 7/16"	Dodge	SFC-1000NE-1 7/16	1,2
FC-E-110R	1 5/8"	Dodge	FC-900-1 5/8	K,1
FC-E-111R	1 11/16"	Dodge	FC-900-1 11/16	K,1
	1 11/16"	Dodge	SFC-1000NE-1 11/16	1,2
FC-E-114R	1 7/8"	Dodge	FC-900-1 7/8	1
FC-E-115R	1 15/16"	Dodge	FC-900-1 15/16	1
	1 15/16"	Dodge	SFC-1000NE-1 15/16	1,2
	1 15/16"	Dodge	SFC-1100NE-1 15/16	1,2,4
FC-E-200R	2"	Dodge	FC-900-2	1
	2"	Dodge	SFC-1000NE-2	1,2
	2"	Dodge	SFC-1100NE-2	1,2,4
FC-E-203R	2 3/16"	Dodge	FC-900-2 3/16	1
	2 3/16"	Dodge	SFC-1000NE-2 3/16	1,2
	2 3/16"	Dodge	SFC-1100NE-2 3/16	1,2,4
FC-E-204R	2 1/4"	Dodge	FC-900-2 1/4	1
FC-E-207R	2 7/16"	Dodge	FC-900-2 7/16	1
	2 7/16"	Dodge	SFC-1000NE-2 7/16	1,2
	2 7/16"	Dodge	SFC-1100NE-2 7/16	1,2,4
FC-E-208R	2 1/2"	Dodge	FC-900-2 1/2	1
	2 1/2"	Dodge	SFC-1000NE-2 1/2	1,2
	2 1/2"	Dodge	SFC-1100NE-2 1/2	1,2,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC-E-211R	2 11/16"	Dodge	FC-900-2 11/16	1
	2 11/16"	Dodge	SFC-1000NE-2 11/16	1,2
	2 11/16"	Dodge	SFC-1100NE-2 11/16	1,2,4
FC-E-212R	2 3/4"	Dodge	FC-900-2 3/4	1
	2 3/4"	Dodge	SFC-1000NE-2 3/4	1,2
	2 3/4"	Dodge	SFC-1100NE-2 3/4	1,2,4
FC-E-215R	2 15/16"	Dodge	FC-900-2 15/16	1
	2 15/16"	Dodge	SFC-1000NE-2 15/16	1,2
	2 15/16"	Dodge	SFC-1100NE-2 15/16	1,2,4
FC-E-300R	3"	Dodge	FC-900-3	1
	3"	Dodge	SFC-1000NE-3	1,2
	3"	Dodge	SFC-1100NE-3	1,2,4
FC-E-303R	3 3/16"	Dodge	SFC-1000NE-3 3/16	1,2
	3 3/16"	Dodge	SFC-1100NE-3 3/16	1,2,4
FC-E-307R	3 7/16"	Dodge	FC-900-3 7/16	1
	3 7/16"	Dodge	SFC-1000NE-3 7/16	1,2
FC-E-307R	3 7/16"	Dodge	SFC-1100NE-3 7/16	1,2,4
	3 7/16"	Dodge	FC-900-3 7/16	1
	3 7/16"	Dodge	SFC-1000NE-3 7/16	1,2
FC-E-308R	3 1/2"	Dodge	FC-900-3 1/2	1
	3 1/2"	Dodge	SFC-1000NE-3 1/2	1,2
	3 1/2"	Dodge	SFC-1100NE-3 1/2	1,2,4
FC-E-315R	3 15/16"	Dodge	SFC-1000NE-3 15/16	1,2
	4"	Dodge	SFC-1000NE-4	1,2
FC-S2-107R	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
FC-S2-107RE	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
FC-S2-107S	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
FC-S2-107SE	1 7/16"	Dodge	SFC-1000NE-1 7/16	=
	1 7/16"	Dodge	FC-900-1 7/16	1,2
FC-S2-108R	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
FC-S2-108RE3	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
FC-S2-108S	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
FC-S2-108SE	1 1/2"	Dodge	SFC-1000NE-1 1/2	=
	1 1/2"	Dodge	FC-900-1 1/2	1,2
FC-S2-110R	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
FC-S2-110S	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
FC-S2-110SE	1 5/8"	Dodge	FC-900-1 5/8	K,1,2
	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
FC-S2-111R	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
FC-S2-111RE	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
FC-S2-111S	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2
FC-S2-111SE	1 11/16"	Dodge	SFC-1000NE-1 11/16	=
	1 11/16"	Dodge	FC-900-1 11/16	K,1,2

### Note Code

K - Pilot within 1/64

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC-S2-112R	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
FC-S2-112RE	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
FC-S2-112S	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
FC-S2-112SE	1 3/4"	Dodge	SFC-1000NE-1 3/4	=
	1 3/4"	Dodge	FC-900-1 3/4	K,1,2
FC-S2-114R	1 7/8"	Dodge	FC-900-1 7/8	1,2
FC-S2-114RE	1 7/8"	Dodge	FC-900-1 7/8	1,2
FC-S2-114S	1 7/8"	Dodge	FC-900-1 7/8	1,2
FC-S2-114SE	1 7/8"	Dodge	FC-900-1 7/8	1,2
FC-S2-115R	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
FC-S2-115RE	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
FC-S2-115S	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
FC-S2-115SE	1 15/16"	Dodge	SFC-1000NE-1 15/16	=
	1 15/16"	Dodge	SFC-1100NE-1 15/16	4
	1 15/16"	Dodge	FC-900-1 15/16	1,2
FC-S2-200R	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
FC-S2-200RE	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
FC-S2-200S	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
FC-S2-200SE	2"	Dodge	SFC-1000NE-2	=
	2"	Dodge	SFC-1100NE-2	4
	2"	Dodge	FC-900-2	1,2
FC-S2-203R	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2
FC-S2-203RE	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2
FC-S2-203S	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2
FC-S2-203SE	2 3/16"	Dodge	SFC-1000NE-2 3/16	=
	2 3/16"	Dodge	SFC-1100NE-2 3/16	4
	2 3/16"	Dodge	FC-900-2 3/16	1,2
FC-S2-207R	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
	2 7/16"	Dodge	FC-900-2 7/16	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC-S2-207RE	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
FC-S2-207RE	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
FC-S2-207RE	2 7/16"	Dodge	FC-900-2 7/16	1,2
FC-S2-207S	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
FC-S2-207S	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
FC-S2-207S	2 7/16"	Dodge	FC-900-2 7/16	,2
FC-S2-207SE	2 7/16"	Dodge	SFC-1000NE-2 7/16	=
FC-S2-207SE	2 7/16"	Dodge	SFC-1100NE-2 7/16	4
FC-S2-207SE	2 7/16"	Dodge	FC-900-2 7/16	1,2
FC-S2-208R	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
FC-S2-208R	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
FC-S2-208R	2 1/2"	Dodge	FC-900-2 1/2	1,2
FC-S2-208RE	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
FC-S2-208RE	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
FC-S2-208RE	2 1/2"	Dodge	FC-900-2 1/2	1,2
FC-S2-208S	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
FC-S2-208S	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
FC-S2-208S	2 1/2"	Dodge	FC-900-2 1/2	1,2
FC-S2-208SE	2 1/2"	Dodge	SFC-1000NE-2 1/2	=
FC-S2-208SE	2 1/2"	Dodge	SFC-1100NE-2 1/2	4
FC-S2-208SE	2 1/2"	Dodge	FC-900-2 1/2	1,2
FC-S2-211R	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
FC-S2-211R	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
FC-S2-211R	2 11/16"	Dodge	FC-900-2 11/16	1,2
FC-S2-211RE	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
FC-S2-211RE	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
FC-S2-211RE	2 11/16"	Dodge	FC-900-2 11/16	1,2
FC-S2-211S	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
FC-S2-211S	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
FC-S2-211S	2 11/16"	Dodge	FC-900-2 11/16	1,2
FC-S2-211SE	2 11/16"	Dodge	SFC-1000NE-2 11/16	=
FC-S2-211SE	2 11/16"	Dodge	SFC-1100NE-2 11/16	4
FC-S2-211SE	2 11/16"	Dodge	FC-900-2 11/16	1,2
FC-S2-212R	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
FC-S2-212R	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
FC-S2-212R	2 3/4"	Dodge	FC-900-2 3/4	1,2
FC-S2-212RE	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
FC-S2-212RE	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
FC-S2-212RE	2 3/4"	Dodge	FC-900-2 3/4	1,2
FC-S2-212S	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
FC-S2-212S	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
FC-S2-212S	2 3/4"	Dodge	FC-900-2 3/4	1,2
FC-S2-212SE	2 3/4"	Dodge	SFC-1000NE-2 3/4	=
FC-S2-212SE	2 3/4"	Dodge	SFC-1100NE-2 3/4	4
FC-S2-212SE	2 3/4"	Dodge	FC-900-2 3/4	1,2
FC-S2-215R	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
FC-S2-215R	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
FC-S2-215R	2 15/16"	Dodge	FC-900-2 15/16	1,2
FC-S2-215RE	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
FC-S2-215RE	2 15/16"	Dodge	SFC-1100NE-2 15/16	4

## Note Code

K - Pilot within 1/64

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC-S2-215RE	2 15/16"	Dodge	FC-900-2 15/16	1,2
FC-S2-215S	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
	2 15/16"	Dodge	FC-900-2 15/16	1,2
FC-S2-215SE	2 15/16"	Dodge	SFC-1000NE-2 15/16	=
	2 15/16"	Dodge	SFC-1100NE-2 15/16	4
	2 15/16"	Dodge	FC-900-2 15/16	1,2
FC-S2-300R	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
FC-S2-300RE	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
FC-S2-300S	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
FC-S2-300SE	3"	Dodge	SFC-1000NE-3	=
	3"	Dodge	SFC-1100NE-3	4
	3"	Dodge	FC-900-3	1,2
FC-S2-303R	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
FC-S2-303RE	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
FC-S2-303S	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
FC-S2-303SE	3 3/16"	Dodge	SFC-1000NE-3 3/16	=
	3 3/16"	Dodge	SFC-1100NE-3 3/16	4
FC-S2-307R	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
FC-S2-307RE	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
FC-S2-307S	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
FC-S2-307SE	3 7/16"	Dodge	SFC-1000NE-3 7/16	=
	3 7/16"	Dodge	SFC-1100NE-3 7/16	4
	3 7/16"	Dodge	FC-900-3 7/16	1,2
FC-S2-308R	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
FC-S2-308RE	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
FC-S2-308S	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2
FC-S2-308SE	3 1/2"	Dodge	SFC-1000NE-3 1/2	=
	3 1/2"	Dodge	SFC-1100NE-3 1/2	4
	3 1/2"	Dodge	FC-900-3 1/2	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC-S2-311R	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
FC-S2-311RE	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
FC-S2-311S	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
FC-S2-311SE	3 11/16"	Dodge	SFC-1000NE-3 11/16	=
FC-S2-315R	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
FC-S2-315RE	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
FC-S2-315S	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
FC-S2-315SE	3 15/16"	Dodge	SFC-1000NE-3 15/16	=
FC-S2-400R	4"	Dodge	SFC-1000NE-4	=
FC-S2-400RE	4"	Dodge	SFC-1000NE-4	=
FC-S2-400S	4"	Dodge	SFC-1000NE-4	=
FC-S2-400SE	4"	Dodge	SFC-1000NE-4	=
FC-SC-102	1 1/8	Dodge	VFCS-218	=
FC-SC-103	1 3/16	Dodge	VFCS-219	=
FC-SC-104	1 1/4	Dodge	VFCS-220	=
	1 1/4	Dodge	VFCS-320	=
FC-SC-104S	1 1/4	Dodge	VFCS-220S	=
FC-SC-106	1 3/8	Dodge	VFCS-222	=
FC-SC-107	1 7/16	Dodge	VFCS-223	=
FC-SC-108	1 1/2	Dodge	VFCS-224	=
FC-SC-115	1 15/16	Dodge	VFCS-231	=
FC-SC-200	2	Dodge	VFCS-232S	=
FC-SC-203	2 3/16	Dodge	VFCS-235	=
FC-SC-207	2 7/16	Dodge	VFCS-239	=
FC-SC-211	2 11/16	Dodge	VFCS-243	=
FC-SCM-103	1 3/16	Dodge	VFCS-319	=
FC-SCM-107	1 7/16	Dodge	VFCS-323	=
FC-SCM-111	1 11/16	Dodge	VFCS-327	=
FC-SCM-112	1 3/4	Dodge	VFCS-328	=
FC-SCM-115	1 15/16	Dodge	VFCS-331	=
FC-SCM-200	2	Dodge	VFCS-232	=
	2	Dodge	VFCS-332	=
FC-SCM-203	2 3/16	Dodge	VFCS-335	=
FC-SCM-204	2 1/4	Dodge	VFCS-236	=
	2 1/4	Dodge	VFCS-336	=
FC-SCM-207	2 7/16	Dodge	VFCS-339	=
FC-SCM-208	2 1/2	Dodge	VFCS-240	=
	2 1/2	Dodge	VFCS-340	=
FC-SCM-215	2 15/16	Dodge	VFCS-347	=
FC-SCM-300	3	Dodge	VFCS-348	=
FC-SCM-307	3 7/16	Dodge	VFCS-355	=
FC-SCM-308	3 1/2	Dodge	VFCS-356	=
FC2-25-1	1	MB	VF2S-116	=
FC2-25-1 1/2	1 1/2	MB	VF2S-124	=
FC2-25-1 1/4	1 1/4	MB	VF2S-120	=
FC2-25-1 1/4S	1 1/4	MB	VF2S-120S	=
FC2-25-1 1/8	1 1/8	MB	VF2S-118	=
FC2-25-1 11/16	1 11/16	MB	VF2S-127	=
FC2-25-1 15/16	1 15/16	MB	VF2S-131	=

## Note Code

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC2-25-1 3/16	1 3/16	MB	VF2S-119	=
FC2-25-1 3/4	1 3/4	MB	VF2S-128	=
FC2-25-1 3/8	1 3/8	MB	VF2S-122	=
FC2-25-1 7/16	1 7/16	MB	VF2S-123	=
FC2-25-1/2	1/2	MB	VF2S-108	=
FC2-25-15/16	15/16	MB	VF2S-115	=
FC2-25-2	2	MB	VF2S-132S	=
FC2-25-2 3/16	2 3/16	MB	VF2S-135	=
FC2-25-2L	2	MB	VF2S-132	=
FC2-25-3/4	3/4	MB	VF2S-112	=
FC2-25-5/8	5/8	MB	VF2S-110	=
FC2-25-7/8	7/8	MB	VF2S-114	=
FC2-35-1	1	MB	VF2S-316	=
FC2-35-1 1/2	1 1/2	MB	VF2S-324	=
FC2-35-1 1/4S	1 1/4	MB	VF2S-320	=
FC2-35-1 11/16	1 11/16	MB	VF2S-327	=
FC2-35-1 15/16	1 15/16	MB	VF2S-331	=
FC2-35-1 3/16	1 3/16	MB	VF2S-319	=
FC2-35-1 3/4	1 3/4	MB	VF2S-328	=
FC2-35-1 7/16	1 7/16	MB	VF2S-323	=
FC2-35-2	2	MB	VF2S-332	=
FC3-U224N	1 1/2	Link-Belt	VFCS-224	=
FC3-U226N	1 5/8	Link-Belt	VFCS-226	=
FC3-U227N	1 11/16	Link-Belt	VFCS-227	=
FC3-U228N	1 3/4	Link-Belt	VFCS-228	=
FC3-U2E20N	1 1/4	Link-Belt	VFCS-220	=
FC350-1 1/4	1 1/4	Hub City	VFCS-320	=
FC350-1 11/16	1 11/16	Hub City	VFCS-327	=
FC350-1 15/16	1 15/16	Hub City	VFCS-331	=
FC350-1 3/4	1 3/4	Hub City	VFCS-328	=
FC350-1 7/16	1 7/16	Hub City	VFCS-323	=
FC350-2	2	Hub City	VFCS-332	=
FC350-2 1/2	2 1/2	Hub City	VFCS-340	=
FC350-2 1/4	2 1/4	Hub City	VFCS-336	=
FC350-2 11/16	2 11/16	Hub City	VFCS-343	=
FC350-2 15/16	2 15/16	Hub City	VFCS-347	=
FC350-2 3/16	2 3/16	Hub City	VFCS-335	=
FC350-2 7/16	2 7/16	Hub City	VFCS-339	=
FC350-3	3	Hub City	VFCS-348	=
FC350-3 1/2	3 1/2	Hub City	VFCS-356	=
FC350-3 7/16	3 7/16	Hub City	VFCS-355	=
FC4-25-1	1	MB	VF4S-116	B
FC4-25-1 1/2	1 1/2	MB	VF4S-124	B
FC4-25-1 1/4	1 1/4	MB	VF4S-120	B
FC4-25-1 1/4S	1 1/4	MB	VF4S-120S	B
FC4-25-1 1/8	1 1/8	MB	VF4S-118	=
FC4-25-1 11/16	1 11/16	MB	VF4S-127	=
FC4-25-1 15/16	1 15/16	MB	VF4S-131	=
FC4-25-1 3/16	1 3/16	MB	VF4S-119	=
FC4-25-1 3/4	1 3/4	MB	VF4S-128	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FC4-25-1 3/8	1 3/8	MB	VF4S-122	=
FC4-25-1 7/16	1 7/16	MB	VF4S-123	=
FC4-25-1/2	1/2	MB	VF4S-108	=
FC4-25-15/16	15/16	MB	VF4S-115	=
FC4-25-2	2	MB	VF4S-132S	=
FC4-25-2 3/16	2 3/16	MB	VF4S-135	=
FC4-25-2L	2	MB	VF4S-132	=
FC4-25-3/4	3/4	MB	VF4S-112	=
FC4-25-5/8	5/8	MB	VF4S-110	=
FC4-25-7/8	7/8	MB	VF4S-114	=
FC4-35-1	1	MB	VF4S-316	=
FC4-35-1 1/2	1 1/2	MB	VF4S-324	=
FC4-35-1 11/16	1 11/16	MB	VF4S-327	=
FC4-35-1 15/16	1 15/16	MB	VF4S-331	=
FC4-35-1 3/16	1 3/16	MB	VF4S-319	=
FC4-35-1 3/4	1 3/4	MB	VF4S-328	=
FC4-35-1 7/16	1 7/16	MB	VF4S-323	=
FC4-35-2	2	MB	VF4S-332	=
FC4-35-2 1/2	2 1/2	MB	VF4S-340	=
FC4-35-2 1/4	2 1/4	MB	VF4S-336	=
FC4-35-2 11/16	2 11/16	MB	VF4S-343	=
FC4-35-2 15/16	2 15/16	MB	VF4S-347	=
FC4-35-2 3/16	2 3/16	MB	VF4S-335	=
FC4-35-2 7/16	2 7/16	MB	VF4S-339	=
FC4-35-3	3	MB	VF4S-348	=
FC4-35-3 1/2	3 1/2	MB	VF4S-356	=
FC4-35-3 7/16	3 7/16	MB	VF4S-355	=
FC4-U232N	2	Link-Belt	VFCS-232	=
FE-B22419H	1 3/16"	Link-Belt	SFB-1000NE3-1 3/16	=
FE-B22420H	1 1/4"	Link-Belt	SFB-1000NE3-1 1/4	=
FE-B22423H	1 7/16"	Link-Belt	SFB-1000NE3-1 7/16	=
FE-B22424H	1 1/2"	Link-Belt	SFB-1000NE3-1 1/2	=
FE-B22427H	1 11/16"	Link-Belt	SFB-1000NE-1 11/16	=
FE-B22428H	1 3/4"	Link-Belt	SFB-1000NE-1 3/4	=
FE-B22431H	1 15/16"	Link-Belt	SFB-1000NE-1 15/16	=
FE-B22432H	2"	Link-Belt	SFB-1000NE-2	=
FE-B22435H	2 3/16"	Link-Belt	SFB-1000NE-2 3/16	=
FE-B22439H	2 7/16"	Link-Belt	SFB-1000NE-2 7/16	=
FE-B22440H	2 1/2"	Link-Belt	SFB-1000NE-2 1/2	=
FE-B22443H	2 11/16"	Link-Belt	SFB-1000NE-2 11/16	=
FE-B22444H	2 3/4"	Link-Belt	SFB-1000NE-2 3/4	=
FE-B22447H	2 15/16"	Link-Belt	SFB-1000NE-2 15/16	=
FE-B22448H	3"	Link-Belt	SFB-1000NE-3	=
FE-B22451H	3 3/16"	Link-Belt	SFB-1000NE-3 3/16	=
FE-B22455H	3 7/16"	Link-Belt	SFB-1000NE-3 7/16	=
FE-B22456H	3 1/2"	Link-Belt	SFB-1000NE-3 1/2	=
FE-B22459H	3 11/16"	Link-Belt	SFB-1000NE-3 11/16	=
FE-B22463H	3 15/16"	Link-Belt	SFB-1000NE-3 15/16	=
FE-B22464H	4"	Link-Belt	SFB-1000NE-4	=
FHF201-8G	1/2	Peer	VF4E-208	=

### Note Code

B - Bolt Centers or OD within 1/16

= - Fully Interchangeable

Black - Ball Bearings

Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FHF202-10G	5/8	Peer	VF4E-210	=
FHF204-12G	3/4	Peer	VF4E-212	=
FHF205-14G	7/8	Peer	VF4E-214	=
FHF205-15G	15/16	Peer	VF4E-215	=
FHF205-16G	1	Peer	VF4E-216	=
FHF206-18G	1 1/8	Peer	VF4E-218	=
FHF206-19G	1 3/16	Peer	VF4E-219	=
FHF206-20G	1 1/4	Peer	VF4E-220S	=
FHF207-20G	1 1/4	Peer	VF4E-220	=
FHF207-22G	1 3/8	Peer	VF4E-222	=
FHF207-23G	1 7/16	Peer	VF4E-223	=
FHF208-24G	1 1/2	Peer	VF4E-224	=
FHF209-26G	1 5/8	Peer	VF4E-226	=
FHF209-27G	1 11/16	Peer	VF4E-227	=
FHF209-28G	1 3/4	Peer	VF4E-228	=
FHF210-31G	1 15/16	Peer	VF4E-231	=
FHF211-32G	2	Peer	VF4E-232	=
FHF211-35G	2 3/16	Peer	VF4E-235	=
FHFT201-8G	1/2	Peer	VF2E-208	=
FHFT202-10G	5/8	Peer	VF2E-210	=
FHFT204-12G	3/4	Peer	VF2E-212	=
FHFT205-14G	7/8	Peer	VF2E-214	=
FHFT205-15G	15/16	Peer	VF2E-215	=
FHFT205-16G	1	Peer	VF2E-216	=
FHFT206-18G	1 1/8	Peer	VF2E-218	=
FHFT206-19G	1 3/16	Peer	VF2E-219	=
FHFT206-20G	1 1/4	Peer	VF2E-220S	G, M
FHFT207-20G	1 1/4	Peer	VF2E-220	G, M
FHFT207-22G	1 3/8	Peer	VF2E-222	
FHFT207-23G	1 7/16	Peer	VF2E-223	L, X
FHFT208-24G	1 1/2	Peer	VF2E-224	L, X
FHFT209-26G	1 5/8	Peer	VF2E-226	L, X
FHFT209-27G	1 11/16	Peer	VF2E-227	L
FHFT209-28G	1 3/4	Peer	VF2E-228	L
FHFT210-31G	1 15/16	Peer	VF2E-231	L
FHFTJ209-26G	1 5/8	Peer	VF2E-226	H, M
FHFTJ209-27G	1 11/16	Peer	VF2E-227	H, M
FHFTJ209-28G	1 3/4	Peer	VF2E-228	H, M
FHFTJ210-31G	1 15/16	Peer	VF2E-231	L, Y
FHFTJ211-32G	2	Peer	VF2E-232	L
FHFTJ211-35G	2 3/16	Peer	VF2E-235	L
FHLP201-8G	1/2	Peer	VPLE-208	L
	1/2	Peer	VPLE-208	L
FHLP202-10G	5/8	Peer	VPLE-210	Z
	5/8	Peer	VPLE-210	H, X
FHLP204-12G	3/4	Peer	VPLE-212	
	3/4	Peer	VPLE-212	Z
FHLP205-14G	7/8	Peer	VPLE-214	H, X
	7/8	Peer	VPLE-214	H, X
FHLP205-15G	15/16	Peer	VPLE-215	H, X
	15/16	Peer	VPLE-215	L, M

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FHLP205-16G	1	Peer	VPLE-216	L, M
	1	Peer	VPLE-216	L, M
FHLP206-18G	1 1/8	Peer	VPLE-218	G, X
	1 1/8	Peer	VPLE-218	H
FHLP206-19G	1 3/16	Peer	VPLE-219	G, X
	1 3/16	Peer	VPLE-219	G, X
FHLP206-20G	1 1/4	Peer	VPLE-220S	G, X
	1 1/4	Peer	VPLE-220S	H, X
FHLP207-20G	1 1/4	Peer	VPLE-220	
	1 1/4	Peer	VPLE-220	Z
FHLP207-22G	1 3/8	Peer	VPLE-222	Z
	1 3/8	Peer	VPLE-222	H, X
FHLP207-23G	1 7/16	Peer	VPLE-223	H, X
	1 7/16	Peer	VPLE-223	H, X
FHLP208-24G	1 1/2	Peer	VPLE-224	L, M
	1 1/2	Peer	VPLE-224	L, M
FHLP209-26G	1 5/8	Peer	VPLE-226	H
	1 5/8	Peer	VPLE-226	L, M
FHLP209-27G	1 11/16	Peer	VPLE-227	=
	1 11/16	Peer	VPLE-227	=
FHLP209-28G	1 3/4	Peer	VPLE-228	=
	1 3/4	Peer	VPLE-228	=
FHLP210-31G	1 15/16	Peer	VPLE-231	=
	1 15/16	Peer	VPLE-231	=
FHP201-8G	1/2	Peer	VPE-208	=
FHP202-10G	5/8	Peer	VPE-210	=
FHP204-12G	3/4	Peer	VPE-212	=
FHP205-14G	7/8	Peer	VPE-214	=
FHP205-15G	15/16	Peer	VPE-215	=
FHP205-16G	1	Peer	VPE-216	=
FHP206-18G	1 1/8	Peer	VPE-218	B
FHP206-19G	1 3/16	Peer	VPE-219	=
FHP206-20G	1 1/4	Peer	VPE-220S	=
FHP207-20G	1 1/4	Peer	VPE-220	=
FHP207-22G	1 3/8	Peer	VPE-222	=
FHP207-23G	1 7/16	Peer	VPE-223	=
FHP208-24G	1 1/2	Peer	VPLE-224	=
FHP209-26G	1 5/8	Peer	VPE-226	=
FHP209-27G	1 11/16	Peer	VPE-227	=
FHP209-28G	1 3/4	Peer	VPE-228	=
FHP210-31G	1 15/16	Peer	VPE-231	=
FHPW204-12	3/4	Peer	VPE-112	=
FHPW205-14	7/8	Peer	VPE-114	=
FHPW205-15	15/16	Peer	VPE-115	=
FHPW205-16	1	Peer	VPE-116	=
FHPW206-18	1 1/8	Peer	VPE-118	=
FHPW206-19	1 3/16	Peer	VPE-119	=
FHPW206-20	1 1/4	Peer	VPE-120S	=
FHPW207-20	1 1/4	Peer	VPE-120	=

## Note Code

- B - Bolt Centers or OD within 1/16
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FHPW207-22	1 3/8	Peer	VPE-122	=
FHPW207-23	1 7/16	Peer	VPE-123	=
FHPW208-24	1 1/2	Peer	VPLE-124	=
FHPW209-27	1 11/16	Peer	VPE-127	=
FHPW209-28	1 3/4	Peer	VPE-128	=
FHPW210-31	1 15/16	Peer	VPE-131	=
FHPW210-32	2	Peer	VPE-132S	=
FHPWC204-12	3/4	Peer	VPE-112	=
FHPWC205-14	7/8	Peer	VPE-114	=
FHPWC205-15	15/16	Peer	VPE-115	=
FHPWC205-16	1	Peer	VPE-116	=
FHPWC206-18	1 1/8	Peer	VPE-118	=
FHPWC206-19	1 3/16	Peer	VPE-119	=
FHPWC206-20	1 1/4	Peer	VPE-120S	=
FHPWC207-20	1 1/4	Peer	VPE-120	=
FHPWC207-22	1 3/8	Peer	VPE-122	=
FHPWC207-23	1 7/16	Peer	VPE-123	=
FHPWC208-24	1 1/2	Peer	VPE-124	=
FHSF201-8G	1/2	Peer	VF4S-208	=
FHSF202-10G	5/8	Peer	VF4S-210	G, M
FHSF204-12G	3/4	Peer	VF4S-212	G, M
FHSF205-14G	7/8	Peer	VF4S-214	L, Y
FHSF205-15G	15/16	Peer	VF4S-215	L, X
FHSF205-16G	1	Peer	VF4S-216	L, X
FHSF206-18G	1 1/8	Peer	VF4S-218	L, X
FHSF206-19G	1 3/16	Peer	VF4S-219	L
FHSF206-20G	1 1/4	Peer	VF4S-220S	L
FHSF207-20G	1 1/4	Peer	VF4S-220	L
	1 3/8	Peer	VF4S-222	G, M
FHSF207-23G	1 7/16	Peer	VF4S-223	G, M
FHSF208-24G	1 1/2	Peer	VF4S-224	G, M
FHSFJ201-8G	1/2	Peer	VF4S-208	L, Y
FHSFJ202-10G	5/8	Peer	VF4S-210	G, M
FHSFJ204-12G	3/4	Peer	VF4S-212	G, M
FHSFJ205-14G	7/8	Peer	VF4S-214	X
FHSFJ205-15G	15/16	Peer	VF4S-215	L, X
FHSFJ205-16G	1	Peer	VF4S-216	L, X
FHSFJ206-18G	1 1/8	Peer	VF4S-218	L, X
FHSFJ206-19G	1 3/16	Peer	VF4S-219	L
FHSFJ206-20G	1 1/4	Peer	VF4S-220S	L
FHSFJ207-20G	1 1/4	Peer	VF4S-220	L
FHSFJ207-22G	1 3/8	Peer	VF4S-222	H, M
FHSFJ207-23G	1 7/16	Peer	VF4S-223	H, M
FHSFJ208-24G	1 1/2	Peer	VF4S-224	H, M
FHSFT201-8G	1/2	Peer	VF2S-208	L, Y
FHSFT202-10G	5/8	Peer	VF2S-210	=
FHSFT204-12G	3/4	Peer	VF2S-212	=
FHSFT205-14G	7/8	Peer	VF2S-214	=
FHSFT205-15G	15/16	Peer	VF2S-215	=
FHSFT205-16G	1	Peer	VF2S-216	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FHSFT206-18G	1 1/8	Peer	VF2S-218	=
FHSFT206-19G	1 3/16	Peer	VF2S-219	=
FHSFT206-20G	1 1/4	Peer	VF2S-220S	=
FHSFT207-20G	1 1/4	Peer	VF2S-220	=
FHSFT207-22G	1 3/8	Peer	VF2S-222	=
FHSFT207-23G	1 7/16	Peer	VF2S-223	=
FHSFT208-24G	1 1/2	Peer	VF2S-224	=
FHSFTJ201-8G	1/2	Peer	VF2S-208	=
FHSFTJ202-10G	5/8	Peer	VF2S-210	=
FHSFTJ205-14G	7/8	Peer	VF2S-214	=
FHSFTJ205-16G	1	Peer	VF2S-216	=
FHSFTJ206-18G	1 1/8	Peer	VF2S-218	=
FHSFTJ206-19G	1 3/16	Peer	VF2S-219	=
FHSFTJ206-20G	1 1/4	Peer	VF2S-220S	=
FHSFTJ207-20G	1 1/4	Peer	VF2S-220	=
FHSFTJ207-22G	1 3/8	Peer	VF2S-222	=
FHSFTJ207-23G	1 7/16	Peer	VF2S-223	=
FHSFTJ208-24G	1 1/2	Peer	VF2S-224	=
FHSLP201-8G	1/2	Peer	VPLS-208	=
FHSLP202-10G	5/8	Peer	VPLS-210	=
FHSLP204-12G	3/4	Peer	VPLS-212	=
FHSLP205-14G	7/8	Peer	VPLS-214	=
FHSLP205-15G	15/16	Peer	VPLS-215	=
FHSLP205-16G	1	Peer	VPLS-216	=
FHSLP206-18G	1 1/8	Peer	VPLS-218	=
FHSLP206-19G	1 3/16	Peer	VPLS-219	=
FHSLP206-20G	1 1/4	Peer	VPLS-220S	=
FHSLP207-20G	1 1/4	Peer	VPLS-220	=
	1 3/8	Peer	VPLS-222	=
FHSLP207-23G	1 7/16	Peer	VPLS-223	=
FHSLP208-24G	1 1/2	Peer	VPLS-224	=
FHSP201-G	1/2	Peer	VPS-208	=
FHSP202-10G	5/8	Peer	VPS-210	=
FHSP204-12G	3/4	Peer	VPS-212	=
FHSP205-14G	7/8	Peer	VPS-214	=
FHSP205-15G	15/16	Peer	VPS-215	=
FHSP205-16G	1	Peer	VPS-216	=
FHSP206-18G	1 1/8	Peer	VPS-218	=
FHSP206-19G	1 3/16	Peer	VPS-219	=
FHSP206-20G	1 1/4	Peer	VPS-220S	=
FHSP207-20G	1 1/4	Peer	VPS-220	=
	1 3/8	Peer	VPS-222	=
FHSP207-23G	1 7/16	Peer	VPS-223	=
FHSP208-24G	1 1/2	Peer	VPS-224	=
FPS2-25-1	1	MB	SSF2S-116	=
FPS2-25-1 1/4S	1 1/4	MB	SSF2S-120S	=
FPS2-25-1 1/8	1 1/8	MB	SSF2S-118	=
FPS2-25-1 3/16	1 3/16	MB	SSF2S-119	=
FPS2-25-1/2	1/2	MB	SSF2S-108	=
FPS2-25-15/16	15/16	MB	SSF2S-115	=

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FPS2-25-3/4	3/4	MB	SSF2S-112	=
FPS2-25-5/8	5/8	MB	SSF2S-110	=
FPS2-25-7/8	7/8	MB	SSF2S-114	=
FPS3-25-1	1	MB	SSF3S-116	=
	1	MB	SSF3S-116	=
	1	MB	SSF3TS-116	=
	1	MB	SSF3TS-116	=
FPS3-25-1 1/4	1 1/4	MB	SSF3S-120	=
F	1 1/4	MB	SSF3S-120	=
FPS3-25-1 1/4S	1 1/4	MB	SSF3S-120S	=
	1 1/4	MB	SSF3S-120S	=
	1 1/4	MB	SSF3S-120S	=
	1 1/4	MB	SSF3TS-120S	=
	1 1/4	MB	SSF3TS-120S	=
FPS3-25-1 1/8	1 1/8	MB	SSF3S-118	=
	1 1/8	MB	SSF3S-118	=
	1 1/8	MB	SSF3TS-118	=
	1 1/8	MB	SSF3TS-118	=
FPS3-25-1 3/16	1 3/16	MB	SSF3S-119	=
	1 3/16	MB	SSF3S-119	=
	1 3/16	MB	SSF3TS-119	=
	1 3/16	MB	SSF3TS-119	=
FPS3-25-1 3/8	1 3/8	MB	SSF3S-122	=
	1 3/8	MB	SSF3S-122	=
FPS3-25-1 7/16	1 7/16	MB	SSF3S-123	=
	1 7/16	MB	SSF3S-123	=
FPS3-25-15/16	15/16	MB	SSF3S-115	=
	15/16	MB	SSF3S-115	=
	15/16	MB	SSF3TS-115	=
		MB	SSF3TS-115	=
FPS3-25-3/4	3/4	MB	SSF3S-112	=
	3/4	MB	SSF3S-112	=
	3/4	MB	SSF3TS-112	=
	3/4	MB	SSF3TS-112	=
FPS3-25-7/8	7/8	MB	SSF3S-114	=
	7/8	MB	SSF3S-114	=
	7/8	MB	SSF3TS-114	=
	7/8	MB	SSF3TS-114	=
FSYE 3 1/2H	3 1/2"	SKF	PBE-920F-3 1/2	L,1,2
FSYE 3 11/16	3 11/16"	SKF	SPB-1000FE-3 11/16	L
FSYE 3 11/16H	3 11/16"	SKF	SPB-1000FNE-3 11/16	L
FSYE 3 15/16	3 15/16"	SKF	SPB-1000FE-3 15/16	L
FSYE 3 15/16H	3 15/16"	SKF	SPB-1000FNE-3 15/16	L
FSYE 3 7/16H	3 7/16"	SKF	PBE-920F-3 7/16	L,1,2
FSYE 4	4"	SKF	SPB-1000FE-4	L
FSYE 4H	4"	SKF	SPB-1000FNE-4	L
FX-U210N	5/8	Link-Belt	VF2S-110M	=
FX-U212N	3/4	Link-Belt	VF2S-112M	=
FX-U214N	7/8	Link-Belt	VF2S-114M	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FX-U215N	15/16	Link-Belt	VF2S-115M	=
FX-U216N	1	Link-Belt	VF2S-116M	=
FX-U218N	1 1/8	Link-Belt	VF2S-118M	=
FX-U219N	1 3/16	Link-Belt	VF2S-119M	=
FX-U220N	1 1/4	Link-Belt	VF2S-120M	=
FX-U222N	1 3/8	Link-Belt	VF2S-122M	=
FX-U223N	1 7/16	Link-Belt	VF2S-123M	=
FX-U2B08N	1/2	Link-Belt	VF2S-108M	=
FX-U2E20N	1 1/4	Link-Belt	VF2S-120SM	=
FX-UG210N	5/8	Link-Belt	VF2S-110M	=
FX-UG212N	3/4	Link-Belt	VF2S-112M	=
FX-UG214N	7/8	Link-Belt	VF2S-114M	=
FX-UG215N	15/16	Link-Belt	VF2S-115M	=
FX-UG216N	1	Link-Belt	VF2S-116M	=
FX-UG218N	1 1/8	Link-Belt	VF2S-118M	=
FX-UG219N	1 3/16	Link-Belt	VF2S-119M	=
FX-UG220N	1 1/4	Link-Belt	VF2S-120M	=
FX-UG222N	1 3/8	Link-Belt	VF2S-122M	=
FX-UG223N	1 7/16	Link-Belt	VF2S-123M	=
FX-UG2B08N	1/2	Link-Belt	VF2S-108M	=
FX-UG2E20N	1 1/4	Link-Belt	VF2S-120SM	=
FX-W210U	5/8	Link-Belt	VF2E-110M	=
FX-W212U	3/4	Link-Belt	VF2E-112M	=
FX-W214U	7/8	Link-Belt	VF2E-114M	=
FX-W215U	15/16	Link-Belt	VF2E-115M	=
FX-W216U	1	Link-Belt	VF2E-116M	=
FX-W218E	1 1/8	Link-Belt	VF2E-118M	=
FX-W219E	1 3/16	Link-Belt	VF2E-119M	=
FX-W220E	1 1/4	Link-Belt	VF2E-120M	=
FX-W222E	1 3/8	Link-Belt	VF2E-122M	=
FX-W223E	1 7/16	Link-Belt	VF2E-123M	=
FX-W2B08U	1/2	Link-Belt	VF2E-108M	=
FX-W2E20E	1 1/4	Link-Belt	VF2E-120SM	=
FX-WG210U	5/8	Link-Belt	VF2E-110M	=
FX-WG212U	3/4	Link-Belt	VF2E-112M	=
FX-WG214U	7/8	Link-Belt	VF2E-114M	=
FX-WG215U		Link-Belt	VF2E-115M	=
FX-WG216U	1	Link-Belt	VF2E-116M	=
FX-WG218E	1 1/8	Link-Belt	VF2E-118M	=
FX-WG219E	1 3/16	Link-Belt	VF2E-119M	=
FX-WG220E	1 1/4	Link-Belt	VF2E-120M	=
FX-WG222E	1 3/8	Link-Belt	VF2E-122M	=
FX-WG223E	1 7/16	Link-Belt	VF2E-123M	=
FX-WG2B08U	1/2	Link-Belt	VF2E-108M	=
FX-WG2E20E	1 1/4	Link-Belt	VF2E-120SM	=
FX-Y210N	5/8	Link-Belt	VF2E-110M	=
FX-Y212N	3/4	Link-Belt	VF2E-112M	=
FX-Y214N	7/8	Link-Belt	VF2E-114M	=
FX-Y215N	15/16	Link-Belt	VF2E-115M	=
FX-Y216N	1	Link-Belt	VF2E-116M	=

## Note Code

L - Bolt Spacing Minimum Greater than 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements

Black - Ball Bearings  
Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FX-Y218N	1 1/8	Link-Belt	VF2E-118M	=
FX-Y219N	1 3/16	Link-Belt	VF2E-119M	=
FX-Y220N	1 1/4	Link-Belt	VF2E-120M	=
FX-Y222N	1 3/8	Link-Belt	VF2E-122M	=
FX-Y223N	1 7/16	Link-Belt	VF2E-123M	=
FX-Y2B08N	1/2	Link-Belt	VF2E-108M	=
FX-Y2E20N	1 1/4	Link-Belt	VF2E-120SM	=
FX-YG210N	5/8	Link-Belt	VF2E-110M	=
FX-YG212N	3/4	Link-Belt	VF2E-112M	=
FX-YG214N	7/8	Link-Belt	VF2E-114M	=
FX-YG215N	15/16	Link-Belt	VF2E-115M	=
FX-YG216N	1	Link-Belt	VF2E-116M	=
FX-YG218N	1 1/8	Link-Belt	VF2E-118M	=
FX-YG219N	1 3/16	Link-Belt	VF2E-119M	=
FX-YG220N	1 1/4	Link-Belt	VF2E-120M	=
FX-YG222N	1 3/8	Link-Belt	VF2E-122M	=
FX-YG223N	1 7/16	Link-Belt	VF2E-123M	=
FX-YG2B08N	1/2	Link-Belt	VF2E-108M	=
FX-YG2E20N	1 1/4	Link-Belt	VF2E-120SM	=
FX3-S212E	3/4	Link-Belt	VF2S-112	=
FX3-S214E	7/8	Link-Belt	VF2S-114	=
FX3-S215E	15/16	Link-Belt	VF2S-115	=
FX3-S216E	1	Link-Belt	VF2S-116	=
FX3-S218E	1 1/8	Link-Belt	VF2S-118	=
FX3-S219E	1 3/16	Link-Belt	VF2S-119	=
FX3-S220E	1 1/4	Link-Belt	VF2S-120	=
FX3-S222E	1 3/8	Link-Belt	VF2S-122	=
FX3-S223E	1 7/16	Link-Belt	VF2S-123	=
FX3-S224E	1 1/2	Link-Belt	VF2S-124	=
FX3-S227E	1 11/16	Link-Belt	VF2S-127	=
FX3-S228E	1 3/4	Link-Belt	VF2S-128	=
FX3-S231E	1 15/16	Link-Belt	VF2S-131	=
FX3-S2E20E	1 1/4	Link-Belt	VF2S-120S	=
FX3-U210N	5/8	Link-Belt	VF2S-210	=
FX3-U212N	3/4	Link-Belt	VF2S-212	=
FX3-U214N	7/8	Link-Belt	VF2S-214	=
FX3-U215N	15/16	Link-Belt	VF2S-215	=
FX3-U216N	1	Link-Belt	VF2S-216	=
FX3-U218N	1 1/8	Link-Belt	VF2S-218	=
FX3-U219N	1 3/16	Link-Belt	VF2S-219	=
FX3-U220N	1 1/4	Link-Belt	VF2S-220	=
FX3-U222N	1 3/8	Link-Belt	VF2S-222	=
FX3-U223N	1 7/16	Link-Belt	VF2S-223	=
FX3-U224N	1 1/2	Link-Belt	VF2S-224	=
FX3-U226N	1 5/8	Link-Belt	VF2S-226	=
FX3-U227N	1 11/16	Link-Belt	VF2S-227	=
FX3-U228N	1 3/4	Link-Belt	VF2S-228	=
FX3-U231N	1 15/16	Link-Belt	VF2S-231	=
FX3-U232N	2	Link-Belt	VF2S-232	=
FX3-U235N	2 3/16	Link-Belt	VF2S-235	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FX3-U2B08N	1/2	Link-Belt	VF2S-208	=
FX3-U2E20N	1 1/4	Link-Belt	VF2S-220S	=
FX3-U2E32N	2	Link-Belt	VF2S-232S	=
FX3-W210U	5/8	Link-Belt	VF2S-110	=
FX3-W212U	3/4	Link-Belt	VF2S-112	=
FX3-W214U	7/8	Link-Belt	VF2S-114	=
FX3-W215U	15/16	Link-Belt	VF2S-115	=
FX3-W216U	1	Link-Belt	VF2S-116	=
FX3-W227U	1 11/16	Link-Belt	VF2S-127	=
FX3-W228U	1 3/4	Link-Belt	VF2S-128	=
FX3-W231U	1 15/16	Link-Belt	VF2S-131	=
FX3-W2B08U	1/2	Link-Belt	VF2S-108	=
FX3-W2E32U	2	Link-Belt	VF2S-132S	=
FX3-Y210N	5/8	Link-Belt	VF2E-210	=
FX3-Y212N	3/4	Link-Belt	VF2E-212	=
FX3-Y214N	7/8	Link-Belt	VF2E-214	=
FX3-Y215N	15/16	Link-Belt	VF2E-215	=
FX3-Y216N	1	Link-Belt	VF2E-216	=
FX3-Y218N	1 1/8	Link-Belt	VF2E-218	=
FX3-Y219N	1 3/16	Link-Belt	VF2E-219	=
FX3-Y220N	1 1/4	Link-Belt	VF2E-220	=
FX3-Y222N	1 3/8	Link-Belt	VF2E-222	=
FX3-Y223N	1 7/16	Link-Belt	VF2E-223	=
FX3-Y224N	1 1/2	Link-Belt	VF2E-224	=
FX3-Y226N	1 5/8	Link-Belt	VF2E-226	=
FX3-Y227N	1 11/16	Link-Belt	VF2E-227	=
FX3-Y228N	1 3/4	Link-Belt	VF2E-228	=
FX3-Y231N	1 15/16	Link-Belt	VF2E-231	=
FX3-Y232N	2	Link-Belt	VF2E-232	=
FX3-Y235N	2 3/16	Link-Belt	VF2E-235	=
FX3-Y2B08N	1/2	Link-Belt	VF2E-208	=
FX3-Y2E20N	1 1/4	Link-Belt	VF2E-220S	=
FY-1-FM	1	SKF	VF4E-116	=
FY-1-WM	1	SKF	VF4E-216	=
FY-1 1/2-FM	1 1/2	SKF	VF4E-124	=
FY-1 1/2-TM	1 1/2	SKF	VF4S-224	=
FY-1 1/2-WM	1 1/2	SKF	VF4E-224	=
FY-1 1/4-AFM	1 1/4	SKF	VF4E-220S	=
FY-1 1/4-ATM	1 1/4	SKF	VF4S-220S	=
FY-1 1/4-FM	1 1/4	SKF	VF4E-120	=
FY-1 1/4-TM	1 1/4	SKF	VF4S-220	=
FY-1 1/4-WM	1 1/4	SKF	VF4E-220	=
FY-1 1/8-FM	1 1/8	SKF	VF4E-118	=
FY-1 1/8-WM	1 1/8	SKF	VF4E-218	=
FY-1 11/16-FM	1 11/16	SKF	VF4E-127	=
FY-1 11/16-TM	1 11/16	SKF	VF4S-227	=
FY-1 11/16-WM	1 11/16	SKF	VF4E-227	=
FY-1 15/16-FM	1 15/16	SKF	VF4E-131	=
FY-1 15/16-TM	1 15/16	SKF	VF4S-231	=
FY-1 15/16-WM	1 15/16	SKF	VF4E-231	=

## Note Code

= - Fully Interchangeable

Black - Ball Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FY-1 3/16-FM	1 3/16	SKF	VF4E-119	=
FY-1 3/16-TM	1 3/16	SKF	VF4S-219	=
FY-1 3/16-WM	1 3/16	SKF	VF4E-219	=
FY-1 3/4-FM	1 3/4	SKF	VF4E-128	=
FY-1 3/4-TM	1 3/4	SKF	VF4S-228	=
FY-1 3/4-WM	1 3/4	SKF	VF4E-228	=
FY-1 3/8-FM	1 3/8	SKF	VF4E-122	=
FY-1 3/8-TM	1 3/8	SKF	VF4S-222	=
FY-1 3/8-WM	1 3/8	SKF	VF4E-222	=
FY-1 5/8-WM	1 5/8	SKF	VF4E-226	=
FY-1 7/16-FM	1 7/16	SKF	VF4E-123	=
FY-1 7/16-TM	1 7/16	SKF	VF4S-223	=
FY-1 7/16-WM	1 7/16	SKF	VF4E-223	=
FY-1/2-TM	1/2	SKF	VF4S-208	=
FY-1-TM	1	SKF	VF4S-216	=
FY-1 1/8-TM	1 1/8	SKF	VF4S-218	=
FY-15/16-FM	15/16	SKF	VF4E-115	=
FY-15/16-TM	15/16	SKF	VF4S-215	=
FY-15/16-WM	15/16	SKF	VF4E-215	=
FY-2-TM	2	SKF	VF4S-232	=
FY-2-WM	2	SKF	VF4E-232	=
FY-2 1/4-TM	2 1/4	SKF	VF4S-236	=
FY-2 1/4-WM	2 1/4	SKF	VF4E-236	=
FY-2 11/16-TM	2 11/16	SKF	VF4S-243	=
FY-2 15/16-TM	2 15/16	SKF	VF4S-247	=
FY-2 3/16-FM	2 3/16	SKF	VF4E-135	=
FY-2 3/16-TM	2 3/16	SKF	VF4S-235	=
FY-2 3/16-WM	2 3/16	SKF	VF4E-235	=
FY-2 7/16-TM	2 7/16	SKF	VF4S-239	=
FY-2 7/16-WM	2 7/16	SKF	VF4E-239	=
FY-3/4-FM	3/4	SKF	VF4E-112	=
FY-3/4-TM	3/4	SKF	VF4S-212	=
FY-3/4-WM	3/4	SKF	VF4E-212	=
FY-5/8-FM	5/8	SKF	VF4E-110	=
FY-5/8-TM	5/8	SKF	VF4S-210	=
FY-7/8-FM	7/8	SKF	VF4E-114	=
FY-7/8-TM	7/8	SKF	VF4S-214	=
FY-7/8-WM	7/8	SKF	VF4E-214	=
FY1 5/8-TM	1 5/8	SKF	VF4S-226	=
FY2-FM	2	SKF	VF4E-132	=
FYM-1 1/2-TM	1 1/2	SKF	VF4S-324	=
FYM-1 11/16-TM	1 11/16	SKF	VF4S-327	=
FYM-1 15/16-TM	1 15/16	SKF	VF4S-331	=
FYM-1 3/4-TM	1 3/4	SKF	VF4S-328	=
FYM-1 7/16-TM	1 7/16	SKF	VF4S-323	=
FYM-2 1/2-TM	2 1/2	SKF	VF4S-340	=
FYM-2 11/16-TM	2 11/16	SKF	VF4S-343	=
FYM-2 15/16-TM	2 15/16	SKF	VF4S-347	=
FYM-2 3/16-TM	2 3/16	SKF	VF4S-335	=
FYM-2 7/16-TM	2 7/16	SKF	VF4S-339	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FYM-3-TM	3	SKF	VF4S-348	=
FYM-3 1/2-TM	3 1/2	SKF	VF4S-356	=
FYM-3 7/16-TM	3 7/16	SKF	VF4S-355	=
FYR 1 1/2	1 1/2"	SKF	SFB-1000NE3-1 1/2	=
FYR 1 7/16	1 7/16"	SKF	SFB-1000NE3-1 7/16	=
FYRP 1 1/2	1 1/2"	SKF	SFC-1000NE-1 1/2	=
	1 1/2"	SKF	FC-900-1 1/2	1,2
FYRP 1 11/16	1 11/16"	SKF	SFC-1000NE-1 11/16	=
	1 11/16"	SKF	FC-900-1 11/16	K,1,2
FYRP 1 15/16	1 15/16"	SKF	SFC-1000NE-1 15/16	=
	1 15/16"	SKF	SFC-1100NE-1 15/16	4
	1 15/16"	SKF	FC-900-1 15/16	1,2
FYRP 1 3/4	1 3/4"	SKF	SFC-1000NE-1 3/4	=
	1 3/4"	SKF	FC-900-1 3/4	K,1,2
FYRP 1 7/16	1 7/16"	SKF	SFC-1000NE-1 7/16	=
	1 7/16"	SKF	FC-900-1 7/16	1,2
FYRP 2	2"	SKF	SFC-1000NE-2	=
	2"	SKF	SFC-1100NE-2	4
	2"	SKF	FC-900-2	1,2
FYRP 2 1/2	2 1/2"	SKF	SFC-1000NE-2 1/2	=
	2 1/2"	SKF	SFC-1100NE-2 1/2	4
	2 1/2"	SKF	FC-900-2 1/2	1,2
FYRP 2 11/16	2 11/16"	SKF	SFC-1000NE-2 11/16	=
	2 11/16"	SKF	SFC-1100NE-2 11/16	4
	2 11/16"	SKF	FC-900-2 11/16	1,2
FYRP 2 15/16	2 15/16"	SKF	SFC-1000NE-2 15/16	=
	2 15/16"	SKF	SFC-1100NE-2 15/16	4
	2 15/16"	SKF	FC-900-2 15/16	1,2
FYRP 2 3/16	2 3/16"	SKF	SFC-1000NE-2 3/16	=
	2 3/16"	SKF	SFC-1100NE-2 3/16	4
	2 3/16"	SKF	FC-900-2 3/16	1,2
FYRP 2 3/4	2 3/4"	SKF	SFC-1000NE-2 3/4	=
	2 3/4"	SKF	SFC-1100NE-2 3/4	4
	2 3/4"	SKF	FC-900-2 3/4	1,2
FYRP 2 7/16	2 7/16"	SKF	SFC-1000NE-2 7/16	=
	2 7/16"	SKF	SFC-1100NE-2 7/16	4
	2 7/16"	SKF	FC-900-2 7/16	1,2
FYRP 3	3"	SKF	SFC-1000NE-3	=
	3"	SKF	SFC-1100NE-3	4
	3"	SKF	FC-900-3	1,2
FYRP 3 1/2	3 1/2"	SKF	SFC-1000NE-3 1/2	=
	3 1/2"	SKF	SFC-1100NE-3 1/2	4
	3 1/2"	SKF	FC-900-3 1/2	1,2
FYRP 3 11/16	3 11/16"	SKF	SFC-1000NE-3 11/16	=
FYRP 3 15/16	3 15/16"	SKF	SFC-1000NE-3 15/16	=
FYRP 3 7/16	3 7/16"	SKF	SFC-1000NE-3 7/16	=
	3 7/16"	SKF	SFC-1100NE-3 7/16	4
	3 7/16"	SKF	FC-900-3 7/16	1,2
FYRP 4	4"	SKF	SFC-1000NE-4	=
FYT-1/2-FM	1/2	SKF	VF2E-108	=

## Note Code

K - Pilot within 1/64

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Black - Ball Bearings  
Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FYT-1-FM	1	SKF	VF2E-116	=
FYT-1-WM	1	SKF	VF2E-216	=
FYT-1 1/2-FM	1 1/2	SKF	VF2E-124	=
FYT-1 1/2-TM	1 1/2	SKF	VF2S-224	=
FYT-1 1/2-WM	1 1/2	SKF	VF2E-224	=
FYT-1 1/4-AFM	1 1/4	SKF	VF2E-220S	=
FYT-1 1/4-ATM	1 1/4	SKF	VF2S-220S	=
FYT-1 1/4-FM	1 1/4	SKF	VF2E-120	=
FYT-1 1/4-TM	1 1/4	SKF	VF2S-220	=
FYT-1 1/4-WM	1 1/4	SKF	VF2E-220	=
FYT-1 1/8-FM	1 1/8	SKF	VF2E-118	=
FYT-1 1/8-WM	1 1/8	SKF	VF2E-218	=
FYT-1 11/16-FM	1 11/16	SKF	VF2E-127	=
FYT-1 11/16-TM	1 11/16	SKF	VF2S-227	=
FYT-1 11/16-WM	1 11/16	SKF	VF2E-227	=
FYT-1 15/16-FM	1 15/16	SKF	VF2E-131	=
FYT-1 15/16-TM	1 15/16	SKF	VF2S-231	=
FYT-1 15/16-WM	1 15/16	SKF	VF2E-231	=
FYT-1 3/16-FM	1 3/16	SKF	VF2E-119	=
FYT-1 3/16-WM	1 3/16	SKF	VF2E-219	=
FYT-1 3/4-FM	1 3/4	SKF	VF2E-128	=
FYT-1 3/4-TM	1 3/4	SKF	VF2S-228	=
FYT-1 3/4-WM	1 3/4	SKF	VF2E-228	=
FYT-1 3/8-FM	1 3/8	SKF	VF2E-122	=
FYT-1 3/8-TM	1 3/8	SKF	VF2S-222	=
FYT-1 3/8-WM	1 3/8	SKF	VF2E-222	=
FYT-1 5/8-TM	1 5/8	SKF	VF2S-226	=
FYT-1 5/8-WM	1 5/8	SKF	VF2E-226	=
FYT-1 7/16-FM	1 7/16	SKF	VF2E-123	=
FYT-1 7/16-TM	1 7/16	SKF	VF2S-223	=
FYT-1 7/16-WM	1 7/16	SKF	VF2E-223	=
FYT-1/2-TM	1/2	SKF	VF2S-208	=
FYT-1-TM	1	SKF	VF2S-216	=
FYT-1 1/8-TM	1 1/8	SKF	VF2S-218	=
FYT-1 3/16-TM	1 3/16	SKF	VF2S-219	=
FYT-15/16-FM	15/16	SKF	VF2E-115	=
FYT-15/16-TM	15/16	SKF	VF2S-215	=
FYT-15/16-WM	15/16	SKF	VF2E-215	=
FYT-2-FM	2	SKF	VF2E-132	=
FYT-2-TM	2	SKF	VF2S-232	B
FYT-2-WM	2	SKF	VF2E-232	B
FYT-2 3/16-FM	2 3/16	SKF	VF2E-135	B
FYT-2 3/16-TM	2 3/16	SKF	VF2S-235	=
FYT-2 3/16-WM	2 3/16	SKF	VF2E-235	=
FYT-3/4-FM	3/4	SKF	VF2E-112	=
FYT-3/4-TM	3/4	SKF	VF2S-212	B
FYT-5/8-FM	5/8	SKF	VF2E-110	B
FYT-5/8-TM	5/8	SKF	VF2S-210	B
FYT-7/8-FM	7/8	SKF	VF2E-114	=
FYT-7/8-TM	7/8	SKF	VF2S-214	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
FYT-7/8-WM	7/8	SKF	VF2E-214	=
FYTM-1 1/2-TM	1 1/2	SKF	VF2S-324	L, Y
FYTM-1 11/16-TM	1 11/16	SKF	VF2S-327	L, Y
FYTM-1 15/16-TM	1 15/16	SKF	VF2S-331	L, Y
FYTM-1 3/4-TM	1 3/4	SKF	VF2S-328	L, Y
FYTM-1 7/16-TM	1 7/16	SKF	VF2S-323	L, X
GRFTD	3/4	Fafnir	VF2S-112M	H, M
GRFTD	7/8	Fafnir	VF2S-114M	H, M
GRFTD	15/16	Fafnir	VF2S-115M	H, M
GRFTD	1/2	Fafnir	VF2S-108M	L, X
GRFTD	5/8	Fafnir	VF2S-110M	L, X
GRFTD	1 1/8	Fafnir	VF2S-118M	L, X
GRFTD	1 3/16	Fafnir	VF2S-119M	L, X
GRFTD	1	Fafnir	VF2S-116M	L, Y
GRFTDS	1 1/4	Fafnir	VF2S-120SM	L, X
GVFDR-1	1	Fafnir	VF3E-116M	L, X
GVFDR-1 1/4	1 1/4	Fafnir	VF3E-120M	L, Z
GVFDR-1 1/4S	1 1/4	Fafnir	VF3E-120SM	L, Z
GVFDR-1 1/8	1 1/8	Fafnir	VF3E-118M	B
GVFDR-1 3/16	1 3/16	Fafnir	VF3E-119M	B
GVFDR-1 3/8	1 3/8	Fafnir	VF3E-122M	=
GVFDR-1 7/16	1 7/16	Fafnir	VF3E-123M	=
GVFDR-1/2	1/2	Fafnir	VF3E-108M	=
GVFDR-3/4	3/4	Fafnir	VF3E-112M	=
GVFDR-5/8	5/8	Fafnir	VF3E-110M	=
GVFDR-7/8	7/8	Fafnir	VF3E-114M	=
GVFTD-1	1	Fafnir	VF2E-116M	B
GVFTD-1 1/4	1 1/4	Fafnir	VF2E-120M	B
GVFTD-1 1/4S	1 1/4	Fafnir	VF2E-120SM	B
GVFTD-1 1/8	1 1/8	Fafnir	VF2E-118M	B
GVFTD-1 3/16	1 3/16	Fafnir	VF2E-119M	B
GVFTD-1 3/8	1 3/8	Fafnir	VF2E-122M	B
GVFTD-1 7/16	1 7/16	Fafnir	VF2E-123M	=
GVFTD-1/2	1/2	Fafnir	VF2E-108M	=
GVFTD-15/16	15/16	Fafnir	VF2E-115M	=
GVFTD-3/4	3/4	Fafnir	VF2E-112M	J, M
GVFTD-5/8	5/8	Fafnir	VF2E-110M	J, M
GVFTD-7/8	7/8	Fafnir	VF2E-114M	J, Z
JELFD201-008	1/2	NTN	VF2E-108M	H, Z
JELFD202-010	5/8	NTN	VF2E-110M	H, Z
JELFD204-012	3/4	NTN	VF2E-112M	H, Z
JELFD205-014	7/8	NTN	VF2E-114M	J, Z
JELFD205-015	15/16	NTN	VF2E-115M	J, Z
JELFD205-100	1	NTN	VF2E-116M	J, Z
JELFD206-102	1 1/8	NTN	VF2E-118M	H, M
JELFD206-103	1 3/16	NTN	VF2E-119M	H, M
JELFD206-104	1 1/4	NTN	VF2E-120SM	H, M
JELFD207-104	1 1/4	NTN	VF2E-120M	H
JELFD207-106	1 3/8	NTN	VF2E-122M	H, Y
JELFD207-107	1 7/16	NTN	VF2E-123M	G, Y

## Note Code

- B - Bolt Centers or OD within 1/16
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
JELP204-012T	3/4	NTN	VPE-112	G, X
JELP205-014T	7/8	NTN	VPE-114	G, X
JELP205-015T	15/16	NTN	VPE-115	H, Z
JELP205-100T	1	NTN	VPE-116	G, Z
JELP206-102T	1 1/8	NTN	VPE-118	G, X
JELP206-103T	1 3/16	NTN	VPE-119	H, Z
JELP206-104T	1 1/4	NTN	VPE-120S	G, Y
JELP207-104T	1 1/4	NTN	VPE-120	H, Z
JELP207-106T	1 3/8	NTN	VPE-122	G, Y
JELP207-107T	1 7/16	NTN	VPE-123	H
JELP208-108T	1 1/2	NTN	VPLE-124	G, Z
JELP209-111T	1 11/16	NTN	VPE-127	G, Y
JELP209-112T	1 3/4	NTN	VPE-128	G, X
JELP210-115T	1 15/16	NTN	VPE-131	G, Y
JELP210-200T	2	NTN	VPE-132S	G, X
JELP211-200T	2	NTN	VPE-132	=
JELP211-203T	2 3/16	NTN	VPE-135	H
JELPF204-012	3/4	NTN	SSF3TE-112	G, X
	3/4	NTN	SSF3E-112	G, Y
JELPF205-014	7/8	NTN	SSF3TE-114	G, X
	7/8	NTN	SSF3E-114	G, Y
JELPF205-015	15/16	NTN	SSF3E-115	G, Y
	15/16	NTN	SSF3TE-115	H
JELPF205-100	1	NTN	SSF3TE-116	G, Y
	1	NTN	SSF3E-116	H, Y
JELPF206-102	1 1/8	NTN	SSF3E-118	G, X
	1 1/8	NTN	SSF3TE-118	G, X
JELPF206-103	1 3/16	NTN	SSF3TE-119	G, Z
	1 3/16	NTN	SSF3E-119	H, Z
JELPF206-104	1 1/4	NTN	SSF3E-120S	G, X
	1 1/4	NTN	SSF3TE-120S	H, Z
JELPF207-104	1 1/4	NTN	SSF3E-120	G, Y
JELPF207-106	1 3/8	NTN	SSF3E-122	H, Z
JELPF207-107	1 7/16	NTN	SSF3E-123	G, Y
JELPL201-008	1/2	NTN	VPLE-108	H
JELPL202-010	5/8	NTN	VPLE-110	G, Z
JELPL204-012	3/4	NTN	VPLE-112	G, Y
JELPL205-014	7/8	NTN	VPLE-114	G, X
JELPL205-015	15/16	NTN	VPLE-115	G, Y
JELPL205-100	1	NTN	VPLE-116	G, X
JELPL206-102	1 1/8	NTN	VPLE-118	=
JELPL206-103	1 3/16	NTN	VPLE-119	H
JELPL206-104	1 1/4	NTN	VPLE-120S	=
JELPL207-104	1 1/4	NTN	VPLE-120	=
JELPL207-106	1 3/8	NTN	VPLE-122	=
JELPL207-107	1 7/16	NTN	VPLE-123	=
KC-45-1	1	MB	VPB-216	=
KC-45-1 1/2	1 1/2	MB	VPLB-224	=
KC-45-1 1/4	1 1/4	MB	VPB-220	=
KC-45-1 1/4S	1 1/4	MB	VPB-220S	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
KC-45-1 1/8	1 1/8	MB	VPB-218	=
KC-45-1 11/16	1 11/16	MB	VPB-227	=
KC-45-1 15/16	1 15/16	MB	VPB-231	=
KC-45-1 3/16	1 3/16	MB	VPB-219	=
KC-45-1 3/4	1 3/4	MB	VPB-228	=
KC-45-1 3/8	1 3/8	MB	VPB-222	=
KC-45-1 5/8L	1 5/8	MB	VPB-226	=
KC-45-1 7/16	1 7/16	MB	VPB-223	=
KC-45-15/16	15/16	MB	VPB-215	=
KC-45-2	2	MB	VPB-232S	=
KC-45-2 1/4L	2 1/4	MB	VPB-236	=
KC-45-2 3/16	2 3/16	MB	VPB-235	=
KC-45-2 7/16	2 7/16	MB	VPB-239	=
KC-45-2L	2	MB	VPB-232	=
KC-45-3/4	3/4	MB	VPB-212	=
KC-45-7/8	7/8	MB	VPB-214	=
KC-55-1 1/4S	1 1/4	MB	VPB-320	=
KC-55-1 15/16	1 15/16	MB	VPB-331	=
KC-55-1 3/16	1 3/16	MB	VPB-319	=
KC-55-2	2	MB	VPB-332	=
KC-55-2 3/16	2 3/16	MB	VPB-335	=
KCL-45-1	1	MB	VPLB-216	=
KCL-45-1 1/2	1 1/2	MB	VPLB-224	=
KCL-45-1 1/4	1 1/4	MB	VPLB-220	=
KCL-45-1 1/4S	1 1/4	MB	VPLB-220S	=
KCL-45-1 1/8	1 1/8	MB	VPLB-218	=
KCL-45-1 11/16	1 11/16	MB	VPLB-227	=
KCL-45-1 15/16	1 15/16	MB	VPLB-231	=
KCL-45-1 3/16	1 3/16	MB	VPLB-219	=
KCL-45-1 3/4	1 3/4	MB	VPLB-228	=
KCL-45-1 3/8	1 3/8	MB	VPLB-222	=
KCL-45-1 5/8L	1 5/8	MB	VPLB-226	=
KCL-45-1 7/16	1 7/16	MB	VPLB-223	=
KCL-45-15/16	15/16	MB	VPLB-215	=
KCL-45-2	2	MB	VPLB-232S	=
KCL-45-2 1/4L	2 1/4	MB	VPLB-236	=
KCL-45-2 3/16	2 3/16	MB	VPLB-235	=
KCL-45-2 7/16	2 7/16	MB	VPLB-239	=
KCL-45-2L	2	MB	VPLB-232	=
KCL-45-3/4	3/4	MB	VPLB-212	=
KCL-45-7/8	7/8	MB	VPLB-214	=
KFC2-25-1	1	MB	VF2B-216	=
KFC2-25-1 1/2	1 1/2	MB	VF2B-224	=
KFC2-25-1 1/4	1 1/4	MB	VF2B-220	=
KFC2-25-1 1/4S	1 1/4	MB	VF2B-220S	=
KFC2-25-1 1/8	1 1/8	MB	VF2B-218	=
KFC2-25-1 11/16	1 11/16	MB	VF2B-227	=
KFC2-25-1 15/16	1 15/16	MB	VF2B-231	=
KFC2-25-1 3/16	1 3/16	MB	VF2B-219	=
KFC2-25-1 3/4	1 3/4	MB	VF2B-228	=

### Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2
- = - Fully Interchangeable
- Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
KFC2-25-1 3/8	1 3/8	MB	VF2B-222	=
KFC2-25-1 5/8L	1 5/8	MB	VF2B-226	=
KFC2-25-1 7/16	1 7/16	MB	VF2B-223	=
KFC2-25-15/16	15/16	MB	VF2B-215	=
KFC2-25-2	2	MB	VF2B-232S	=
KFC2-25-2 3/16	2 3/16	MB	VF2B-235	=
KFC2-25-2L	2	MB	VF2B-232	=
KFC2-25-3/4	3/4	MB	VF2B-212	=
KFC2-25-7/8	7/8	MB	VF2B-214	=
KFC2-35-1	1	MB	VF2B-316	=
KFC2-35-1 1/2	1 1/2	MB	VF2B-324	=
KFC2-35-1 1/4S	1 1/4	MB	VF2B-320	=
KFC2-35-1 11/16	1 11/16	MB	VF2B-327	=
KFC2-35-1 15/16	1 15/16	MB	VF2B-331	=
KFC2-35-1 3/16	1 3/16	MB	VF2B-319	=
KFC2-35-1 3/4	1 3/4	MB	VF2B-328	=
KFC2-35-1 7/16	1 7/16	MB	VF2B-323	=
KFC2-35-2	2	MB	VF2B-332	=
KFC2-45-1	1	MB	VF2B-216	=
KFC2-45-1 1/2	1 1/2	MB	VF2B-224	=
KFC2-45-1 1/4	1 1/4	MB	VF2B-220	=
KFC2-45-1 1/4S	1 1/4	MB	VF2B-220S	=
KFC2-45-1 1/8	1 1/8	MB	VF2B-218	=
KFC2-45-1 11/16	1 11/16	MB	VF2B-227	=
KFC2-45-1 15/16	1 15/16	MB	VF2B-231	=
KFC2-45-1 3/16	1 3/16	MB	VF2B-219	=
KFC2-45-1 3/4	1 3/4	MB	VF2B-228	=
KFC2-45-1 3/8	1 3/8	MB	VF2B-222	=
KFC2-45-1 5/8L	1 5/8	MB	VF2B-226	=
KFC2-45-1 7/16	1 7/16	MB	VF2B-223	=
KFC2-45-15/16	15/16	MB	VF2B-215	=
KFC2-45-2	2	MB	VF2B-232S	=
KFC2-45-2 3/16	2 3/16	MB	VF2B-235	=
KFC2-45-2L	2	MB	VF2B-232	=
KFC2-45-3/4	3/4	MB	VF2B-212	=
KFC2-45-7/8	7/8	MB	VF2B-214	=
KFC2-55-1	1	MB	VF2B-316	=
KFC2-55-1 1/2	1 1/2	MB	VF2B-324	=
KFC2-55-1 1/4S	1 1/4	MB	VF2B-320	=
KFC2-55-1 11/16	1 11/16	MB	VF2B-327	=
KFC2-55-1 15/16	1 15/16	MB	VF2B-331	=
KFC2-55-1 3/16	1 3/16	MB	VF2B-319	=
KFC2-55-1 3/4	1 3/4	MB	VF2B-328	=
KFC2-55-1 7/16	1 7/16	MB	VF2B-323	=
KFC2-55-2	2	MB	VF2B-332	=
KFC4-25-1	1	MB	VF4B-216	=
KFC4-25-1 1/2	1 1/2	MB	VF4B-224	=
KFC4-25-1 1/4	1 1/4	MB	VF4B-220	=
KFC4-25-1 1/4S	1 1/4	MB	VF4B-220S	=
KFC4-25-1 1/8	1 1/8	MB	VF4B-218	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
KFC4-25-1 11/16	1 11/16	MB	VF4B-227	=
KFC4-25-1 15/16	1 15/16	MB	VF4B-231	=
KFC4-25-1 3/16	1 3/16	MB	VF4B-219	=
KFC4-25-1 3/4	1 3/4	MB	VF4B-228	=
KFC4-25-1 3/8	1 3/8	MB	VF4B-222	=
KFC4-25-1 5/8L	1 5/8	MB	VF4B-226	=
KFC4-25-1 7/16	1 7/16	MB	VF4B-223	=
KFC4-25-15/16	15/16	MB	VF4B-215	=
KFC4-25-2	2	MB	VF4B-232S	=
KFC4-25-2 1/4L	2 1/4	MB	VF4B-236	=
KFC4-25-2 3/16	2 3/16	MB	VF4B-235	=
KFC4-25-2 7/16	2 7/16	MB	VF4B-239	=
KFC4-25-2L	2	MB	VF4B-232	=
KFC4-25-3/4	3/4	MB	VF4B-212	=
KFC4-25-7/8	7/8	MB	VF4B-214	=
KFC4-35-1	1	MB	VF4B-316	=
KFC4-35-1 1/2	1 1/2	MB	VF4B-324	=
KFC4-35-1 1/4S	1 1/4	MB	VF4B-320	=
KFC4-35-1 11/16	1 11/16	MB	VF4B-327	=
KFC4-35-1 15/16	1 15/16	MB	VF4B-331	=
KFC4-35-1 3/16	1 3/16	MB	VF4B-319	=
KFC4-35-1 3/4	1 3/4	MB	VF4B-328	=
KFC4-35-1 7/16	1 7/16	MB	VF4B-323	=
KFC4-35-2	2	MB	VF4B-332	=
KFC4-35-2 3/16	2 3/16	MB	VF4B-335	=
KFC4-45-1	1	MB	VF4B-216	=
KFC4-45-1 1/2	1 1/2	MB	VF4B-224	=
KFC4-45-1 1/4	1 1/4	MB	VF4B-220	=
KFC4-45-1 1/4S	1 1/4	MB	VF4B-220S	=
KFC4-45-1 1/8	1 1/8	MB	VF4B-218	=
KFC4-45-1 11/16	1 11/16	MB	VF4B-227	=
KFC4-45-1 15/16	1 15/16	MB	VF4B-231	=
KFC4-45-1 3/16	1 3/16	MB	VF4B-219	=
KFC4-45-1 3/4	1 3/4	MB	VF4B-228	=
KFC4-45-1 3/8	1 3/8	MB	VF4B-222	=
KFC4-45-1 5/8L	1 5/8	MB	VF4B-226	=
KFC4-45-1 7/16	1 7/16	MB	VF4B-223	=
KFC4-45-15/16	15/16	MB	VF4B-215	=
KFC4-45-2	2	MB	VF4B-232S	=
KFC4-45-2 1/4L	2 1/4	MB	VF4B-236	=
KFC4-45-2 3/16	2 3/16	MB	VF4B-235	=
KFC4-45-2 7/16	2 7/16	MB	VF4B-239	=
KFC4-45-2L	2	MB	VF4B-232	=
KFC4-45-3/4	3/4	MB	VF4B-212	=
KFC4-45-7/8	7/8	MB	VF4B-214	=
KFC4-55-1	1	MB	VF4B-316	=
KFC4-55-1 1/2	1 1/2	MB	VF4B-324	=
KFC4-55-1 1/4S	1 1/4	MB	VF4B-320	=
KFC4-55-1 11/16	1 11/16	MB	VF4B-327	=
KFC4-55-1 15/16	1 15/16	MB	VF4B-331	L, M

### Note Code

L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
KFC4-55-1 3/16	1 3/16	MB	VF4B-319	L, M
KFC4-55-1 3/4	1 3/4	MB	VF4B-328	G, Z
KFC4-55-1 7/16	1 7/16	MB	VF4B-323	G, X
KFC4-55-2	2	MB	VF4B-332	G, X
KFC4-55-2 3/16	2 3/16	MB	VF4B-335	G, X
KHF204-12	3/4	AMI	VF4E-112	J, Y
KHF205-14	7/8	AMI	VF4E-114	J, Y
KHF205-15	15/16	AMI	VF4E-115	J, Y
KHF205-16	1	AMI	VF4E-116	L, Z
KHF206-18	1 1/8	AMI	VF4E-118	L, Z
KHF206-19	1 3/16	AMI	VF4E-119	L, Z
KHF206-20	1 1/4	AMI	VF4E-120S	J, X
KHF207-20	1 1/4	AMI	VF4E-120	H, Z
KHF207-22	1 3/8	AMI	VF4E-122	H, Z
KHF207-23	1 7/16	AMI	VF4E-123	G, Z
KHF208-14	1 1/2	AMI	VF4E-124	G, Z
KHF209-27	1 11/16	AMI	VF4E-127	G, Z
KHF209-28	1 3/4	AMI	VF4E-128	X
KHF210-31	1 15/16	AMI	VF4E-131	H, Y
KHF211-32	2	AMI	VF4E-132	H, Y
KHF211-35	2 3/16	AMI	VF4E-135	H, Y
KHFT201-8	1/2	AMI	VF2E-108	H
KHFT202-10	5/8	AMI	VF2E-110	H
KHFT204-12	3/4	AMI	VF2E-112	H
KHFT205-14	7/8	AMI	VF2E-114	L, M
KHFT205-15	15/16	AMI	VF2E-115	L, M
KHFT205-16	1	AMI	VF2E-116	L, M
KHFT206-18	1 1/8	AMI	VF2E-118	=
KHFT206-19	1 3/16	AMI	VF2E-119	Y
KHFT206-20	1 1/4	AMI	VF2E-120S	Y
KHFT208-24	1 1/2	AMI	VF2E-124	X
KHFT209-27	1 11/16	AMI	VF2E-127	X
KHFT209-28	1 3/4	AMI	VF2E-128	H, Y
KHFT210-31	1 15/16	AMI	VF2E-131	H, Y
KHFT211-32	2	AMI	VF2E-132	=
KHFT211-35	2 3/16	AMI	VF2E-135	=
KHFX201-8	1/2	AMI	VF2E-108M	=
KHFX202-10	5/8	AMI	VF2E-110M	=
KHFX204-12	3/4	AMI	VF2E-112M	=
KHFX205-14	7/8	AMI	VF2E-114M	=
KHFX205-15	15/16	AMI	VF2E-115M	=
KHFX205-16	1	AMI	VF2E-116M	=
KHFX206-18	1 1/8	AMI	VF2E-118M	=
KHFX206-19	1 3/16	AMI	VF2E-119M	=
KHFX206-20	1 1/4	AMI	VF2E-120SM	=
KHFX207-20	1 1/4	AMI	VF2E-120M	=
KHFX207-22	1 3/8	AMI	VF2E-122M	=
KHFX207-23	1 7/16	AMI	VF2E-123M	=
KHLP201-8	1/2	AMI	VPLE-108	=
KHLP202-10	5/8	AMI	VPLE-110	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
KHLP204-12	3/4	AMI	VPLE-112	=
KHLP205-14	7/8	AMI	VPLE-114	=
KHLP205-15	15/16	AMI	VPLE-115	=
KHLP205-16	1	AMI	VPLE-116	=
KHLP206-18	1 1/8	AMI	VPLE-118	=
KHLP206-19	1 3/16	AMI	VPLE-119	=
KHLP206-20	1 1/4	AMI	VPLE-120S	=
KHLP207-20	1 1/4	AMI	VPLE-120	=
KHLP207-22	1 3/8	AMI	VPLE-122	=
KHLP207-23	1 7/16	AMI	VPLE-123	=
KHLP208-24	1 1/2	AMI	VPLE-124	=
KHLP209-27	1 11/16	AMI	VPLE-127	=
KHLP209-28	1 3/4	AMI	VPLE-128	=
KHLP210-31	1 15/16	AMI	VPLE-131	=
KHLP211-32	2	AMI	VPLE-132	=
KHLP211-35	2 3/16	AMI	VPLE-135	=
KHP204-12	3/4	AMI	VPE-112	=
KHP205-14	7/8	AMI	VPE-114	=
KHP205-15	15/16	AMI	VPE-115	=
KHP205-16	1	AMI	VPE-116	=
KHP206-18	1 1/8	AMI	VPE-118	=
KHP206-19	1 3/16	AMI	VPE-119	=
KHP206-20	1 1/4	AMI	VPE-120S	=
KHP207-20	1 1/4	AMI	VPE-120	=
KHP207-22	1 3/8	AMI	VPE-122	=
KHP207-23	1 7/16	AMI	VPE-123	=
KHP208-24	1 1/2	AMI	VPE-124	=
KHP209-27	1 11/16	AMI	VPE-127	=
KHP209-28	1 3/4	AMI	VPE-128	=
KHP210-31	1 15/16	AMI	VPE-131	=
KHP210-32	2	AMI	VPE-132S	=
KHP211-32	2	AMI	VPE-132	=
KHP211-35	2 3/16	AMI	VPE-135	=
KHPW201-8	1/2	AMI	VPE-108M	=
KHPW202-10	5/8	AMI	VPE-110M	=
KHPW204-12	3/4	AMI	VPE-112M	=
KHPW205-15	15/16	AMI	VPE-115M	=
KHPW205-16	1	AMI	VPE-116M	=
KHPW206-18	1 1/8	AMI	VPE-118M	=
KHPW206-19	1 3/16	AMI	VPE-119M	=
KHPW206-20	1 1/4	AMI	VPE-120SM	=
KHPW207-20	1 1/4	AMI	VPE-120M	=
KHPW207-22	1 3/8	AMI	VPE-122M	=
KHPW207-23	1 7/16	AMI	VPE-123M	=
LF-12	3/4	SealMaster	VF3S-112M	=
LF-12E	3/4	SealMaster	VF3E-112M	=
LF-14	7/8	SealMaster	VF3S-114M	=
LF-14E	7/8	SealMaster	VF3E-114M	=
LF-15	15/16	SealMaster	VF3S-115M	=
LF-15E	15/16	SealMaster	VF3E-115M	=

### Note Code

G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4  
 Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
LF-16	1	SealMaster	VF3S-116M	=
LF-16E	1	SealMaster	VF3E-116M	=
LF-18	1 1/8	SealMaster	VF3S-118M	=
LF-18E	1 1/8	SealMaster	VF3E-118M	=
LF-19	1 3/16	SealMaster	VF3S-119M	=
LF-19E	1 3/16	SealMaster	VF3E-119M	=
LF-20	1 1/4	SealMaster	VF3S-120M	=
LF-20E	1 1/4	SealMaster	VF3E-120M	=
LF-20R	1 1/4	SealMaster	VF3S-120SM	=
LF-20RE	1 1/4	SealMaster	VF3E-120SM	=
LF-22	1 3/8	SealMaster	VF3S-122M	=
LF-22E	1 3/8	SealMaster	VF3E-122M	=
LF-23	1 7/16	SealMaster	VF3S-123M	=
LF-23E	1 7/16	SealMaster	VF3E-123M	=
LF-SC-008	1/2	Dodge	VF3S-108M	=
LF-SC-010	5/8	Dodge	VF3S-110M	=
LF-SC-012	3/4	Dodge	VF3S-112M	=
LF-SC-014	7/8	Dodge	VF3S-114M	=
LF-SC-015	15/16	Dodge	VF3S-115M	=
LF-SC-100	1	Dodge	VF3S-116M	=
LF-SC-102	1 1/8	Dodge	VF3S-118M	=
LF-SC-103	1 3/16	Dodge	VF3S-119M	=
LF-SC-104	1 1/4	Dodge	VF3S-120M	=
LF-SC-104S	1 1/4	Dodge	VF3S-120SM	=
LF-SC-106	1 3/8	Dodge	VF3S-122M	=
LF-SC-107	1 7/16	Dodge	VF3S-123M	=
LFT-10	5/8	SealMaster	VF2S-110M	=
LFT-10E	5/8	SealMaster	VF2E-110M	=
LFT-12	3/4	SealMaster	VF2S-112M	=
LFT-12E	3/4	SealMaster	VF2E-112M	=
LFT-14	7/8	SealMaster	VF2S-114M	=
LFT-14E	7/8	SealMaster	VF2E-114M	=
LFT-15	15/16	SealMaster	VF2S-115M	=
LFT-15E	15/16	SealMaster	VF2E-115M	=
LFT-16	1	SealMaster	VF2S-116M	=
LFT-16E	1	SealMaster	VF2E-116M	=
LFT-18	1 1/8	SealMaster	VF2S-118M	=
LFT-18E	1 1/8	SealMaster	VF2E-118M	N
LFT-19	1 3/16	SealMaster	VF2S-119M	=
LFT-19E	1 3/16	SealMaster	VF2E-119M	=
LFT-20	1 1/4	SealMaster	VF2S-120M	=
LFT-20E	1 1/4	SealMaster	VF2E-120M	=
LFT-20R	1 1/4	SealMaster	VF2S-120SM	=
LFT-20RE	1 1/4	SealMaster	VF2E-120SM	=
LFT-22	1 3/8	SealMaster	VF2S-122M	N
LFT-22E	1 3/8	SealMaster	VF2E-122M	N
LFT-23	1 7/16	SealMaster	VF2S-123M	N
LFT-23E	1 7/16	SealMaster	VF2E-123M	N
LFT-8	1/2	SealMaster	VF2S-108M	N
LFT-8E	1/2	SealMaster	VF2E-108M	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
LFT-SC-008	1/2	Dodge	VF2S-108M	=
LFT-SC-010	5/8	Dodge	VF2S-110M	=
LFT-SC-012	3/4	Dodge	VF2S-112M	=
LFT-SC-014	7/8	Dodge	VF2S-114M	N
LFT-SC-015	15/16	Dodge	VF2S-115M	N
LFT-SC-100	1	Dodge	VF2S-116M	=
LFT-SC-102	1 1/8	Dodge	VF2S-118M	=
LFT-SC-103	1 3/16	Dodge	VF2S-119M	=
LFT-SC-104	1 1/4	Dodge	VF2S-120M	=
LFT-SC-104S	1 1/4	Dodge	VF2S-120SM	=
LFT-SC-106	1 3/8	Dodge	VF2S-122M	=
LFT-SC-107	1 7/16	Dodge	VF2S-123M	=
LP-10	5/8	SealMaster	VPS-110M	=
LP-10E	5/8	SealMaster	VPE-110M	=
LP-12	3/4	SealMaster	VPS-112M	=
LP-12E	3/4	SealMaster	VPE-112M	=
LP-14	7/8	SealMaster	VPS-114M	=
LP-14E	7/8	SealMaster	VPE-114M	=
LP-15		SealMaster	VPS-115M	=
LP-15E	15/16	SealMaster	VPE-115M	=
LP-16	1	SealMaster	VPS-116M	=
LP-16E	1	SealMaster	VPE-116M	=
LP-18	1 1/8	SealMaster	VPS-118M	=
LP-18E	1 1/8	SealMaster	VPE-118M	=
LP-19	1 3/16	SealMaster	VPS-119M	=
LP-19E	1 3/16	SealMaster	VPE-119M	=
LP-20	1 1/4	SealMaster	VPS-120M	=
LP-20E	1 1/4	SealMaster	VPE-120M	=
LP-20R	1 1/4	SealMaster	VPS-120SM	=
LP-20RE	1 1/4	SealMaster	VPE-120SM	=
LP-22	1 3/8	SealMaster	VPS-122M	=
LP-22E	1 3/8	SealMaster	VPE-122M	=
LP-23	1 7/16	SealMaster	VPS-123M	=
LP-23E	1 7/16	SealMaster	VPE-123M	=
LP-8	1/2	SealMaster	VPS-108M	=
LP-8E	1/2	SealMaster	VPE-108M	=
LPB-1	1	RHP	SSPS-116	=
LPB-1 1/4	1 1/4	RHP	SSPS-120S	=
LPB-1 1/4EC	1 1/4	RHP	SSPE-120S	=
LPB-1 1/8	1 1/8	RHP	SSPS-118	=
LPB-1 1/8EC	1 1/8	RHP	SSPE-118	=
LPB-1 3/16	1 3/16	RHP	SSPS-119	=
LPB-1 3/16EC	1 3/16	RHP	SSPE-119	=
LPB-15/16	15/16	RHP	SSPS-115	=
LPB-15/16EC	15/16	RHP	SSPE-115	L, M
LPB-1EC	1	RHP	SSPE-116	H, Z
LPB-7/8	7/8	RHP	SSPS-114	F, X
LPB-7/8EC	7/8	RHP	SSPE-114	=
LPBR-1	1	RHP	SSRPS-116	B
LPBR-15/16	15/16	RHP	SSRPS-115	=

## Note Code

- B - Bolt Centers or OD within 1/16
- F - Bolt Spacing Minimum within 1/64
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- N - Base to Center with 1/64
- X - Bolt Spacing Maximum within 1/8
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
LPBR-15/16EC	15/16	RHP	SSRPE-115	=
LPBR-1EC	1	RHP	SSRPE-116	=
LPBR-3/4	3/4	RHP	SSRPS-112	=
LPBR-3/4EC	3/4	RHP	SSRPE-112	B
LPBR-7/8	7/8	RHP	SSRPS-114	=
LPBR-7/8EC	7/8	RHP	SSRPE-114	=
LRP-12	3/4	SealMaster	SSRPS-112	=
LRP-14	7/8	SealMaster	SSRPS-114	=
LRP-15	15/16	SealMaster	SSRPS-115	=
LRP-16	1	SealMaster	SSRPS-116	=
LRPB 1 3/16	1 3/16	Fafnir	SSPE-119	=
M2000- 1 1/2	1 1/2"	Moline	SFC-1000NE-1 1/2	=
	1 1/2"	Moline	FB-900-1 1/2	1,2
	1 1/2"	Moline	FC-900-1 1/2	1,2
M2000- 2 11/16	2 11/16"	Moline	SPB-1000FNE-2 11/16	G,X
M2000-1 1/2	1 1/2"	Moline	SPB-1000NE-1 1/2	G,X
	1 1/2"	Moline	PB-900-1 1/2	H,Z,1,2
M2000-1 1/4	1 1/4"	Moline	SPB-1000NE-1 1/4	G,X
	1 1/4"	Moline	PB-900-1 1/4	G,X,1,2
M2000-1 1/8	1 1/8"	Moline	SPB-1000NE-1 1/8	G,X
M2000-1 11/16	1 11/16"	Moline	SFB-1000NE-1 11/16	=
	1 11/16"	Moline	SFC-1000NE-1 11/16	=
	1 11/16"	Moline	SPB-1000NE-1 11/16	G,X
	1 11/16"	Moline	FC-900-1 11/16	K,1,2
	1 11/16"	Moline	PBE-920-1 11/16	L,M,1,2
	1 11/16"	Moline	PB-900-1 11/16	H,Z,1,2
M2000-1 15/16	1 15/16"	Moline	SFB-1000NE-1 15/16	=
	1 15/16"	Moline	SFC-1000NE-1 15/16	=
	1 15/16"	Moline	SFC-1100NE-1 15/16	4
	1 15/16"	Moline	FC-900-1 15/16	1,2
M2000-1 3/16	1 3/16"	Moline	SPB-1000NE-1 3/16	G,X
	1 3/16"	Moline	PB-900-1 3/16	G,X,1,2
M2000-1 3/4	1 3/4"	Moline	SFB-1000NE-1 3/4	=
	1 3/4"	Moline	SFC-1000NE-1 3/4	=
	1 3/4"	Moline	SPB-1000NE-1 3/4	G,X
	1 3/4"	Moline	FC-900-1 3/4	K,1,2
	1 3/4"	Moline	PB-900-1 3/4	H,Z,1,2
M2000-1 7/16	1 7/16"	Moline	SFB-1000NE-1 7/16	=
	1 7/16"	Moline	SFC-1000NE-1 7/16	=
	1 7/16"	Moline	SPB-1000NE-1 7/16	G,X
	1 7/16"	Moline	FB-900-1 7/16	1,2
	1 7/16"	Moline	FBE-920-1 7/16	1,2
	1 7/16"	Moline	FC-900-1 7/16	1,2
	1 7/16"	Moline	PB-900-1 7/16	H,Z,1,2
	1 7/16"	Moline	PBE-920-1 7/16	J,M,1,2
M2000-2	2"	Moline	SFB-1000NE-2	=
	2"	Moline	SFC-1000NE-2	=
	2"	Moline	SFC-1100NE-2	4
	2"	Moline	FC-900-2	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
M2000-2 1/2	2 1/2"	Moline	SFB-1000NE-2 1/2	=
	2 1/2"	Moline	SFC-1000NE-2 1/2	=
	2 1/2"	Moline	SFC-1100NE-2 1/2	4
	2 1/2"	Moline	SPB-1000NE-2 1/2	G,X
	2 1/2"	Moline	SPB-1000FNE-2 1/2	G,X
	2 1/2"	Moline	FC-900-2 1/2	1,2
M2000-2 11/16	2 11/16"	Moline	SFB-1000NE-2 11/16	=
	2 11/16"	Moline	SFC-1000NE-2 11/16	=
	2 11/16"	Moline	SFC-1100NE-2 11/16	4
	2 11/16"	Moline	SPB-1000NE-2 11/16	G,X
	2 11/16"	Moline	FC-900-2 11/16	1,2
M2000-2 15/16	2 15/16"	Moline	SFB-1000NE-2 15/16	=
	2 15/16"	Moline	SFC-1000NE-2 15/16	=
	2 15/16"	Moline	SFC-1100NE-2 15/16	4
	2 15/16"	Moline	SPB-1000NE-2 15/16	G,X
	2 15/16"	Moline	SPB-1000FNE-2 15/16	G,X
	2 15/16"	Moline	FC-900-2 15/16	1,2
M2000-2 3/16	2 3/16"	Moline	SFB-1000NE-2 3/16	=
	2 3/16"	Moline	SFC-1000NE-2 3/16	=
	2 3/16"	Moline	SFC-1100NE-2 3/16	4
	2 3/16"	Moline	FC-900-2 3/16	1,2
M2000-2 3/4	2 3/4"	Moline	SFB-1000NE-2 3/4	=
	2 3/4"	Moline	SFC-1000NE-2 3/4	=
	2 3/4"	Moline	SFC-1100NE-2 3/4	4
	2 3/4"	Moline	SPB-1000NE-2 3/4	G,X
	2 3/4"	Moline	SPB-1000FNE-2 3/4	G,X
	2 3/4"	Moline	FC-900-2 3/4	1,2
M2000-2 7/16	2 7/16"	Moline	SFB-1000NE-2 7/16	=
	2 7/16"	Moline	SFC-1000NE-2 7/16	=
	2 7/16"	Moline	SFC-1100NE-2 7/16	4
	2 7/16"	Moline	SPB-1000NE-2 7/16	G,X
	2 7/16"	Moline	FC-900-2 7/16	1,2
M2000-3	3"	Moline	SFB-1000NE-3	=
	3"	Moline	SFC-1000NE-3	=
	3"	Moline	SFC-1100NE-3	4
	3"	Moline	SPB-1000NE-3	G,X
	3"	Moline	SPB-1000FNE-3	G,X
	3"	Moline	FC-900-3	1,2
M2000-3 1/2	3 1/2"	Moline	SFB-1000NE-3 1/2	=
	3 1/2"	Moline	SFC-1000NE-3 1/2	=
	3 1/2"	Moline	SFC-1100NE-3 1/2	4
	3 1/2"	Moline	SPB-1000NE-3 1/2	H,Y
	3 1/2"	Moline	FC-900-3 1/2	1,2
	3 1/2"	Moline	SPB-1100NE-3 1/2	G,M,4
	3 1/2"	Moline	PBE-920-3 1/2	J,M,1,2
	3 1/2"	Moline	PB-900-3 1/2	G,M,1,2
M2000-3 11/16	3 11/16"	Moline	SFC-1000NE-3 11/16	=
	3 11/16"	Moline	SPB-1000NE-3 11/16	G,X
	3 11/16"	Moline	SPB-1000FNE-3 11/16	G,X

## Note Code

- B - Bolt Centers or OD within 1/16
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- K - Pilot within 1/64
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2
- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
M2000-3 15/16	3 15/16"	Moline	SFC-1000NE-3 15/16	=
	3 15/16"	Moline	SPB-1000NE-3 15/16	G,X
	3 15/16"	Moline	SPB-1000FNE-3 15/16	G,X
	3 15/16"	Moline	PB-900-3 15/16	G,X,1,2
	3 15/16"	Moline	PBE-920F-3 15/16	J,Y,1,2
M2000-3 3/16	3 3/16"	Moline	SFB-1000NE-3 3/16	=
	3 3/16"	Moline	SFC-1000NE-3 3/16	=
	3 3/16"	Moline	SFC-1100NE-3 3/16	4
	3 3/16"	Moline	SPB-1000NE-3 3/16"	H,Y
	3 3/16"	Moline	SPB-1100NE-3 3/16	G,M,4
	3 3/16"	Moline	PBE-920-3 3/16	J,M,1,2
M2000-3 7/16	3 7/16"	Moline	SFB-1000NE-3 7/16	=
	3 7/16"	Moline	SFC-1000NE-3 7/16	=
	3 7/16"	Moline	SFC-1100NE-3 7/16	4
	3 7/16"	Moline	SPB-1000NE-3 7/16	H,Y
	3 7/16"	Moline	FC-900-3 7/16	1,2
	3 7/16"	Moline	SPB-1100NE-3 7/16	G,M,4
	3 7/16"	Moline	PBE-920-3 7/16	J,M,1,2
	3 7/16"	Moline	PB-900-3 7/16	G,M,1,2
M2000-4	4"	Moline	SFC-1000NE-4	=
	4"	Moline	SPB-1000NE-4	G,X
	4"	Moline	SPB-1000FNE-4	G,X
	4"	Moline	PB-900-4	G,X,1,2
	4"	Moline	PBE-920F-4	J,Y,1,2
MBF-1 1/2	1 1/2	Boston	VF4S-324	=
MBF-1 11/16	1 11/16	Boston	VF4S-327	=
MBF-1 15/16	1 15/16	Boston	VF4S-331	=
MBF-1 3/4	1 3/4	Boston	VF4S-328	=
MBF-1 7/16	1 7/16	Boston	VF4S-323	=
MBF-2	2	Boston	VF4S-332	=
MBF-2 1/2	2 1/2	Boston	VF4S-340	B
MBF-2 1/4	2 1/4	Boston	VF4S-336	=
MBF-2 11/16	2 11/16	Boston	VF4S-343	=
MBF-2 15/16	2 15/16	Boston	VF4S-347	B
MBF-2 3/16	2 3/16	Boston	VF4S-335	=
MBF-2 7/16	2 7/16	Boston	VF4S-339	=
MBF-3	3	Boston	VF4S-348	=
MBF-3 1/2	3 1/2	Boston	VF4S-356	V
MBF-3 7/16	3 7/16	Boston	VF4S-355	V
MFC 1	1	RHP	VFCS-316	=
MFC 1 1/4	1 1/4	RHP	VFCS-320	=
MFC 1 11/16	1 11/16	RHP	VFCS-327	V
MFC 1 15/16	1 15/16	RHP	VFCS-331	V
MFC 1 3/16	1 3/16	RHP	VFCS-319	=
MFC 1 3/4	1 3/4	RHP	VFCS-328	=
MFC 1 7/16	1 7/16	RHP	VFCS-323	=
MFC 2	2	RHP	VFCS-332	=
MFC 2 1/2	2 1/2	RHP	VFCS-340	=
MFC 2 1/4	2 1/4	RHP	VFCS-336	=
MFC 2 11/16	2 11/16	RHP	VFCS-343	=
MFC 2 15/16	2 15/16	RHP	VFCS-347	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
MFC 2 3/16	2 3/16	RHP	VFCS-335	G, X
MFC 2 7/16	2 7/16	RHP	VFCS-339	G, X
MFC 3	3	RHP	VFCS-348	L, M
MFC 3 1/2	3 1/2	RHP	VFCS-356	L, M
MFC 3 7/16	3 7/16	RHP	VFCS-355	G, X
MP-1 1/4	1 1/4	RHP	VPS-220	G, X
MP-2	2	RHP	VPS-232	G, X
MP-2 1/4	2 1/4	RHP	VPS-236	L, M
MSF-1	1	RHP	VF4S-316	L, M
MSF-1 1/2	1 1/2	RHP	VF4S-324	G, X
MSF-1 11/16	1 11/16	RHP	VF4S-327	G, X
MSF-1 15/16	1 15/16	RHP	VF4S-331	J, X
MSF-1 3/16	1 3/16	RHP	VF4S-319	J, X
MSF-1 3/4	1 3/4	RHP	VF4S-328	H, X
MSF-1 7/16	1 7/16	RHP	VF4S-323	H, X
MSF-2	2	RHP	VF4S-332	G, X
MSF-2 1/2	2 1/2	RHP	VF4S-340	G, X
MSF-2 1/4	2 1/4	RHP	VF4S-336	J, X
MSF-2 11/16	2 11/16	RHP	VF4S-343	J, X
MSF-2 15/16	2 15/16	RHP	VF4S-347	L, M
MSF-2 3/16	2 3/16	RHP	VF4S-335	L, M
MSF-2 7/16	2 7/16	RHP	VF4S-339	J, X
MSF-3	3	RHP	VF4S-348	J, X
MSF-3 1/2	3 1/2	RHP	VF4S-356	L, M
MSF-3 15/16	3 15/16	RHP	VF4S-363	L, M
MSF-3 7/16	3 7/16	RHP	VF4S-355	G, X
MSFT-1	1	RHP	VF2S-316	G, X
MSFT-1 1/2	1 1/2	RHP	VF2S-324	G, X
MSFT-1 1/4	1 1/4	RHP	VF2S-320	H, Z
MSFT-1 11/16	1 11/16	RHP	VF2S-327	G, Z
MSFT-1 15/16	1 15/16	RHP	VF2S-331	L, Y
MSFT-1 3/16	1 3/16	RHP	VF2S-319	H, Z
MSFT-1 3/4	1 3/4	RHP	VF2S-328	G, Z
MSFT-1 7/16	1 7/16	RHP	VF2S-323	H, X
MSFT-2	2	RHP	VF2S-332	G, Y
MSL-10L	5/8	MB	SLS-110	G, Y
MSL-12	3/4	MB	SLS-112	L, M
MSL-14	7/8	MB	SLS-114	L, M
MSL-15	15/16	MB	SLS-115	G, X
MSL-16	1	MB	SLS-116	G, X
MSL-17	1 1/16	MB	SLS-117	
MSL-18	1 1/8	MB	SLS-118	G, Y
MSL-19	1 3/16	MB	SLS-119	G, Y
MSL-20	1 1/4	MB	SLS-120	G, Y
MSL-20S	1 1/4	MB	SLS-120S	H, X
MSL-22	1 3/8	MB	SLS-122	H, X
MSL-23	1 7/16	MB	SLS-123	G, X
MSL-24	1 1/2	MB	SLS-124	G, X
MSL-8L	1/2	MB	SLS-108	H, X
MSLN-10L	5/8	MB	SLS-110	G, X
MSLN-12	3/4	MB	SLS-112	G, X

## Note Code

- B - Bolt Centers or OD within 1/16  
 G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 V - Slot Spacing within 1/16  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4  
 Z - Bolt Spacing Maximum within 1/2  
 = - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements  
 4 - Different Housing Materials

- Black - Ball Bearings  
 Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
MSLN-14	7/8	MB	SLS-114	J
MSLN-15	15/16	MB	SLS-115	J
MSLN-16	1	MB	SLS-116	H
MSLN-17	1 1/16	MB	SLS-117	H
MSLN-18	1 1/8	MB	SLS-118	H
MSLN-19	1 3/16	MB	SLS-119	G
MSLN-20	1 1/4	MB	SLS-120	G
MSLN-20S	1 1/4	MB	SLS-120S	G, Y
MSLN-22	1 3/8	MB	SLS-122	
MSLN-23	1 7/16	MB	SLS-123	X
MSLN-24	1 1/2	MB	SLS-124	G, Y
MSLN-8L	1/2	MB	SLS-108	H, X
MST 1 1/2	1 1/2	RHP	VTWS-324	G, X
MST 1 11/16	1 11/16	RHP	VTWS-327	H
MST 1 15/16	1 15/16	RHP	VTWS-331	G
MST 1 3/16	1 3/16	RHP	VTWS-319	G, Y
MST 1 3/4	1 3/4	RHP	VTWS-328	X
MST 1 7/16	1 7/16	RHP	VTWS-323	X
MST 2	2	RHP	VTWS-332	G, Y
MST 2 1/2	2 1/2	RHP	VTWS-340	G, Y
MST 2 1/4	2 1/4	RHP	VTWS-336	G, Y
MST 2 11/16	2 11/16	RHP	VTWS-343	H, X
MST 2 15/16	2 15/16	RHP	VTWS-347	H, X
MST 2 3/16	2 3/16	RHP	VTWS-335	G, X
MST 2 7/16	2 7/16	RHP	VTWS-339	H, X
MST 3	3	RHP	VTWS-348	G, X
NP- 1 1/8	1 1/8	RHP	VPS-218	G, X
NP- 1 1/8EC	1 1/8	RHP	VPE-218	H
NP- 1 7/16	1 7/16	RHP	VPS-223	H
NP- 1 7/16EC	1 7/16	RHP	VPE-223	H
NP-1	1	RHP	VPS-216	G
NP-1 1/2	1 1/2	RHP	VPLS-224	G
NP-1 1/2EC	1 1/2	RHP	VPLE-224	G, Y
NP-1 1/4	1 1/4	RHP	VPS-220	G, Y
NP-1 1/4EC	1 1/4	RHP	VPE-220	X
NP-1 1/4ECR	1 1/4	RHP	VPE-220S	X
NP-1 1/4R	1 1/4	RHP	VPS-220S	G, X
NP-1 11/16	1 11/16	RHP	VPS-227	G, Y
NP-1 11/16EC	1 11/16	RHP	VPE-227	G, Y
NP-1 15/16	1 15/16	RHP	VPS-231	G, Y
NP-1 15/16EC	1 15/16	RHP	VPE-231	X
NP-1 3/16	1 3/16	RHP	VPS-219	X
NP-1 3/16EC	1 3/16	RHP	VPE-219	G, X
NP-1 3/4	1 3/4	RHP	VPS-228	G, Y
NP-1 3/4EC	1 3/4	RHP	VPE-228	X
NP-1 3/8	1 3/8	RHP	VPS-222	L, M
NP-1 3/8EC	1 3/8	RHP	VPE-222	L, M
NP-1 5/8	1 5/8	RHP	VPS-226	=
NP-1 5/8EC	1 5/8	RHP	VPE-226	X
NP-1/2	1/2	RHP	VPS-208	X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
NP-1/2EC	1/2	RHP	VPE-208	X
NP-15/16	15/16	RHP	VPS-215	G, X
NP-15/16EC	15/16	RHP	VPE-215	G, X
NP-1EC	1	RHP	VPE-216	L, M
NP-2	2	RHP	VPS-232	L, M
NP-2 1/4	2 1/4	RHP	VPS-236	L, M
NP-2 15/16	2 15/16	RHP	VPLS-247	G, Y
NP-2 3/16	2 3/16	RHP	VPS-235	H, X
NP-2 7/16	2 7/16	RHP	VPS-239	H, X
NP-2R	2	RHP	VPS-232S	H, X
NP-3/4	3/4	RHP	VPS-212	G, Y
NP-3/4EC	3/4	RHP	VPE-212	G, Y
NP-5/8	5/8	RHP	VPS-210	H, X
NP-5/8EC	5/8	RHP	VPE-210	=
NP-7/8	7/8	RHP	VPS-214	G, Z
NP-7/8EC	7/8	RHP	VPE-214	=
P-B22416H	1"	Link-Belt	PB-900-1	1,2
	1"	Link-Belt	PB-900-1	J,Z,1,2
P-B22419H	1 3/16"	Link-Belt	SPB-1000NE-1 3/16	=
	1 3/16"	Link-Belt	SPB-1000NE-1 3/16	J,Z
	1 3/16"	Link-Belt	PB-900-1 3/16	1,2
	1 3/16"	Link-Belt	PB-900-1 3/16	J,Z,1,2
P-B22420H	1 1/4"	Link-Belt	SPB-1000NE-1 1/4	=
	1 1/4"	Link-Belt	SPB-1000NE-1 1/4	J,Z
	1 1/4"	Link-Belt	PB-900-1 1/4	1,2
	1 1/4"	Link-Belt	PB-900-1 1/4	J,Z,1,2
P-B22423H	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	=
	1 7/16"	Link-Belt	PB-900-1 7/16	G,M,1,2
	1 7/16"	Link-Belt	PBE-920-1 7/16	J,M,1,2
P-B22424H	1 1/2"	Link-Belt	SPB-1000NE-1 1/2	=
	1 1/2"	Link-Belt	SPB-1000NE-1 1/2	J,Z
	1 1/2"	Link-Belt	PB-900-1 1/2	L,X,1,2
	1 1/2"	Link-Belt	PB-900-1 1/2	G,M,1,2
P-B22426H	1 5/8"	Link-Belt	PB-900-1 5/8	L,X,1,2
	1 5/8"	Link-Belt	PBE-920-1 5/8	L,Y,1,2
	1 5/8"	Link-Belt	PB-900-1 5/8	G,M,1,2
	1 5/8"	Link-Belt	PBE-920-1 5/8	J,M,1,2
P-B22427H	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	W
	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	J,Z
	1 11/16"	Link-Belt	PB-900-1 11/16	L,X,1,2
	1 11/16"	Link-Belt	PBE-920-1 11/16	L,Y,1,2
	1 11/16"	Link-Belt	PB-900-1 11/16	G,M,1,2
	1 11/16"	Link-Belt	PBE-920-1 11/16	J,M,1,2
P-B22428H	1 3/4"	Link-Belt	SPB-1000NE-1 3/4	W
	1 3/4"	Link-Belt	SPB-1000NE-1 3/4	J,Z
	1 3/4"	Link-Belt	PB-900-1 3/4	L,X,1,2
	1 3/4"	Link-Belt	PB-900-1 3/4	G,M,1,2

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- W - Bolt Spacing Maximum within 1/64
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P-B22431H	1 15/16"	Link-Belt	SPB-1000NE-1 15/16	=
	1 15/16"	Link-Belt	SPB-1000NE-1 15/16	L,M
	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	L,X,4
	1 15/16"	Link-Belt	PBE-920-1 15/16	L,X,1,2
	1 15/16"	Link-Belt	PB-900-1 15/16	L,X,1,2
	1 15/16"	Link-Belt	PB-900-1 15/16	G,M,1,2
P-B22432H	2"	Link-Belt	SPB-1000NE-2	=
	2"	Link-Belt	SPB-1000NE-2	L,M
	2"	Link-Belt	SPB-1100NE-2	G,M,4
	2"	Link-Belt	SPB-1100NE-2	L,X,4
	2"	Link-Belt	PBE-920-2	L,X,1,2
	2"	Link-Belt	PB-900-2	L,X,1,2
	2"	Link-Belt	PB-900-2	G,M,1,2
P-B22435H	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	G
	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	L,M
	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	L,Y,4
	2 3/16"	Link-Belt	PB-900-2 3/16	L,Y,1,2
	2 3/16"	Link-Belt	PBE-920-2 3/16	L,Z,1,2
	2 3/16"	Link-Belt	PB-900-2 3/16	G,M,1,2
P-B22439H	2 7/16"	Link-Belt	SPB-1000NE-2 7/16	=
	2 7/16"	Link-Belt	SPB-1000NE-2 7/16	L,M
	2 7/16"	Link-Belt	SPB-1100NE-2 7/16	L,M,4
	2 7/16"	Link-Belt	PBE-920-2 7/16	L,M,1,2
	2 7/16"	Link-Belt	PB-900-2 7/16	L,M,1,2
P-B22440FH	2 1/2"	Link-Belt	SPB-1000FNE-2 1/2	G,Y
P-B22440H	2 1/2"	Link-Belt	SPB-1000NE-2 1/2	=
	2 1/2"	Link-Belt	SPB-1000NE-2 1/2	L,M
	2 1/2"	Link-Belt	SPB-1100NE-2 1/2	L,M,4
	2 1/2"	Link-Belt	PBE-920-2 1/2	L,M,1,2
	2 1/2"	Link-Belt	PB-900-2 1/2	L,M,1,2
P-B22443FH	2 11/16"	Link-Belt	SPB-1000FNE-2 11/16	G,X
P-B22443H	2 11/16"	Link-Belt	SPB-1000NE-2 11/16	=
P-B22444FH	2 11/16"	Link-Belt	SPB-1000NE-2 11/16	L,M
P-B22444H	2 3/4"	Link-Belt	SPB-1000FNE-2 3/4	G,X
P-B22444H	2 3/4"	Link-Belt	SPB-1000NE-2 3/4	=
P-B22447FH	2 3/4"	Link-Belt	SPB-1000NE-2 3/4	L,M
P-B22447FH	2 15/16"	Link-Belt	SPB-1000FNE-2 15/16	G,X
P-B22447H	2 15/16"	Link-Belt	SPB-1000NE-2 15/16	=
P-B22447H	2 15/16"	Link-Belt	SPB-1000NE-2 15/16	L,M
P-B22448FH	3"	Link-Belt	SPB-1000FNE-3	G,X
P-B22448H	3"	Link-Belt	SPB-1000NE-3	=
P-B22448H	3"	Link-Belt	SPB-1000NE-3	L,M
P-B22451FH	3 3/16"	Link-Belt	SPB-1000FNE-3 3/16	=
P-B22451H	3 3/16"	Link-Belt	SPB-1000NE-3 3/16"	=
P-B22451H	3 3/16"	Link-Belt	SPB-1000NE-3 3/16"	L,M
P-B22451H	3 3/16"	Link-Belt	SPB-1100NE-3 3/16	G,Z,4
P-B22451H	3 3/16"	Link-Belt	SPB-1100NE-3 3/16	L,Z,4
P-B22451H	3 3/16"	Link-Belt	PBE-920-3 3/16	J,M,1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P-B22455FH	3 7/16"	Link-Belt	SPB-1000FNE-3 7/16	=
P-B22455H	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	=
	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	L,M
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	G,Z,4
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	L,Z,4
	3 7/16"	Link-Belt	PBE-920-3 7/16	J,M,1,2
	3 7/16"	Link-Belt	PB-900-3 7/16	G,Z,1,2
	3 7/16"	Link-Belt	PB-900-3 7/16	L,Z,1,2
P-B22456FH	3 1/2"	Link-Belt	SPB-1000FNE-3 1/2	=
P-B22456H	3 1/2"	Link-Belt	SPB-1000NE-3 1/2	=
	3 1/2"	Link-Belt	SPB-1000NE-3 1/2	L,M
	3 1/2"	Link-Belt	SPB-1100NE-3 1/2	G,Z,4
	3 1/2"	Link-Belt	SPB-1100NE-3 1/2	L,Z,4
	3 1/2"	Link-Belt	PBE-920-3 1/2	J,M,1,2
	3 1/2"	Link-Belt	PB-900-3 1/2	G,Z,1,2
	3 1/2"	Link-Belt	PB-900-3 1/2	L,Z,1,2
P-B22459FH	3 11/16"	Link-Belt	SPB-1000FNE-3 11/16	L
P-B22459FH	3 11/16"	Link-Belt	SPB-1000FNE-3 11/16	L
P-B22463FH	3 15/16"	Link-Belt	SPB-1000FNE-3 15/16	L
	3 15/16"	Link-Belt	SPB-1000FNE-3 15/16	L
P-B22464FH	4"	Link-Belt	SPB-1000FNE-4	L
P-B22464FH	4"	Link-Belt	SPB-1000FNE-4	L
P-B22571FH	4 7/16"	Link-Belt	PB-900-4 7/16	L,Z,1,2
	4 7/16"	Link-Belt	PB-900-4 7/16	L,Z,1,2
P-B22572FH	4 1/2"	Link-Belt	PB-900-4 1/2	L,Z,1,2
	4 1/2"	Link-Belt	PB-900-4 1/2	L,Z,1,2
P-B22579FH	4 15/16"	Link-Belt	PB-900-4 15/16	L,Z,1,2
	4 15/16"	Link-Belt	PB-900-4 15/16	L,Z,1,2
P-B22580FH	5"	Link-Belt	PB-900-5	L,Z,1,2
	5"	Link-Belt	PB-900-5	L,Z,1,2
P-LB6835R	2 3/16"	Link-Belt	PB-950NE-2 3/16	J,Y,1,2,4
	2 3/16"	Link-Belt	PB-970NE-2 3/16	J,Y,1,2,4
P-LB6847R	2 15/16"	Link-Belt	PB-950NE-2 15/16	J,M,1,2,4
	2 15/16"	Link-Belt	PB-970NE-2 15/16	J,M,1,2,4
P-LB6848R	3"	Link-Belt	PB-970NE-3	J,M,1,2,4
P-LB6855R	3 7/16"	Link-Belt	PB-950NE-3 7/16	L,M,1,2,4
	3 7/16"	Link-Belt	PB-970NE-3 7/16	L,M,1,2,4
P-LB6856R	3 1/2"	Link-Belt	PB-950NE-3 1/2	L,M,1,2,4
	3 1/2"	Link-Belt	PB-970NE-3 1/2	L,M,1,2,4
P2B-DI-108R	1 1/2"	Dodge	PB-970NE-1 1/2	H,X,4
P2B-DI-108RE	1 1/2"	Dodge	PB-970NE-1 1/2	H,X,4
P2B-DI-110R	1 5/8"	Dodge	PB-950NE-1 5/8	H,X,1,4
P2B-DI-110RE	1 5/8"	Dodge	PB-950NE-1 5/8	H,X,1,4
P2B-DI-111R	1 11/16"	Dodge	PB-950NE-1 11/16	H,X,1,4
P2B-DI-111RE	1 11/16"	Dodge	PB-950NE-1 11/16	H,X,1,4
P2B-DI-112R	1 3/4"	Dodge	PB-970NE-1 3/4	J,X,4
P2B-DI-112RE	1 3/4"	Dodge	PB-970NE-1 3/4	J,X,4
P2B-DI-114R	1 7/8"	Dodge	PB-950NE-1 7/8	J,X,1,4
P2B-DI-114RE	1 7/8"	Dodge	PB-950NE-1 7/8	J,X,1,4
P2B-DI-115R	1 15/16"	Dodge	PB-970NE-1 15/16	J,X,4
	1 15/16"	Dodge	PB-950NE-1 15/16	J,X,1,4

### Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2
- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-DI-115RE	1 15/16"	Dodge	PB-970NE-1 15/16	J,X,4
	1 15/16"	Dodge	PB-950NE-1 15/16	J,X,1,4
P2B-DI-200R	2"	Dodge	PB-970NE-2	J,X,4
	2"	Dodge	PB-950NE-2	J,X,1,4
P2B-DI-200RE	2"	Dodge	PB-970NE-2	J,X,4
	2"	Dodge	PB-950NE-2	J,X,1,4
P2B-DI-203R	2 3/16"	Dodge	PB-970NE-2 3/16	H,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,1,4
P2B-DI-203RE	2 3/16"	Dodge	PB-970NE-2 3/16	H,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,1,4
P2B-DI-204R	2 1/4"	Dodge	PB-970NE-2 1/4	H,X,4
	2 1/4"	Dodge	PB-950NE-2 1/4	H,X,1,4
P2B-DI-204RE	2 1/4"	Dodge	PB-970NE-2 1/4	H,X,4
	2 1/4"	Dodge	PB-950NE-2 1/4	H,X,1,4
P2B-DI-207R	2 7/16"	Dodge	PB-970NE-2 7/16	H,X,4
	2 7/16"	Dodge	PB-950NE-2 7/16	H,X,1,4
P2B-DI-207RE	2 7/16"	Dodge	PB-970NE-2 7/16	H,X,4
	2 7/16"	Dodge	PB-950NE-2 7/16	H,X,1,4
P2B-DI-208R	2 1/2"	Dodge	PB-970NE-2 1/2	H,X,4
	2 1/2"	Dodge	PB-950NE-2 1/2	H,X,1,4
P2B-DI-208RE	2 1/2"	Dodge	PB-970NE-2 1/2	H,X,4
	2 1/2"	Dodge	PB-950NE-2 1/2	H,X,1,4
P2B-DI-211R	2 11/16"	Dodge	PB-970NE-2 11/16	J,X,4
	2 11/16"	Dodge	PB-950NE-2 11/16	J,X,1,4
P2B-DI-211RE	2 11/16"	Dodge	PB-970NE-2 11/16	J,X,4
	2 11/16"	Dodge	PB-950NE-2 11/16	J,X,1,4
P2B-DI-212R	2 3/4"	Dodge	PB-950NE-2 3/4	J,X,1,4
P2B-DI-212RE	2 3/4"	Dodge	PB-950NE-2 3/4	J,X,1,4
P2B-DI-215R	2 15/16"	Dodge	PB-970NE-2 15/16	J,X,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,X,1,4
P2B-DI-215RE	2 15/16"	Dodge	PB-970NE-2 15/16	J,X,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,X,1,4
P2B-DI-300R	3"	Dodge	PB-970NE-3	J,X,4
	3"	Dodge	PB-950NE-3	L,M,1,4
P2B-DI-300RE	3"	Dodge	PB-970NE-3	J,X,4
	3"	Dodge	PB-950NE-3	L,M,1,4
P2B-DI-303R	3 3/16"	Dodge	PB-970NE-3 3/16	J,X,4
P2B-DI-303RE	3 3/16"	Dodge	PB-970NE-3 3/16	J,X,4
P2B-DI-307R	3 7/16"	Dodge	PB-970NE-3 7/16	J,X,4
P2B-DI-307RE	3 7/16"	Dodge	PB-950NE-3 7/16	J,X,1,4
	3 7/16"	Dodge	PB-970NE-3 7/16	J,X,4
P2B-DI-308R	3 1/2"	Dodge	PB-970NE-3 1/2	J,X,4
	3 1/2"	Dodge	PB-950NE-3 1/2	J,X,1,4
P2B-DI-308RE	3 1/2"	Dodge	PB-970NE-3 1/2	J,X,4
	3 1/2"	Dodge	PB-950NE-3 1/2	J,X,1,4
P2B-DL-012	3/4	Dodge	VPB-212	X
P2B-DL-014	7/8	Dodge	VPB-214	X
P2B-DL-015	15/16	Dodge	VPB-215	X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-DL-100	1	Dodge	VPB-216	G, X
P2B-DL-102	1 1/8	Dodge	VPB-218	G, X
P2B-DL-103	1 3/16	Dodge	VPB-219	L, M
P2B-DL-104	1 1/4	Dodge	VPB-220	G, X
	1 1/4	Dodge	VPB-320	L, M
P2B-DL-104S	1 1/4	Dodge	VPB-220S	L, M
P2B-DL-106	1 3/8	Dodge	VPB-222	J
P2B-DL-107	1 7/16	Dodge	VPB-223	H, X
P2B-DL-108	1 1/2	Dodge	VPB-224	H, X
	1 1/2	Dodge	VPLB-224	H, X
P2B-DL-110L	1 5/8	Dodge	VPB-226	G, Y
P2B-DL-111	1 11/16	Dodge	VPB-227	G, Y
P2B-DL-112	1 3/4	Dodge	VPB-228	H, X
P2B-DL-115	1 15/16	Dodge	VPB-231	H, X
P2B-DL-200	2	Dodge	VPB-232S	=
P2B-DL-203	2 3/16	Dodge	VPB-235	=
P2B-DL-207	2 7/16	Dodge	VPB-239	L, Z
P2B-DLAH-012	3/4	Dodge	VPB-212	J, Z
P2B-DLAH-100	1	Dodge	VPB-216	H, Z
P2B-DLAH-103	1 3/16	Dodge	VPB-219	J, Z
P2B-DLAH-107	1 7/16	Dodge	VPB-223	L, M
P2B-DLAH-111	1 11/16	Dodge	VPB-227	L, M
P2B-DLAH-115	1 15/16	Dodge	VPB-231	H, X
P2B-DLAH-203	2 3/16	Dodge	VPB-235	=
P2B-DLAH-207	2 7/16	Dodge	VPB-239	L, M
P2B-DLB-012	3/4	Dodge	VPLB-212	L, M
P2B-DLB-014	7/8	Dodge	VPLB-214	G, X
P2B-DLB-015	15/16	Dodge	VPLB-215	L, Z
P2B-DLB-100	1	Dodge	VPLB-216	J, Y
P2B-DLB-102	1 1/8	Dodge	VPLB-218	J, Y
P2B-DLB-103	1 3/16	Dodge	VPLB-219	D
P2B-DLB-104	1 1/4	Dodge	VPLB-220	D
P2B-DLB-104S	1 1/4	Dodge	VPLB-220S	D
P2B-DLB-106	1 3/8	Dodge	VPLB-222	D
P2B-DLB-107	1 7/16	Dodge	VPLB-223	D
P2B-DLB-110L	1 5/8	Dodge	VPLB-226	D
P2B-DLB-111	1 11/16	Dodge	VPLB-227	D
P2B-DLB-112	1 3/4	Dodge	VPLB-228	D
P2B-DLB-115	1 15/16	Dodge	VPLB-231	L, M
P2B-DLB-200	2	Dodge	VPLB-232S	L, M
P2B-DLB-200L	2	Dodge	VPLB-232	=
P2B-DLB-203	2 3/16	Dodge	VPLB-235	X
P2B-DLB-204L	2 1/4	Dodge	VPLB-236	X
P2B-DLB-207	2 7/16	Dodge	VPLB-239	X
P2B-DLM-103	1 3/16	Dodge	VPB-319	L, M
P2B-DLM-115	1 15/16	Dodge	VPB-331	L, M
P2B-DLM-200	2	Dodge	VPB-332	H, X
P2B-DLM-203	2	Dodge	VPB-232	L, M
	2 3/16	Dodge	VPB-335	H, X
P2B-DLM-204	2 1/4	Dodge	VPB-236	H, X

## Note Code

- |   |                                 |                       |
|---|---------------------------------|-----------------------|
| D - Bolt Centers greater than 1/8         | = - Fully Interchangeable       | Black - Ball Bearings |
| G - Bolt Spacing Minimum within 1/8       | 1 - Different Locking Devices   | Red - Roller Bearings |
| H - Bolt Spacing Minimum within 1/4       | 4 - Different Housing Materials |                       |
| J - Bolt Spacing Minimum within 1/2       |                                 |                       |
| L - Bolt Spacing Minimum Greater than 1/2 |                                 |                       |
| M - Bolt Spacing Maximum Greater than 1/2 |                                 |                       |
| X - Bolt Spacing Maximum within 1/8       |                                 |                       |
| Y - Bolt Spacing Maximum within 1/4       |                                 |                       |
| Z - Bolt Spacing Maximum within 1/2       |                                 |                       |

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-DLMAH-103	1 3/16	Dodge	VPB-319	G, Y
P2B-DLMAH-115	1 15/16	Dodge	VPB-331	H, X
P2B-DLMAH-203	2 3/16	Dodge	VPB-335	H, X
P2B-E-103R	1 3/16"	Dodge	PBE-920-1 3/16	J, Y
P2B-E-104R	1 1/4"	Dodge	PBE-920-1 1/4	J, Y
P2B-E-106R	1 3/8"	Dodge	PBE-920-1 3/8	L, X
P2B-E-107R	1 7/16"	Dodge	PB-900-1 7/16	L, 1
	1 7/16"	Dodge	PBE-920-1 7/16	L, X
	1 7/16"	Dodge	SPB-1000NE-1 7/16	L, M, 1, 2
P2B-E-108R	1 1/2"	Dodge	PBE-920-1 1/2	J, X
P2B-E-110R	1 5/8"	Dodge	PB-900-1 5/8	L, 1
	1 5/8"	Dodge	PBE-920-1 5/8	J, X
P2B-E-111R	1 11/16"	Dodge	PB-900-1 11/16	L, 1
	1 11/16"	Dodge	PBE-920-1 11/16	J, X
	1 11/16"	Dodge	SPB-1000NE-1 11/16	L, M, 1, 2
P2B-E-112R	1 3/4"	Dodge	PBE-920-1 3/4	L, X
P2B-E-114R	1 7/8"	Dodge	PB-900-1 7/8	L, 1
P2B-E-115R	1 15/16"	Dodge	PB-900-1 15/16	L, 1
	1 15/16"	Dodge	PBE-920-1 15/16	L, X
	1 15/16"	Dodge	SPB-1000NE-1 15/16	L, M, 1, 2
	1 15/16"	Dodge	SPB-1100NE-1 15/16	L, 1, 2, 4
P2B-E-200R	2"	Dodge	PB-900-2	L, 1
	2"	Dodge	PBE-920-2	L, X
	2"	Dodge	SPB-1000NE-2	L, M, 1, 2
	2"	Dodge	SPB-1100NE-2	L, 1, 2, 4
P2B-E-203R	2 3/16"	Dodge	PBE-920-2 3/16	L, X
P2B-E-211R	2 11/16"	Dodge	PBE-920-2 11/16	L, X
P2B-E-212R	2 3/4"	Dodge	PBE-920-2 3/4	L, X
P2B-E-215R	2 15/16"	Dodge	PBE-920-2 15/16	L, X
P2B-E-300R	3"	Dodge	PBE-920-3	L, X
P2B-E-303R	3 3/16"	Dodge	PB-950NE-3 3/16	G, M, 1, 3, 4
P2B-K-106R	1 3/8"	Dodge	PB-970NE-1 3/8	G, X, 1, 4
P2B-K-106RE	1 3/8"	Dodge	PB-970NE-1 3/8	G, X, 1, 4
P2B-K-107R	1 7/16"	Dodge	PB-950NE-1 7/16	G, X, 1, 4
	1 7/16"	Dodge	PB-970NE-1 7/16	G, X, 1, 4
P2B-K-107RE	1 7/16"	Dodge	PB-950NE-1 7/16	G, X, 1, 4
	1 7/16"	Dodge	PB-970NE-1 7/16	G, X, 1, 4
P2B-K-108R	1 1/2"	Dodge	PB-970NE-1 1/2	H, X, 1, 4
P2B-K-108RE	1 1/2"	Dodge	PB-970NE-1 1/2	H, X, 1, 4
P2B-K-110R	1 5/8"	Dodge	PB-950NE-1 5/8	H, X, 1, 4
P2B-K-110RE	1 5/8"	Dodge	PB-950NE-1 5/8	H, X, 1, 4
P2B-K-111R	1 11/16"	Dodge	PB-950NE-1 11/16	H, X, 1, 4
P2B-K-111RE	1 11/16"	Dodge	PB-950NE-1 11/16	H, X, 1, 4
P2B-K-112R	1 3/4"	Dodge	PB-970NE-1 3/4	J, X, 1, 4
P2B-K-112RE	1 3/4"	Dodge	PB-970NE-1 3/4	J, X, 1, 4
P2B-K-115R	1 15/16"	Dodge	PB-950NE-1 15/16	J, X, 1, 4
	1 15/16"	Dodge	PB-970NE-1 15/16	J, X, 1, 4
P2B-K-115RE	1 15/16"	Dodge	PB-950NE-1 15/16	J, X, 1, 4
	1 15/16"	Dodge	PB-970NE-1 15/16	J, X, 1, 4
P2B-K-200R	2"	Dodge	PB-950NE-2	J, X, 1, 4
	2"	Dodge	PB-970NE-2	J, X, 1, 4

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-K-200RE	2"	Dodge	PB-950NE-2	J, X, 1, 4
	2"	Dodge	PB-970NE-2	J, X, 1, 4
P2B-K-203R	2 3/16"	Dodge	PB-950NE-2 3/16	J, 1, 4
	2 3/16"	Dodge	PB-970NE-2 3/16	J, 1, 4
P2B-K-203RE	2 3/16"	Dodge	PB-950NE-2 3/16	J, 1, 4
	2 3/16"	Dodge	PB-970NE-2 3/16	J, 1, 4
P2B-K-204R	2 1/4"	Dodge	PB-950NE-2 1/4	H, X, 1, 4
	2 1/4"	Dodge	PB-970NE-2 1/4	H, X, 1, 4
P2B-K-204RE	2 1/4"	Dodge	PB-950NE-2 1/4	H, X, 1, 4
	2 1/4"	Dodge	PB-970NE-2 1/4	H, X, 1, 4
P2B-K-207R	2 7/16"	Dodge	PB-950NE-2 7/16	H, X, 1, 4
	2 7/16"	Dodge	PB-970NE-2 7/16	H, X, 1, 4
P2B-K-207RE	2 7/16"	Dodge	PB-950NE-2 7/16	H, X, 1, 4
	2 7/16"	Dodge	PB-970NE-2 7/16	H, X, 1, 4
P2B-K-208R	2 1/2"	Dodge	PB-950NE-2 1/2	H, X, 1, 4
	2 1/2"	Dodge	PB-970NE-2 1/2	H, X, 1, 4
P2B-K-208RE	2 1/2"	Dodge	PB-950NE-2 1/2	H, X, 1, 4
	2 1/2"	Dodge	PB-970NE-2 1/2	H, X, 1, 4
P2B-K-211R	2 11/16"	Dodge	PB-950NE-2 11/16	J, X, 1, 4
	2 11/16"	Dodge	PB-970NE-2 11/16	J, X, 1, 4
P2B-K-211RE	2 11/16"	Dodge	PB-950NE-2 11/16	J, X, 1, 4
	2 11/16"	Dodge	PB-970NE-2 11/16	J, X, 1, 4
P2B-K-212R	2 3/4"	Dodge	PB-950NE-2 3/4	J, X, 1, 4
P2B-K-212RE	2 3/4"	Dodge	PB-950NE-2 3/4	J, X, 1, 4
P2B-K-215R	2 15/16"	Dodge	PB-950NE-2 15/16	J, X, 1, 4
	2 15/16"	Dodge	PB-970NE-2 15/16	J, X, 1, 4
P2B-K-215RE	2 15/16"	Dodge	PB-950NE-2 15/16	J, X, 1, 4
	2 15/16"	Dodge	PB-970NE-2 15/16	J, X, 1, 4
P2B-K-300R	3"	Dodge	PB-950NE-3	L, M, 1, 4
	3"	Dodge	PB-970NE-3	J, X, 1, 4
P2B-K-300RE	3"	Dodge	PB-950NE-3	L, M, 1, 4
	3"	Dodge	PB-970NE-3	J, X, 1, 4
P2B-K-303R	3 3/16"	Dodge	PB-970NE-3 3/16	J, X, 1, 4
P2B-K-303RE	3 3/16"	Dodge	PB-970NE-3 3/16	J, X, 1, 4
P2B-K-307R	3 7/16"	Dodge	PB-950NE-3 7/16	J, X, 1, 4
	3 7/16"	Dodge	PB-970NE-3 7/16	J, X, 1, 4
P2B-K-307RE	3 7/16"	Dodge	PB-950NE-3 7/16	J, X, 1, 4
	3 7/16"	Dodge	PB-970NE-3 7/16	J, X, 1, 4
P2B-K-308R	3 1/2"	Dodge	PB-950NE-3 1/2	J, X, 1, 4
	3 1/2"	Dodge	PB-970NE-3 1/2	J, X, 1, 4
P2B-K-308RE	3 1/2"	Dodge	PB-950NE-3 1/2	J, X, 1, 4
	3 1/2"	Dodge	PB-970NE-3 1/2	J, X, 1, 4
P2B-K-315RE	3 15/16"	Dodge	PB-970FNE-3 15/16	G, X, 1, 4
P2B-S2-106R	1 3/8"	Dodge	PBE-920-1 3/8	H, M, 1, 2
P2B-S2-106RE	1 3/8"	Dodge	PBE-920-1 3/8	H, M, 1, 2
P2B-S2-106S	1 3/8"	Dodge	PBE-920-1 3/8	H, M, 1, 2
P2B-S2-106SE	1 3/8"	Dodge	PBE-920-1 3/8	H, M, 1, 2
P2B-S2-107R	1 7/16"	Dodge	SPB-1000NE-1 7/16	G, X
	1 7/16"	Dodge	PB-900-1 7/16	G, M, 1, 2
	1 7/16"	Dodge	PBE-920-1 7/16	H, M, 1, 2

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-S2-107RE	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
P2B-S2-107S	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
P2B-S2-107SE	1 7/16"	Dodge	SPB-1000NE-1 7/16	G,X
	1 7/16"	Dodge	PB-900-1 7/16	G,M,1,2
	1 7/16"	Dodge	PBE-920-1 7/16	H,M,1,2
P2B-S2-108R	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
P2B-S2-108RE	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PBE-920-1 1/2	H,M,1,2
P2B-S2-108S	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
	1 1/2"	Dodge	PBE-920-1 1/2	H,M,1,2
P2B-S2-108SE	1 1/2"	Dodge	SPB-1000NE-1 1/2	G,X
	1 1/2"	Dodge	PB-900-1 1/2	G,M,1,2
	1 1/2"	Dodge	PBE-920-1 1/2	H,M,1,2
P2B-S2-110R	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
P2B-S2-110RE	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
P2B-S2-110S	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
P2B-S2-110SE	1 5/8"	Dodge	PB-900-1 5/8	G,M,1,2
	1 5/8"	Dodge	PBE-920-1 5/8	J,M,1,2
	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
P2B-S2-111R	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
P2B-S2-111RE	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
P2B-S2-111S	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
	1 11/16"	Dodge	SPB-1000NE-1 11/16	G,X
P2B-S2-111SE	1 11/16"	Dodge	PB-900-1 11/16	G,M,1,2
	1 11/16"	Dodge	PBE-920-1 11/16	J,M,1,2
	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
P2B-S2-112R	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
P2B-S2-112RE	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
P2B-S2-112S	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
P2B-S2-112SE	1 3/4"	Dodge	SPB-1000NE-1 3/4	G,X
	1 3/4"	Dodge	PB-900-1 3/4	G,M,1,2
	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2
P2B-S2-114R	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2
	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2
	1 7/8"	Dodge	PB-900-1 7/8	G,M,1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-S2-115R	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
P2B-S2-115RE	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
P2B-S2-115S	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
P2B-S2-115SE	1 15/16"	Dodge	SPB-1000NE-1 15/16	G,X
	1 15/16"	Dodge	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Dodge	PB-900-1 15/16	G,M,1,2
	1 15/16"	Dodge	PBE-920-1 15/16	H,M,1,2
P2B-S2-200R	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
P2B-S2-200RE	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
P2B-S2-200S	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
P2B-S2-200SE	2"	Dodge	SPB-1000NE-2	G,X
	2"	Dodge	SPB-1100NE-2	G,M,4
	2"	Dodge	PB-900-2	G,M,1,2
	2"	Dodge	PBE-920-2	H,M,1,2
P2B-S2-203R	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	SPB-900-2 3/16	G,M,1,2
P2B-S2-203RE	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
P2B-S2-203S	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
P2B-S2-203SE	2 3/16"	Dodge	SPB-1000NE-2 3/16	X
	2 3/16"	Dodge	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Dodge	PB-900-2 3/16	G,M,1,2
P2B-S2-207R	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
P2B-S2-207RE	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
P2B-S2-207S	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
	2 7/16"	Dodge	SPB-1000NE-2 7/16	G,X
P2B-S2-208R	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
P2B-S2-208RE	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8

- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-S2-208SE	2 1/2"	Dodge	SPB-1000NE-2 1/2	G,X
P2B-S2-211R	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
P2B-S2-211RE	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
P2B-S2-211S	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
P2B-S2-211SE	2 11/16"	Dodge	SPB-1000NE-2 11/16	G,X
P2B-S2-212R	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
P2B-S2-212RE	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
P2B-S2-212S	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
P2B-S2-212SE	2 3/4"	Dodge	SPB-1000NE-2 3/4	G,X
P2B-S2-215R	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
P2B-S2-215RE	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
P2B-S2-215S	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
P2B-S2-215SE	2 15/16"	Dodge	SPB-1000NE-2 15/16	G,X
P2B-S2-300R	3"	Dodge	SPB-1000NE-3	G,X
P2B-S2-300RE	3"	Dodge	SPB-1000NE-3	G,X
P2B-S2-300S	3"	Dodge	SPB-1000NE-3	G,X
P2B-S2-300SE	3"	Dodge	SPB-1000NE-3	G,X
P2B-S2-303R	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
P2B-S2-303RE	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
P2B-S2-303S	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
P2B-S2-303SE	3 3/16"	Dodge	SPB-1000NE-3 3/16"	G,X
	3 3/16"	Dodge	SPB-1100NE-3 3/16	M,4
	3 3/16"	Dodge	PBE-920-3 3/16	J,M,1,2
P2B-S2-307R	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
P2B-S2-307RE	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
P2B-S2-307S	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
P2B-S2-307SE	3 7/16"	Dodge	SPB-1000NE-3 7/16	G,X
	3 7/16"	Dodge	SPB-1100NE-3 7/16	M,4
	3 7/16"	Dodge	PB-900-3 7/16	M,1,2
	3 7/16"	Dodge	PBE-920-3 7/16	J,M,1,2
P2B-S2-308R	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-S2-308RE	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
P2B-S2-308S	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
P2B-S2-308SE	3 1/2"	Dodge	SPB-1000NE-3 1/2	G,X
	3 1/2"	Dodge	SPB-1100NE-3 1/2	M,4
	3 1/2"	Dodge	PB-900-3 1/2	M,1,2
	3 1/2"	Dodge	PBE-920-3 1/2	J,M,1,2
P2B-SAFS-207	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,1,2,4
P2B-SAFS-208	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,2,4
	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,1,2,4
P2B-SAFS-215	2 15/16"	Dodge	PB-950NE-2 15/16	G,M,1,2,4
	2 15/16"	Dodge	PB-970NE-2 15/16	G,M,1,2,4
P2B-SAFS-300	3"	Dodge	PB-970NE-3	G,M,1,2,4
P2B-SC-008	1/2	Dodge	VPLS-208	=
P2B-SC-010	5/8	Dodge	VPLS-210	=
P2B-SC-012	3/4	Dodge	VPS-212	=
P2B-SC-014	7/8	Dodge	VPS-214	X
P2B-SC-015	15/16	Dodge	VPS-215	X
P2B-SC-100	1	Dodge	VPS-216	X
P2B-SC-102	1 1/8	Dodge	VPS-218	G, X
P2B-SC-103	1 3/16	Dodge	VPS-219	G, X
P2B-SC-104	1 1/4	Dodge	VPS-220	L, M
P2B-SC-106	1 3/8	Dodge	VPS-222	L, M
P2B-SC-107	1 7/16	Dodge	VPS-223	L, M
P2B-SC-110	1 5/8	Dodge	VPS-226	J
P2B-SC-110L	1 5/8	Dodge	VPS-226	H, X
P2B-SC-111	1 11/16	Dodge	VPS-227	H, X
P2B-SC-112	1 3/4	Dodge	VPS-228	H, X
P2B-SC-115	1 15/16	Dodge	VPS-231	G, Y
P2B-SC-200	2	Dodge	VPS-232S	H, X
P2B-SC-203	2 3/16	Dodge	VPS-235	H, X
P2B-SC-207	2 7/16	Dodge	VPS-239	=
P2B-SC-211	2 11/16	Dodge	VPLS-243	=
P2B-SCB-012	3/4	Dodge	VPLS-212	L, Z
P2B-SCB-014	7/8	Dodge	VPLS-214	L, M
P2B-SCB-015	15/16	Dodge	VPLS-215	L, M
P2B-SCB-100	1	Dodge	VPLS-216	G, X
P2B-SCB-102	1 1/8	Dodge	VPLS-218	G, X
P2B-SCB-103	1 3/16	Dodge	VPLS-219	L, Z
P2B-SCB-104	1 1/4	Dodge	VPLS-220	L, M
P2B-SCB-104S	1 1/4	Dodge	VPLS-220S	L, M
P2B-SCB-106	1 3/8	Dodge	VPLS-222	=
P2B-SCB-107	1 7/16	Dodge	VPLS-223	X
P2B-SCB-108	1 1/2	Dodge	VPLS-224	X
P2B-SCB-110L	1 5/8	Dodge	VPLS-226	X

## Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8  
Y - Bolt Spacing Maximum within 1/4  
Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable  
1 - Different Locking Devices  
2 - Different Rolling Elements  
4 - Different Housing Materials

Black - Ball Bearings  
Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-SCB-111	1 11/16	Dodge	VPLS-227	L, M
P2B-SCB-112	1 3/4	Dodge	VPLS-228	L, M
P2B-SCB-115	1 15/16	Dodge	VPLS-231	L, M
P2B-SCB-200	2	Dodge	VPLS-232S	H, X
P2B-SCB-200L	2	Dodge	VPLS-232	H, X
P2B-SCB-203	2 3/16	Dodge	VPLS-235	G, Y
P2B-SCB-204L	2 1/4	Dodge	VPLS-236	G, Y
P2B-SCB-207	2 7/16	Dodge	VPLS-239	H, X
P2B-SCB-215	2 15/16	Dodge	VPS-247	H, X
P2B-SCBEZ-108-W	1 1/2	Dodge	VPLS-124	=
P2B-SCEZ-012-W	3/4	Dodge	VPS-112	X
P2B-SCEZ-100	1	Dodge	VPS-116	X
P2B-SCEZ-104-W	1 1/4	Dodge	VPS-120	X
P2B-SCEZ-107-W	1 7/16	Dodge	VPS-123	G, X
P2B-SCM-200	2	Dodge	VPS-232	G, X
P2B-SCM-204	2 1/4	Dodge	VPS-236	L, M
P2B-SCU-008	1/2	Dodge	VPS-208	G, X
P2B-SCU-010	5/8	Dodge	VPS-210	L, M
P2B-SCU-104S	1 1/4	Dodge	VPS-220S	L, M
P2B-SCU-215	2 15/16	Dodge	VPLS-247	J
P2B-SFXT-203	2 3/16"	Dodge	PB-950NE-2 3/16	H,X,1,2,4
	2 3/16"	Dodge	PB-970NE-2 3/16	H,X,1,2,4
P2B-SFXT-207	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,1,2,4
P2B-SFXT-208	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,2,4
	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,1,2,4
P2B-SFXT-215	2 15/16"	Dodge	PB-950NE-2 15/16	G,M,1,2,4
	2 15/16"	Dodge	PB-970NE-2 15/16	G,M,1,2,4
P2B-SFXT-300	3"	Dodge	PB-970NE-3	G,M,1,2,4
P2B-SL-014	7/8	Dodge	SSPS-114	G, Y
P2B-SL-015	15/16	Dodge	SSPS-115	G, Y
P2B-SL-100	1	Dodge	SSPS-116	H, X
P2B-SL-102	1 1/8	Dodge	SSPS-118	H, X
P2B-SL-103	1 3/16	Dodge	SSPS-119	L, M
P2B-SL104S	1 1/4	Dodge	SSPS-120S	L, M
P2B-SLX-015	15/16	Dodge	SSPE-115	G, X
P2B-SLX-102	1 1/8	Dodge	SSPE-118	G, X
P2B-SXR-008	1/2	Dodge	VPLE-208	L, M
P2B-SXR-010	5/8	Dodge	VPLE-210	L, M
P2B-SXR-012	3/4	Dodge	VPE-212	L, M
P2B-SXR-014	7/8	Dodge	VPE-214	L, M
P2B-SXR-015	15/16	Dodge	VPE-215	=
P2B-SXR-100	1	Dodge	VPE-216	=
P2B-SXR-104	1 1/4	Dodge	VPE-220	=
P2B-SXR-106	1 3/8	Dodge	VPE-222	=
P2B-SXR-107	1 7/16	Dodge	VPE-223	L, M
P2B-SXR-110	1 5/8	Dodge	VPE-226	L, M
P2B-SXR-111	1 11/16	Dodge	VPE-227	L, M
P2B-SXR-112	1 3/4	Dodge	VPE-228	H, X
P2B-SXR-115	1 15/16	Dodge	VPE-231	H, X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-SXR-200L	2	Dodge	VPE-232	G, Y
P2B-SXR-203	2 3/16	Dodge	VPE-235	G, Y
P2B-SXR-204	2 1/4	Dodge	VPE-236	H, X
P2B-SXR-207	2 7/16	Dodge	VPE-239	H, X
P2B-SXRB-012	3/4	Dodge	VPLE-212	=
P2B-SXRB-014	7/8	Dodge	VPLE-214	
P2B-SXRB-015		Dodge	VPLE-215	X
P2B-SXRB-100	1	Dodge	VPLE-216	X
P2B-SXRB-102	1 1/8	Dodge	VPLE-218	G, X
P2B-SXRB-103	1 3/16	Dodge	VPLE-219	G, X
P2B-SXRB-104	1 1/4	Dodge	VPLE-220	L, M
P2B-SXRB-106	1 3/8	Dodge	VPLE-222	G, X
P2B-SXRB-107	1 7/16	Dodge	VPLE-223	L, M
P2B-SXRB-108	1 1/2	Dodge	VPLE-224	L, M
P2B-SXRB-110	1 5/8	Dodge	VPLE-226	J
P2B-SXRB-111	1 11/16	Dodge	VPLE-227	H, X
P2B-SXRB-112	1 3/4	Dodge	VPLE-228	H, X
P2B-SXRB-115	1 15/16	Dodge	VPLE-231	G, Y
P2B-SXRB-200L	2	Dodge	VPLE-232	G, Y
P2B-SXRB-203	2 3/16	Dodge	VPLE-235	H, X
P2B-SXRB-204	2 1/4	Dodge	VPLE-236	H, X
P2B-SXRB-207	2 7/16	Dodge	VPLE-239	L, M
P2B-SXRB-215	2 15/16	Dodge	VPE-247	J, Y
P2B-SXRU-008	1/2	Dodge	VPE-208	G, X
P2B-SXRU-010	5/8	Dodge	VPE-210	G, X
P2B-SXRU-102	1 1/8	Dodge	VPE-218	G, X
P2B-SXRU-103	1 3/16	Dodge	VPE-219	H
P2B-SXRU-215	2 15/16	Dodge	VPLE-247	Y
P2B-SXV-008	1/2	Dodge	VPLE-108	Y
P2B-SXV-010	5/8	Dodge	VPLE-110	Y
P2B-SXV-012	3/4	Dodge	VPE-112	=
P2B-SXV-014	7/8	Dodge	VPE-114	=
P2B-SXV-015	15/16	Dodge	VPE-115	L, M
P2B-SXV-100	1	Dodge	VPE-116	L, M
P2B-SXV-104	1 1/4	Dodge	VPE-120	L, M
P2B-SXV-106	1 3/8	Dodge	VPE-122	G, X
P2B-SXV-107	1 7/16	Dodge	VPE-123	X
P2B-SXV-111	1 11/16	Dodge	VPE-127	X
P2B-SXV-112	1 3/4	Dodge	VPE-128	=
P2B-SXV-115	1 15/16	Dodge	VPE-131	=
P2B-SXV-200	2	Dodge	VPE-132S	L, M
P2B-SXV-200L	2	Dodge	VPE-132	H
P2B-SXV-203	2 3/16	Dodge	VPE-135	Y
P2B-SXVB-012	3/4	Dodge	VPE-112	Y
P2B-SXVB-014	7/8	Dodge	VPLE-114	Y
P2B-SXVB-015	15/16	Dodge	VPLE-115	=
P2B-SXVB-100	1	Dodge	VPLE-116	=
P2B-SXVB-102	1 1/8	Dodge	VPLE-118	L, M
P2B-SXVB-103	1 3/16	Dodge	VPLE-119	L, M
P2B-SXVB-104	1 1/4	Dodge	VPLE-120	L, M

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-SXVB-104S	1 1/4	Dodge	VPLE-120S	G, X
P2B-SXVB-106	1 3/8	Dodge	VPLE-122	X
P2B-SXVB-107	1 7/16	Dodge	VPLE-123	X
P2B-SXVB-108	1 1/2	Dodge	VPLE-124	X
P2B-SXVB-111	1 11/16	Dodge	VPLE-127	X
P2B-SXVB-112	1 3/4	Dodge	VPLE-128	J, X
P2B-SXVB-115	1 15/16	Dodge	VPLE-131	J, X
P2B-SXVB-200	2	Dodge	VPLE-132S	H
P2B-SXVB-200L	2	Dodge	VPLE-132	H
P2B-SXVB-203	2 3/16	Dodge	VPLE-135	L, M
P2B-SXVU-008	1/2	Dodge	VPE-108	=
P2B-SXVU-010	5/8	Dodge	VPE-110	X
P2B-SXVU-102	1 1/8	Dodge	VPE-118	G, M
P2B-SXVU-104S	1 1/4	Dodge	VPE-120S	L
P2B-TAF-203R	2 3/16"	Dodge	PB-970NE-2 3/16	H,Y,4
	2 3/16"	Dodge	PB-950NE-2 3/16	H,Y,1,4
P2B-TAF-203RE	2 3/16"	Dodge	PB-970E-2 3/16	H,Y,4
	2 3/16"	Dodge	PB-950E-2 3/16	H,Y,1,4
P2B-TAF-207R	2 7/16"	Dodge	PB-970NE-2 7/16	J,M,4
	2 7/16"	Dodge	PB-950NE-2 7/16	J,M,1,4
P2B-TAF-207RE	2 7/16"	Dodge	PB-970E-2 7/16	J,M,4
	2 7/16"	Dodge	PB-950E-2 7/16	J,M,1,4
P2B-TAF-208R	2 1/2"	Dodge	PB-970NE-2 1/2	J,M,4
	2 1/2"	Dodge	PB-950NE-2 1/2	J,M,1,4
P2B-TAF-208RE	2 1/2"	Dodge	PB-970E-2 1/2	J,M,4
	2 1/2"	Dodge	PB-950E-2 1/2	J,M,1,4
P2B-TAF-215R	2 15/16"	Dodge	PB-970NE-2 15/16	J,M,4
	2 15/16"	Dodge	PB-950NE-2 15/16	J,M,1,4
P2B-TAF-215RE	2 15/16"	Dodge	PB-970E-2 15/16	J,M,4
	2 15/16"	Dodge	PB-950E-2 15/16	J,M,1,4
P2B-TAF-300R	3"	Dodge	PB-970NE-3	J,M,4
P2B-TAF-300RE	3"	Dodge	PB-970E-3	J,M,4
P2B-TAF-307R	3 7/16"	Dodge	PB-970NE-3 7/16	L,M,4
	3 7/16"	Dodge	PB-950NE-3 7/16	L,M,1,4
P2B-TAF-307RE	3 7/16"	Dodge	PB-970E-3 7/16	L,M,4
	3 7/16"	Dodge	PB-950E-3 7/16	L,M,1,4
P2B-TAF-308R	3 1/2"	Dodge	PB-970NE-3 1/2	L,M,4
	3 1/2"	Dodge	PB-950NE-3 1/2	L,M,1,4
P2B-TAF-308RE	3 1/2"	Dodge	PB-970E-3 1/2	L,M,4
	3 1/2"	Dodge	PB-950E-3 1/2	L,M,1,4
P2B-VSC-008	1/2	Dodge	VPLS-108	L, Y
	1/2	Dodge	VPLS-108	L, Y
P2B-VSC-010	5/8	Dodge	VPLS-110	L
	5/8	Dodge	VPLS-110	L, Y
P2B-VSC-012	3/4	Dodge	VPS-112	L
P2B-VSC-014	7/8	Dodge	VPS-114	J, M
P2B-VSC-015	15/16	Dodge	VPS-115	J, M
P2B-VSC-100	1	Dodge	VPS-116	J, M
P2B-VSC-104	1 1/4	Dodge	VPS-120	L, X
P2B-VSC-106	1 3/8	Dodge	VPS-122	L, X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P2B-VSC-107	1 7/16	Dodge	VPS-123	L, X
P2B-VSC-111	1 11/16	Dodge	VPS-127	L
P2B-VSC-112	1 3/4	Dodge	VPS-128	L, X
P2B-VSC-115	1 15/16	Dodge	VPS-131	L, X
P2B-VSC-200	2	Dodge	VPS-132S	G, M
P2B-VSC-200L	2	Dodge	VPS-132	L
P2B-VSC-203	2 3/16	Dodge	VPS-135	L
P2B-VSCB-012	3/4	Dodge	VPLS-112	L, M
P2B-VSCB-014	7/8	Dodge	VPLS-114	H
P2B-VSCB-015	15/16	Dodge	VPLS-115	
P2B-VSCB-100	1	Dodge	VPLS-116	
P2B-VSCB-102	1 1/8	Dodge	VPLS-118	M
P2B-VSCB-103	1 3/16	Dodge	VPLS-119	=
P2B-VSCB-104	1 1/4	Dodge	VPLS-120	=
P2B-VSCB-104S	1 1/4	Dodge	VPLS-120S	L, M
P2B-VSCB-106	1 3/8	Dodge	VPLS-122	L, M
P2B-VSCB-107	1 7/16	Dodge	VPLS-123	L, M
P2B-VSCB-108	1 1/2	Dodge	VPLS-124	G, X
P2B-VSCB-111	1 11/16	Dodge	VPLS-127	X
P2B-VSCB-112	1 3/4	Dodge	VPLS-128	
P2B-VSCB-115	1 15/16	Dodge	VPLS-131	X
P2B-VSCB-200	2	Dodge	VPLS-132S	G, X
P2B-VSCB-200L	2	Dodge	VPLS-132	J, X
P2B-VSCB-203	2 3/16	Dodge	VPLS-135	J, X
P2B-VSCU-008	1/2	Dodge	VPS-108	H
P2B-VSCU-010	5/8	Dodge	VPS-110	H
P2B-VSCU-102	1 1/8	Dodge	VPS-118	H
P2B-VSCU-103	1 3/16	Dodge	VPS-119	H
P2B-VSCU-104S	1 1/4	Dodge	VPS-120S	L, M
P3-S212E	3/4	Link-Belt	VPS-112	=
P3-S214E	7/8	Link-Belt	VPS-114	G, X
P3-S215E		Link-Belt	VPS-115	=
P3-S216E	1	Link-Belt	VPS-116	=
P3-S218E	1 1/8	Link-Belt	VPS-118	=
P3-S219E	1 3/16	Link-Belt	VPS-119	=
P3-S220E	1 1/4	Link-Belt	VPS-120	=
P3-S222E	1 3/8	Link-Belt	VPS-122	=
P3-S223E	1 7/16	Link-Belt	VPS-123	=
P3-S224E	1 1/2	Link-Belt	VPS-124	=
P3-S227E	1 11/16	Link-Belt	VPS-127	=
P3-S228E	1 3/4	Link-Belt	VPS-128	=
P3-S231E	1 15/16	Link-Belt	VPS-131	=
P3-S2E20E	1 1/4	Link-Belt	VPS-120S	=
P3-U210N	5/8	Link-Belt	VPS-210	=
P3-U212N	3/4	Link-Belt	VPS-212	=
P3-U214N	7/8	Link-Belt	VPS-214	=
P3-U215N	15/16	Link-Belt	VPS-215	=
P3-U216N	1	Link-Belt	VPS-216	=
P3-U218N	1 1/8	Link-Belt	VPS-218	=
P3-U219N	1 3/16	Link-Belt	VPS-219	H, X

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P3-U220N	1 1/4	Link-Belt	VPS-220	H, X
P3-U222N	1 3/8	Link-Belt	VPS-222	L, M
P3-U223N	1 7/16	Link-Belt	VPS-223	G, X
P3-U224N	1 1/2	Link-Belt	VPS-224	G, X
P3-U226N	1 5/8	Link-Belt	VPS-226	G, Y
P3-U227N	1 11/16	Link-Belt	VPS-227	G, Y
P3-U228N	1 3/4	Link-Belt	VPS-228	G, X
P3-U231N	1 15/16	Link-Belt	VPS-231	G, Y
P3-U232N	2	Link-Belt	VPS-232	L, M
P3-U235N	2 3/16	Link-Belt	VPS-235	L, M
P3-U236N	2 1/4	Link-Belt	VPLS-236	L, M
P3-U239N	2 7/16	Link-Belt	VPLS-239	H, X
P3-U2B08N	1/2	Link-Belt	VPS-208	G, X
P3-U2E20N	1 1/4	Link-Belt	VPS-220S	G, X
P3-U2E32N	2	Link-Belt	VPS-232S	G, X
P3-W210U	5/8	Link-Belt	VPE-110	L, M
P3-W212U	3/4	Link-Belt	VPE-112	H, X
P3-W214U	7/8	Link-Belt	VPE-114	H, X
P3-W215U		Link-Belt	VPE-115	H, X
P3-W216U	1	Link-Belt	VPE-116	L, M
P3-W218E	1 1/8	Link-Belt	VPE-118	G, X
P3-W219E	1 3/16	Link-Belt	VPE-119	G, X
P3-W220E	1 1/4	Link-Belt	VPE-120	G, Y
P3-W222E	1 3/8	Link-Belt	VPE-122	G, Y
P3-W223E	1 7/16	Link-Belt	VPE-123	G, X
P3-W224E	1 1/2	Link-Belt	VPE-124	G, Y
P3-W227U	1 11/16	Link-Belt	VPE-127	L, M
P3-W228U	1 3/4	Link-Belt	VPE-128	L, M
P3-W231U	1 15/16	Link-Belt	VPE-131	L, M
P3-W232E	2	Link-Belt	VPE-132	H, X
P3-W235E	2 3/16	Link-Belt	VPE-135	G, X
P3-W2B08U	1/2	Link-Belt	VPE-108	G, X
P3-W2E20E	1 1/4	Link-Belt	VPE-120S	G, X
P3-W2E32U	2	Link-Belt	VPE-132S	L, M
P3-Y210N	5/8	Link-Belt	VPS-210	H, X
P3-Y212N	3/4	Link-Belt	VPS-212	H, X
P3-Y214N	7/8	Link-Belt	VPS-214	H, X
P3-Y215N	15/16	Link-Belt	VPS-215	L, M
P3-Y216N	1	Link-Belt	VPS-216	G, X
P3-Y218N	1 1/8	Link-Belt	VPS-218	G, X
P3-Y219N	1 3/16	Link-Belt	VPS-219	G, Y
P3-Y220N	1 1/4	Link-Belt	VPS-220	G, Y
P3-Y222N	1 3/8	Link-Belt	VPS-222	G, X
P3-Y223N	1 7/16	Link-Belt	VPS-223	G, Y
P3-Y224N	1 1/2	Link-Belt	VPS-224	L, M
P3-Y226N	1 5/8	Link-Belt	VPS-226	L, M
P3-Y227N	1 11/16	Link-Belt	VPS-227	L, M
P3-Y228N	1 3/4	Link-Belt	VPS-228	H, X
P3-Y231N	1 15/16	Link-Belt	VPS-231	G, X
P3-Y232N	2	Link-Belt	VPS-232	G, X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P3-Y235N	2 3/16	Link-Belt	VPS-235	G, Y
P3-Y236N	2 1/4	Link-Belt	VPLS-236	G, X
	2 1/4	Link-Belt	VPLS-236	L, M
P3-Y239N	2 7/16	Link-Belt	VPLS-239	H, X
	2 7/16	Link-Belt	VPLS-239	H, X
P3-Y2B08N	1/2	Link-Belt	VPS-208	H, X
P3-Y2E20N	1 1/4	Link-Belt	VPS-220S	L, M
P3-Y2E32N	2	Link-Belt	VPS-232S	G, X
P4B-DI-204R	2 1/4"	Dodge	PB-970FNE-2 1/4	H,X,4
P4B-DI-204RE	2 1/4"	Dodge	PB-970FE-2 1/4	H,X,4
P4B-DI-207R	2 7/16"	Dodge	PB-970FNE-2 7/16	H,X,4
P4B-DI-207RE	2 7/16"	Dodge	PB-970FE-2 7/16	H,X,4
P4B-DI-208R	2 1/2"	Dodge	PB-970FNE-2 1/2	H,X,4
P4B-DI-208RE	2 1/2"	Dodge	PB-970FE-2 1/2	H,X,4
P4B-DI-211R	2 11/16"	Dodge	PB-970FNE-2 11/16	J,X,4
P4B-DI-211RE	2 11/16"	Dodge	PB-970FE-2 11/16	J,X,4
P4B-DI-215R	2 15/16"	Dodge	PB-970FNE-2 15/16	J,X,4
P4B-DI-215RE	2 15/16"	Dodge	PB-970FE-2 15/16	J,X,4
P4B-DI-300R	3"	Dodge	PB-970FNE-3	J,X,4
P4B-DI-300RE	3"	Dodge	PB-970FE-3	J,X,4
P4B-DI-303R	3 3/16"	Dodge	PB-970FNE-3 3/16	J,X,4
P4B-DI-303RE	3 3/16"	Dodge	PB-970FE-3 3/16	J,X,4
P4B-DI-307R	3 7/16"	Dodge	PB-970FNE-3 7/16	J,X,4
P4B-DI-307RE	3 7/16"	Dodge	PB-970FE-3 7/16	J,X,4
P4B-DI-308R	3 1/2"	Dodge	PB-970FNE-3 1/2	J,X,4
P4B-DI-308RE	3 1/2"	Dodge	PB-970FE-3 1/2	J,X,4
P4B-DI-315R	3 15/16"	Dodge	PB-970FNE-3 15/16	G,X,4
P4B-DI-315RE	3 15/16"	Dodge	PB-970FE-3 15/16	G,X,4
P4B-DI-400R	4"	Dodge	PB-970FNE-4	G,X,4
P4B-DI-400RE	4"	Dodge	PB-970FE-4	G,X,4
P4B-DI-407R	4 7/16"	Dodge	PB-970FNE-4 7/16	G,X,4
P4B-DI-407RE	4 7/16"	Dodge	PB-970FE-4 7/16	G,X,4
P4B-DI-408R	4 1/2"	Dodge	PB-970FNE-4 1/2	G,X,4
P4B-DI-408RE	4 1/2"	Dodge	PB-970FE-4 1/2	G,X,4
P4B-DI-415R	4 15/16"	Dodge	PB-970FNE-4 15/16	L,X,4
P4B-DI-415RE	4 15/16"	Dodge	PB-970FE-4 15/16	L,X,4
P4B-DI-500R	5"	Dodge	PB-970FNE-5	L,X,4
P4B-DI-500RE	5"	Dodge	PB-970FE-5	L,X,4
P4B-K-315R	3 15/16"	Dodge	PB-970FNE-3 15/16	G,X,1,4
P4B-S2-208R	2 1/2"	Dodge	SPB-1000FNE-2 1/2	G,Z
P4B-S2-208RE	2 1/2"	Dodge	SPB-1000FE-2 1/2	G,Z
P4B-S2-208S	2 1/2"	Dodge	SPB-1000FNE-2 1/2	G,Z
P4B-S2-208SE	2 1/2"	Dodge	SPB-1000FE-2 1/2	G,Z
P4B-S2-211R	2 11/16"	Dodge	SPB-1000FNE-2 11/16	G,X
P4B-S2-211RE	2 11/16"	Dodge	SPB-1000FE-2 11/16	G,X
P4B-S2-211S	2 11/16"	Dodge	SPB-1000FNE-2 11/16	G,X
P4B-S2-211SE	2 11/16"	Dodge	SPB-1000FE-2 11/16	G,X
P4B-S2-212R	2 3/4"	Dodge	SPB-1000FNE-2 3/4	G,X
P4B-S2-212RE	2 3/4"	Dodge	SPB-1000FE-2 3/4	G,X
P4B-S2-212S	2 3/4"	Dodge	SPB-1000FNE-2 3/4	G,X

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

- 1 - Different Locking Devices
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
P4B-S2-212SE	2 3/4"	Dodge	SPB-1000FE-2 3/4	G, X
P4B-S2-215R	2 15/16"	Dodge	SPB-1000FNE-2 15/16	G, X
P4B-S2-215RE	2 15/16"	Dodge	SPB-1000FE-2 15/16	G, X
P4B-S2-215S	2 15/16"	Dodge	SPB-1000FNE-2 15/16	G, X
P4B-S2-215SE	2 15/16"	Dodge	SPB-1000FE-2 15/16	G, X
P4B-S2-300R	3"	Dodge	SPB-1000FNE-3	G, X
P4B-S2-300RE	3"	Dodge	SPB-1000FE-3	G, X
P4B-S2-300S	3"	Dodge	SPB-1000FNE-3	G, X
P4B-S2-300SE	3"	Dodge	SPB-1000FE-3	G, X
P4B-S2-303R	3 3/16"	Dodge	SPB-1000FNE-3 3/16	G, X
P4B-S2-303S	3 3/16"	Dodge	SPB-1000FE-3 3/16	G, X
P4B-S2-303SE	3 3/16"	Dodge	SPB-1000FNE-3 3/16	G, X
P4B-S2-307R	3 7/16"	Dodge	SPB-1000FNE-3 7/16	G, X
P4B-S2-307S	3 7/16"	Dodge	SPB-1000FNE-3 7/16	G, X
P4B-S2-307SE	3 7/16"	Dodge	SPB-1000FE-3 7/16	G, X
P4B-S2-308R	3 1/2"	Dodge	SPB-1000FNE-3 1/2	G, X
P4B-S2-308S	3 1/2"	Dodge	SPB-1000FNE-3 1/2	G, X
P4B-S2-308SE	3 1/2"	Dodge	SPB-1000FE-3 1/2	G, X
PB 1	1	Fafnir	SSPE-116	G, X
PB 1 1/4S	1 1/4	Fafnir	SSPE-120S	G, Y
PB 1 1/8	1 1/8	Fafnir	SSPE-118	G, Y
PB 1 3/16	1 3/16	Fafnir	SSPE-119	G, X
PB 15/16	15/16	Fafnir	SSPE-115	G, Y
PB 7/8	7/8	Fafnir	SSPE-114	L, M
PB150-1	1	Hub City	VPS-116M	L, M
PB150-1 1/4	1 1/4	Hub City	VPS-120M	L, M
PB150-1 1/4S	1 1/4	Hub City	VPS-120SM	H, X
PB150-1 1/8	1 1/8	Hub City	VPS-118M	G, X
PB150-1 3/16	1 3/16	Hub City	VPS-119M	G, X
PB150-1 3/8	1 3/8	Hub City	VPS-122M	G, Y
PB150-1 7/16	1 7/16	Hub City	VPS-123M	G, X
PB150-1/2	1/2	Hub City	VPS-108M	G, Z
PB150-15/16	15/16	Hub City	VPS-115M	H, X
PB150-3/4	3/4	Hub City	VPS-112M	H, Y
PB150-5/8	5/8	Hub City	VPS-110M	G, Y
PB150-7/8	7/8	Hub City	VPS-114M	G, X
PB220-1	1	Hub City	VPLE-116	L, M
PB220-1 1/2	1 1/2	Hub City	VPLE-124	G, Y
PB220-1 1/4	1 1/4	Hub City	VPLE-120	=
PB220-1 1/4S	1 1/4	Hub City	VPLE-120S	G, X
PB220-1 1/8	1 1/8	Hub City	VPLE-118	G, X
PB220-1 11/16	1 11/16	Hub City	VPLE-127	X
PB220-1 15/16	1 15/16	Hub City	VPLE-131	L, M
PB220-1 3/16	1 3/16	Hub City	VPLE-119	L, M
PB220-1 3/4	1 3/4	Hub City	VPLE-128	X
PB220-1 3/8	1 3/8	Hub City	VPLE-122	G, X
PB220-1 7/16	1 7/16	Hub City	VPLE-123	L, M
PB220-1/2	1/2	Hub City	VPLE-108	L, M
PB220-15/16	15/16	Hub City	VPLE-115	L, M
PB220-2	2	Hub City	VPLE-132	G, Z

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PB220-2 3/16	2 3/16	Hub City	VPLE-135	G, Y
PB220-3/4	3/4	Hub City	VPLE-112	J, X
PB220-5/8	5/8	Hub City	VPLE-110	L, M
PB220-7/8	7/8	Hub City	VPLE-114	G, Y
PB221-1	1	Hub City	VPE-116	G, Z
PB221-1 1/2	1 1/2	Hub City	VPE-124	J, X
PB221-1 1/4	1 1/4	Hub City	VPE-120	H, Z
PB221-1 1/4S	1 1/4	Hub City	VPE-120S	H, X
PB221-1 1/8	1 1/8	Hub City	VPE-118	L, M
PB221-1 11/16	1 11/16	Hub City	VPE-127	L, M
PB221-1 15/16	1 15/16	Hub City	VPE-131	H, X
PB221-1 3/16	1 3/16	Hub City	VPE-119	H, Z
PB221-1 3/4	1 3/4	Hub City	VPE-128	L, M
PB221-1 3/8	1 3/8	Hub City	VPE-122	L, M
PB221-1 7/16	1 7/16	Hub City	VPE-123	L, M
PB221-1/2	1/2	Hub City	VPE-108	=
PB221-15/16	15/16	Hub City	VPE-115	=
PB221-2	2	Hub City	VPE-132	=
PB221-2 3/16	2 3/16	Hub City	VPE-135	=
PB221-3/4	3/4	Hub City	VPE-112	=
PB221-5/8	5/8	Hub City	VPE-110	=
PB221-7/8	7/8	Hub City	VPE-114	=
PB250-1	1	Hub City	VPLS-116	=
PB250-1 1/2	1 1/2	Hub City	VPLS-124	=
PB250-1 1/4	1 1/4	Hub City	VPLS-120	=
PB250-1 1/4S	1 1/4	Hub City	VPLS-120S	=
PB250-1 1/8	1 1/8	Hub City	VPLS-118	=
PB250-1 11/16	1 11/16	Hub City	VPLS-127	=
PB250-1 15/16	1 15/16	Hub City	VPLS-131	=
PB250-1 3/16	1 3/16	Hub City	VPLS-119	=
PB250-1 3/4	1 3/4	Hub City	VPLS-128	=
PB250-1 3/8	1 3/8	Hub City	VPLS-122	=
PB250-1 7/16	1 7/16	Hub City	VPLS-123	=
PB250-1/2	1/2	Hub City	VPLS-108	=
PB250-15/16	15/16	Hub City	VPLS-115	=
PB250-2	2	Hub City	VPLS-132	=
PB250-2 3/16	2 3/16	Hub City	VPLS-135	=
PB250-2S	2	Hub City	VPLS-132S	=
PB250-3/4	3/4	Hub City	VPLS-112	=
PB250-5/8	5/8	Hub City	VPLS-110	=
PB250-7/8	7/8	Hub City	VPLS-114	=
PB251-1	1	Hub City	VPS-116	=
PB251-1 1/2	1 1/2	Hub City	VPS-124	H
PB251-1 1/4	1 1/4	Hub City	VPS-120	J, Y
PB251-1 1/4S	1 1/4	Hub City	VPS-120S	J, Y
PB251-1 1/8	1 1/8	Hub City	VPS-118	J, Y
PB251-1 11/16	1 11/16	Hub City	VPS-127	J, X
PB251-1 15/16	1 15/16	Hub City	VPS-131	J, X
PB251-1 3/16	1 3/16	Hub City	VPS-119	L, M
PB251-1 3/4	1 3/4	Hub City	VPS-128	L, M

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PB251-1 3/8	1 3/8	Hub City	VPS-122	L, M
PB251-1 7/16	1 7/16	Hub City	VPS-123	G, X
PB251-1/2	1/2	Hub City	VPS-108	X
PB251-15/16	15/16	Hub City	VPS-115	X
PB251-2	2	Hub City	VPS-132	=
PB251-2 3/16	2 3/16	Hub City	VPS-135	J, X
PB251-2S	2	Hub City	VPS-132S	H, M
PB251-3/4	3/4	Hub City	VPS-112	L
PB251-5/8	5/8	Hub City	VPS-110	J, Y
PB251-7/8	7/8	Hub City	VPS-114	J, Y
PB350-1 1/2	1 1/2	Hub City	VPS-324	J, Y
PB350-1 11/16	1 11/16	Hub City	VPS-327	L, X
PB350-1 15/16	1 15/16	Hub City	VPS-331	L, X
PB350-1 3/16	1 3/16	Hub City	VPS-319	J, M
PB350-1 3/4	1 3/4	Hub City	VPS-328	J, M
PB350-1 7/16	1 7/16	Hub City	VPS-323	J, M
PB350-2	2	Hub City	VPS-332	L, X
PB350-2 1/2	2 1/2	Hub City	VPS-340	L, X
PB350-2 1/4	2 1/4	Hub City	VPS-336	L, X
PB350-2 11/16	2 11/16	Hub City	VPS-343	L, X
PB350-2 15/16	2 15/16	Hub City	VPS-347	L, X
PB350-2 3/16	2 3/16	Hub City	VPS-335	L, X
PB350-2 7/16	2 7/16	Hub City	VPS-339	L, X
PB350-3	3	Hub City	VPS-348	L
PB350-3 1/2	3 1/2	Hub City	VPS-356	L
PB350-3 7/16	3 7/16	Hub City	VPS-355	H, M
PB350H-1 1/2	1 1/2	Hub City	VPS-324	L, X
PB350H-1 11/16	1 11/16	Hub City	VPS-327	L, X
PB350H-1 15/16	1 15/16	Hub City	VPS-331	L, M
PB350H-1 3/16	1 3/16	Hub City	VPS-319	H
PB350H-1 3/4	1 3/4	Hub City	VPS-328	H, Y
PB350H-1 7/16	1 7/16	Hub City	VPS-323	H, Y
PB350H-2	2	Hub City	VPS-332	H, Y
PB350H-2 1/2	2 1/2	Hub City	VPS-340	X
PB350H-2 1/4	2 1/4	Hub City	VPS-336	X
PB350H-2 11/16	2 11/16	Hub City	VPS-343	G, X
PB350H-2 15/16	2 15/16	Hub City	VPS-347	L, M
PB350H-2 3/16	2 3/16	Hub City	VPS-335	G, X
PB350H-2 7/16	2 7/16	Hub City	VPS-339	L, M
PB350H-3	3	Hub City	VPS-348	H
PB350H-3 1/2	3 1/2	Hub City	VPS-356	H, Y
PB350H-3 7/16	3 7/16	Hub City	VPS-355	H, Y
PE-B22416H	1"	Link-Belt	PB-900-1	1,2
	1 3/16"	Link-Belt	SPB-1000NE-1 3/16	=
	1 1/4"	Link-Belt	SPB-1000E-1 1/4	J,Z
	1 3/16"	Link-Belt	SPB-1000E-1 3/16	J,Z
	1 3/16"	Link-Belt	PB-900-1 3/16	1,2
PE-B22420H	1 1/4"	Link-Belt	SPB-1000NE-1 1/4	=
	1 1/4"	Link-Belt	PB-900-1 1/4	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PE-B22424H	1 1/2"	Link-Belt	SPB-1000NE-1 1/2	=
	1 1/2"	Link-Belt	SPB-1000E-1 1/2	J,Z
	1 1/2"	Link-Belt	PB-900-1 1/2	G,M,1,2
PE-B22426H	1 5/8"	Link-Belt	PB-900-1 5/8	G,M,1,2
	1 5/8"	Link-Belt	PBE-920-1 5/8	J,M,1,2
PE-B22427H	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	W
	1 11/16"	Link-Belt	SPB-1000E-1 11/16	J,Z
	1 11/16"	Link-Belt	PB-900-1 11/16	G,M,1,2
	1 11/16"	Link-Belt	PBE-920-1 11/16	J,M,1,2
PE-B22428H	1 3/4"	Link-Belt	SPB-1000NE-1 3/4	W
	1 3/4"	Link-Belt	SPB-1000E-1 3/4	J,Z
	1 3/4"	Link-Belt	PB-900-1 3/4	G,M,1,2
PE-B22431H	1 15/16"	Link-Belt	SPB-1000NE-1 15/16	=
	1 15/16"	Link-Belt	SPB-1000E-1 15/16	L,M
	1 15/16"	Link-Belt	SPB-1100NE-1 15/16	G,M,4
	1 15/16"	Link-Belt	SPB-1100E-1 15/16	L,X,4
	1 15/16"	Link-Belt	PB-900-1 15/16	G,M,1,2
	1 15/16"	Link-Belt	PBE-920-1 15/16	J,M,1,2
PE-B22432H	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	=
	2"	Link-Belt	SPB-1000NE-2	=
	2"	Link-Belt	SPB-1000E-2	L,M
	2"	Link-Belt	SPB-1100NE-2	G,M,4
	2"	Link-Belt	SPB-1100E-2	L,X,4
	1 7/16"	Link-Belt	PB-900-1 7/16	G,M,1,2
	2"	Link-Belt	PB-900-2	G,M,1,2
	1 7/16"	Link-Belt	PBE-920-1 7/16	J,M,1,2
	2"	Link-Belt	PBE-920-2	J,M,1,2
PE-B22435H	2 3/16"	Link-Belt	SPB-1000NE-2 3/16	G
	2 3/16"	Link-Belt	SPB-1000E-2 3/16	L,M
	2 3/16"	Link-Belt	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	Link-Belt	SPB-1100E-2 3/16	J,Y,4
	2 3/16"	Link-Belt	PB-900-2 3/16	G,M,1,2
	2 3/16"	Link-Belt	PBE-920-2 3/16	H,M,1,2
PE-B22439H	2 7/16"	Link-Belt	SPB-1000NE-2 7/16	=
	2 7/16"	Link-Belt	SPB-1000E-2 7/16	L,M
	2 7/16"	Link-Belt	SPB-1100E-2 7/16	L,M,4
PE-B22440FH	2 1/2"	Link-Belt	SPB-1000FNE-2 1/2	G,Y
PE-B22440H	2 1/2"	Link-Belt	SPB-1000NE-2 1/2	=
	2 1/2"	Link-Belt	SPB-1000E-2 1/2	L,M
	2 1/2"	Link-Belt	SPB-1100E2 1/2	L,M,4
PE-B22443FH	2 11/16"	Link-Belt	SPB-1000FNE-2 11/16	G,X
PE-B22443H	2 11/16"	Link-Belt	SPB-1000NE-2 11/16	=
	2 11/16"	Link-Belt	SPB-1000E-2 11/16	L,M
PE-B22444FH	2 3/4"	Link-Belt	SPB-1000FNE-2 3/4	G,X
PE-B22444H	2 3/4"	Link-Belt	SPB-1000NE-2 3/4	=
	2 3/4"	Link-Belt	SPB-1000E-2 3/4	L,M
PE-B22447FH	2 15/16"	Link-Belt	SPB-1000FNE-2 15/16	G,X
PE-B22447H	2 15/16"	Link-Belt	SPB-1000NE-2 15/16	=
	2 15/16"	Link-Belt	SPB-1000E-2 15/16	L,M
PE-B22448FH	3"	Link-Belt	SPB-1000FNE-3	G,X

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- W - Bolt Spacing Maximum within 1/64
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PE-B22448H	3"	Link-Belt	SPB-1000NE-3	=
	3"	Link-Belt	SPB-1000E-3	L,M
PE-B22451H	3 3/16"	Link-Belt	SPB-1000NE-3 3/16"	=
	3 3/16"	Link-Belt	SPB-1000E-3 3/16	L,M
	3 3/16"	Link-Belt	SPB-1100NE-3 3/16	G,Z,4
	3 3/16"	Link-Belt	SPB-1100E-3 3/16	L,Z,4
	3 3/16"	Link-Belt	PBE-920-3 3/16	J,M,1,2
PE-B22452FH	3 3/16"	Link-Belt	SPB-1000FNE-3 3/16	=
PE-B22455FH	3 7/16"	Link-Belt	SPB-1000FNE-3 7/16	=
PE-B22455H	3 7/16"	Link-Belt	SPB-1000NE-3 7/16	=
	3 7/16"	Link-Belt	SPB-1000E-3 7/16	L,M
	3 7/16"	Link-Belt	SPB-1100NE-3 7/16	G,Z,4
	3 7/16"	Link-Belt	SPB-1100E-3 7/16	L,Z,4
	3 7/16"	Link-Belt	PBE-920-3 7/16	J,M,1,2
	3 7/16"	Link-Belt	PB-900-3 7/16	G,Z,1,2
PE-B22456FH	3 1/2"	Link-Belt	SPB-1000FNE-3 1/2	=
PE-B22456H	3 1/2"	Link-Belt	SPB-1000NE-3 1/2	=
	3 1/2"	Link-Belt	SPB-1000E-3 1/2	L,M
	3 1/2"	Link-Belt	SPB-1100NE-3 1/2	G,Z,4
	3 1/2"	Link-Belt	SPB-1100E-3 1/2	L,Z,4
	3 1/2"	Link-Belt	PBE-920-3 1/2	J,M,1,2
	3 1/2"	Link-Belt	PB-900-3 1/2	G,Z,1,2
PE-B22459FH	3 11/16"	Link-Belt	SPB-1000FNE-3 11/16	L
	3 11/16"	Link-Belt	SPB-1000E-3 11/16	L
PE-B22463FH	3 15/16"	Link-Belt	SPB-1000FNE-3 15/16	L
	3 15/16"	Link-Belt	SPB-1000E-3 15/16	L
PE-B22464FH	4"	Link-Belt	SPB-1000FNE-4	L
	4"	Link-Belt	SPB-1000E-4	L
PE-B22571FH	4 7/16"	Link-Belt	PB-900-4 7/16	L,Z,1,2
PE-B22571FH	4 7/16"	Link-Belt	PB-900-4 7/16	L,Z,1,2
PE-B22572FH	4 1/2"	Link-Belt	PB-900-4 1/2	L,Z,1,2
	4 1/2"	Link-Belt	PB-900-4 1/2	L,Z,1,2
PE-B22579FH	4 15/16"	Link-Belt	PB-900-4 15/16	L,Z,1,2
	4 15/16"	Link-Belt	PB-900-4 15/16	L,Z,1,2
PE-B22580FH	5"	Link-Belt	PB-900-5	L,Z,1,2
	5"	Link-Belt	PB-900-5	L,Z,1,2
PFC4-25-1 1/2	1 1/2	MB	VFCS-224	H, Y
PFC4-25-1 1/4	1 1/4	MB	VFCS-220	J, X
PFC4-25-1 15/16	1 15/16	MB	VFCS-231	J, X
PFC4-25-1 3/8	1 3/8	MB	VFCS-222	L, M
PFC4-25-1 7/16	1 7/16	MB	VFCS-223	L, M
PFC4-25-2	2	MB	VFCS-232S	L, M
PFC4-25-2 1/4L	2 1/4	MB	VFCS-236	G, X
PFC4-25-2 11/16	2 11/16	MB	VFCS-243	X
PFC4-25-2 3/16	2 3/16	MB	VFCS-235	X
PFC4-25-2 7/16	2 7/16	MB	VFCS-239	X
PFC4-25-2L	2	MB	VFCS-232	G, X
PFC4-35-1 1/4S	1 1/4	MB	VFCS-320	J, X
PFC4-35-1 11/16	1 11/16	MB	VFCS-327	J, X
PFC4-35-1 15/16	1 15/16	MB	VFCS-331	L, M
PFC4-35-1 3/16	1 3/16	MB	VFCS-319	J, X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PFC4-35-1 3/4	1 3/4	MB	VFCS-328	=
PFC4-35-1 7/16	1 7/16	MB	VFCS-323	=
PFC4-35-2	2	MB	VFCS-332	=
PFC4-35-2 1/2	2 1/2	MB	VFCS-340	=
PFC4-35-2 1/4	2 1/4	MB	VFCS-336	=
PFC4-35-2 11/16	2 11/16	MB	VFCS-343	=
PFC4-35-2 15/16	2 15/16	MB	VFCS-347	=
PFC4-35-2 3/16	2 3/16	MB	VFCS-335	=
PFC4-35-2 7/16	2 7/16	MB	VFCS-339	=
PFC4-35-3	3	MB	VFCS-348	=
PFC4-35-3 1/2	3 1/2	MB	VFCS-356	=
PFC4-35-3 7/16	3 7/16	MB	VFCS-355	=
PK-B22419H	1 3/16"	Link-Belt	SPB-1000NE-1 3/16	L,4
	1 3/16"	Link-Belt	PB-900-1 3/16	L,1,2,4
PK-B22420H	1 1/4"	Link-Belt	SPB-1000NE-1 1/4	L,4
	1 1/4"	Link-Belt	PB-900-1 1/4	L,1,2,4
PK-B22423H	1 7/16"	Link-Belt	SPB-1000NE-1 7/16	L,4
PK-B22424H	1 1/2"	Link-Belt	SPB-1000NE-1 1/2	L,4
PK-B22427H	1 11/16"	Link-Belt	SPB-1000NE-1 11/16	L,4
PK-B22428H	1 3/4"	Link-Belt	SPB-1000NE-1 3/4	L,4
PK-B22440FH	2 1/2"	Link-Belt	SPB-1000FNE-2 1/2	G,Y,1,4
PK-B22443FH	2 11/16"	Link-Belt	SPB-1000FNE-2 11/16	G,X,1,4
PK-B22444FH	2 3/4"	Link-Belt	SPB-1000FNE-2 3/4	G,X,1,4
PK-B22447FH	2 15/16"	Link-Belt	SPB-1000FNE-2 15/16	G,X,1,4
PK-B22448FH	3"	Link-Belt	SPB-1000FNE-3	G,X,1,4
PK-B22451FH	3 3/16"	Link-Belt	SPB-1000FNE-3 3/16	1,4
PK-B22455FH	3 7/16"	Link-Belt	SPB-1000FNE-3 7/16	1,4
PK-B22456FH	3 1/2"	Link-Belt	SPB-1000FNE-3 1/2	1,4
PK-B22459FH	3 11/16"	Link-Belt	SPB-1000FNE-3 11/16	L,1,4
PK-B22463FH	3 15/16"	Link-Belt	SPB-1000FNE-3 15/16	L,1,4
PK-B22464FH	4"	Link-Belt	SPB-1000FNE-4	L,1,4
PKE-B22423H	1 7/16"	Link-Belt	SPB-1000E-1 7/16	L,4
PKE-B22424H	1 1/2"	Link-Belt	SPB-1000E-1 1/2	L,4
PKE-B22427H	1 11/16"	Link-Belt	SPB-1000E-1 11/16	L,4
PKE-B22428H	1 3/4"	Link-Belt	SPB-1000E-1 3/4	L,4
PKE-B22440FH	2 1/2"	Link-Belt	SPB-1000FNE-2 1/2	G,Y,1,4
PKE-B22443FH	2 11/16"	Link-Belt	SPB-1000FNE-2 11/16	G,X,1,4
PKE-B22444FH	2 3/4"	Link-Belt	SPB-1000FNE-2 3/4	G,X,1,4
PKE-B22447FH	2 15/16"	Link-Belt	SPB-1000FNE-2 15/16	G,X,1,4
PKE-B22448FH	3"	Link-Belt	SPB-1000FNE-3	G,X,1,4
PL-B22463H	3 15/16"	Link-Belt	SPB-1000NE-3 15/16	=
	3 15/16"	Link-Belt	SPB-1000E-3 15/16	L,M
	3 15/16"	Link-Belt	PB-900-3 15/16	G,X,1,2
PL-B22464H	4"	Link-Belt	SPB-1000NE-4	=
	4"	Link-Belt	SPB-1000E-4	L,M
	4"	Link-Belt	PB-900-4	G,X,1,2
PL3-S212E		Link-Belt	VPLS-112	=
PL3-S214E	7/8	Link-Belt	VPLS-114	=
PL3-S215E	15/16	Link-Belt	VPLS-115	=
PL3-S216E	1	Link-Belt	VPLS-116	=

## Note Code

H - Bolt Spacing Minimum within 1/4	= - Fully Interchangeable
J - Bolt Spacing Minimum within 1/2	1 - Different Locking Devices
L - Bolt Spacing Minimum Greater than 1/2	2 - Different Rolling Elements
M - Bolt Spacing Maximum Greater than 1/2	4 - Different Housing Materials
X - Bolt Spacing Maximum within 1/8	
Y - Bolt Spacing Maximum within 1/4	
Z - Bolt Spacing Maximum within 1/2	

Black - Ball Bearings  
Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PL3-S218E	1 1/8	Link-Belt	VPLS-118	=
PL3-S219E	1 3/16	Link-Belt	VPLS-119	=
PL3-S220E	1 1/4	Link-Belt	VPLS-120	=
PL3-S222E	1 3/8	Link-Belt	VPLS-122	=
PL3-S223E	1 7/16	Link-Belt	VPLS-123	=
PL3-S224E	1 1/2	Link-Belt	VPLS-124	=
PL3-S227E	1 11/16	Link-Belt	VPLS-127	=
PL3-S228E	1 3/4	Link-Belt	VPLS-128	=
PL3-S231E	1 15/16	Link-Belt	VPLS-131	=
PL3-S2E20E	1 1/4	Link-Belt	VPLS-120S	=
PL3-U210N	5/8	Link-Belt	VPLS-210	=
PL3-U212N	3/4	Link-Belt	VPLS-212	=
PL3-U214N	7/8	Link-Belt	VPLS-214	=
PL3-U215N	15/16	Link-Belt	VPLS-215	=
PL3-U216N	1	Link-Belt	VPLS-216	=
PL3-U218N	1 1/8	Link-Belt	VPLS-218	=
PL3-U219N	1 3/16	Link-Belt	VPLS-219	=
PL3-U220N	1 1/4	Link-Belt	VPLS-220	=
PL3-U222N	1 3/8	Link-Belt	VPLS-222	=
PL3-U223N	1 7/16	Link-Belt	VPLS-223	=
PL3-U224N	1 1/2	Link-Belt	VPLS-224	=
PL3-U226N	1 5/8	Link-Belt	VPLS-226	=
PL3-U227N	1 11/16	Link-Belt	VPLS-227	=
PL3-U228N	1 3/4	Link-Belt	VPLS-228	=
PL3-U231N	1 15/16	Link-Belt	VPLS-231	=
PL3-U232N	2	Link-Belt	VPLS-232	=
PL3-U235N	2 3/16	Link-Belt	VPLS-235	=
PL3-U236N	2 1/4	Link-Belt	VPLS-236	=
PL3-U239N	2 7/16	Link-Belt	VPLS-239	=
PL3-U2B08N	1/2	Link-Belt	VPLS-208	=
PL3-U2E20N	1 1/4	Link-Belt	VPLS-220S	=
PL3-UE32N	2	Link-Belt	VPLS-232S	=
PL3-W210U	5/8	Link-Belt	VPLE-110	=
PL3-W212U	3/4	Link-Belt	VPLE-112	=
PL3-W214U	7/8	Link-Belt	VPLE-114	B
PL3-W215U	15/16	Link-Belt	VPLE-115	C
PL3-W216U	1	Link-Belt	VPLE-116	=
PL3-W227U	1 11/16	Link-Belt	VPLE-127	C
PL3-W228U	1 3/4	Link-Belt	VPLE-128	=
PL3-W231U	1 15/16	Link-Belt	VPLE-131	=
PL3-W2B08U	1/2	Link-Belt	VPLE-108	B
PL3-W2E32U	2	Link-Belt	VPLE-132S	C
PL3-Y210N	5/8	Link-Belt	VPLE-210	=
PL3-Y212N	3/4	Link-Belt	VPLE-212	=
PL3-Y214N	7/8	Link-Belt	VPLE-214	=
PL3-Y215N	15/16	Link-Belt	VPLE-215	=
PL3-Y216N	1	Link-Belt	VPLE-216	=
PL3-Y218N	1 1/8	Link-Belt	VPLE-218	=
PL3-Y219N	1 3/16	Link-Belt	VPLE-219	=
PL3-Y220N	1 1/4	Link-Belt	VPLE-220	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PL3-Y222N	1 3/8	Link-Belt	VPLE-222	=
PL3-Y223N	1 7/16	Link-Belt	VPLE-223	=
PL3-Y224N	1 1/2	Link-Belt	VPLE-224	=
PL3-Y226N	1 5/8	Link-Belt	VPLE-226	=
PL3-Y227N	1 11/16	Link-Belt	VPLE-227	=
PL3-Y228N	1 3/4	Link-Belt	VPLE-228	=
PL3-Y231N	1 15/16	Link-Belt	VPLE-231	=
PL3-Y232N	2	Link-Belt	VPLE-232	=
PL3-Y235N	2 3/16	Link-Belt	VPLE-235	=
PL3-Y2B08N	1/2	Link-Belt	VPLE-208	G, X
PL3-Y2E20N	1 1/4	Link-Belt	VPLE-220S	=
PS-1	1	Boston	SSPS-116	L, M
PS-1 1/4S	1 1/4	Boston	SSPS-120S	=
PS-1 1/8	1 1/8	Boston	SSPS-118	H, Y
PS-1 3/16	1 3/16	Boston	SSPS-119	G, X
PS-15/16	15/16	Boston	SSPS-115	=
PS-25-1	1	MB	SSPS-116	H, Y
	1	MB	SSPS-116	L, M
PS-25-1 1/4S	1 1/4	MB	SSPS-120S	H, Y
	1 1/4	MB	SSPS-120S	L, M
PS-25-1 1/8	1 1/8	MB	SSPS-118	G, X
	1 1/8	MB	SSPS-118	L, M
PS-25-1 3/16	1 3/16	MB	SSPS-119	=
	1 3/16	MB	SSPS-119	G, X
PS-25-15/16	15/16	MB	SSPS-115	H, Y
	15/16	MB	SSPS-115	L, M
PS-25-7/8	7/8	MB	SSPS-114	=
	7/8	MB	SSPS-114	G, X
PS-7/8	7/8	Boston	SSPS-114	=
PS100S-1	1	Hub City	SSPS-116	L, M
PS100S-1 1/4S	1 1/4	Hub City	SSPS-120S	G, X
PS100S-1 1/8	1 1/8	Hub City	SSPS-118	L, M
PS100S-1 3/16	1 3/16	Hub City	SSPS-119	L, M
PS100S-15/16	15/16	Hub City	SSPS-115	L, M
PS100S-7/8	7/8	Hub City	SSPS-114	G, X
PS2-1	1	Boston	SSF2S-116	L, M
PS2-1 1/4S	1 1/4	Boston	SSF2S-120S	L, M
PS2-1 1/8	1 1/8	Boston	SSF2S-118	L, M
PS2-1 3/16	1 3/16	Boston	SSF2S-119	L, M
PS2-1/2	1/2	Boston	SSF2S-108	L, M
PS2-15/16	15/16	Boston	SSF2S-115	G, X
PS2-3/4	3/4	Boston	SSF2S-112	=
PS2-5/8	5/8	Boston	SSF2S-110	L, M
PS2-7/8	7/8	Boston	SSF2S-114	=
PS3-1	1	Boston	SSF3TS-116	G, X
	1	Boston	SSF3S-116	H, Y
PS3-1 1/4	1 1/4	Boston	SSF3S-120	=
PS3-1 1/4S	1 1/4	Boston	SSF3S-120S	H, Y
	1 1/4	Boston	SSF3TS-120S	L, M
PS3-1 1/8	1 1/8	Boston	SSF3S-118	H, Y
	1 1/8	Boston	SSF3TS-118	L, M

## Note Code

- B - Bolt Centers or OD within 1/16
- C - OD Within 1/8
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
PS3-1 3/16	1 3/16	Boston	SSF3TS-119	G, X
	1 3/16	Boston	SSF3S-119	L, M
PS3-1 3/8	1 3/8	Boston	SSF3S-122	G, X
PS3-1 7/16	1 7/16	Boston	SSF3S-123	=
PS3-15/16	15/16	Boston	SSF3TS-115	G, X
	15/16	Boston	SSF3S-115	L, Y
PS3-3/4	3/4	Boston	SSF3S-112	=
	3/4	Boston	SSF3TS-112	=
PS3-7/8	7/8	Boston	SSF3TS-114	G, X
	7/8	Boston	SSF3S-114	L, M
R-1/2-FM	1/2	SKF	RUBRE-108	=
R-1-FM	1	SKF	RLE-116	=
	1	SKF	RUBRE-116	L, M
R-15/16-FM	15/16	SKF	RLE-115	=
	15/16	SKF	RUBRE-115	=
R-3/4-FM	3/4	SKF	RUBRE-112	=
R-5/8-FM	5/8	SKF	RUBRE-110	=
R-7/8-FM	7/8	SKF	RLE-114	=
RA 1	1	Fafnir	SSF3E-116	=
	1	Fafnir	SSF3TE-116	L, M
RA 1 1/4	1 1/4	Fafnir	SSF3E-120	=
RA 1 1/4S	1 1/4	Fafnir	SSF3E-120S	L, M
	1 1/4	Fafnir	SSF3TE-120S	L, M
RA 1 1/8	1 1/8	Fafnir	SSF3E-118	=
	1 1/8	Fafnir	SSF3TE-118	G, X
RA 1 3/16	1 3/16	Fafnir	SSF3TE-119	G, X
	1 3/16	Fafnir	SSF3E-119	L, Y
RA 1 3/8	1 3/8	Fafnir	SSF3E-122	=
RA 1 7/16	1 7/16	Fafnir	SSF3E-123	L, M
RA 15/16	15/16	Fafnir	SSF3E-115	=
	15/16	Fafnir	SSF3TE-115	=
RA 3/4	3/4	Fafnir	SSF3E-112	=
	3/4	Fafnir	SSF3TE-112	=
RA 7/8	7/8	Fafnir	SSF3E-114	=
	7/8	Fafnir	SSF3TE-114	=
RAK-1	1	Fafnir	VPLE-216	=
RAK-1 1/2	1 1/2	Fafnir	VPLE-224	=
RAK-1 1/4	1 1/4	Fafnir	VPLE-220	=
RAK-1 1/8	1 1/8	Fafnir	VPLE-218	=
RAK-1 11/16	1 11/16	Fafnir	VPLE-227	=
RAK-1 15/16	1 15/16	Fafnir	VPLE-231	=
RAK-1 3/16	1 3/16	Fafnir	VPLE-219	=
RAK-1 3/4	1 3/4	Fafnir	VPLE-228	=
RAK-1 3/8	1 3/8	Fafnir	VPLE-222	=
RAK-1 5/8	1 5/8	Fafnir	VPLE-226	=
RAK-1 7/16	1 7/16	Fafnir	VPLE-223	=
RAK-1/2	1/2	Fafnir	VPLE-208	=
RAK-15/16	15/16	Fafnir	VPLE-215	=
RAK-2	2	Fafnir	VPLE-232	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
RAK-2 1/4	2 1/4	Fafnir	VPLE-236	=
RAK-2 11/16	2 11/16	Fafnir	VPLE-243	=
RAK-2 15/16	2 15/16	Fafnir	VPE-247	=
RAK-2 3/16	2 3/16	Fafnir	VPLE-235	=
RAK-2 7/16	2 7/16	Fafnir	VPLE-239	=
RAK-3/4	3/4	Fafnir	VPLE-212	=
RAK-5/8	5/8	Fafnir	VPLE-210	=
RAK-7/8	7/8	Fafnir	VPLE-214	=
RAKH 1 1/2	1 1/2	Fafnir	VPS-324	=
RAKH 1 11/16	1 11/16	Fafnir	VPS-327	=
RAKH 1 15/16	1 15/16	Fafnir	VPS-331	=
RAKH 1 3/16	1 3/16	Fafnir	VPS-319	=
RAKH 1 3/4	1 3/4	Fafnir	VPS-328	=
RAKH 1 7/16	1 7/16	Fafnir	VPS-323	=
RAKH 2 11/16	2 11/16	Fafnir	VPS-343	=
RAKH 2 15/16	2 15/16	Fafnir	VPS-347	=
RAKH 2 3/16	2 3/16	Fafnir	VPS-335	=
RAS-1	1	Fafnir	VPE-216	=
RAS-1 1/2	1 1/2	Fafnir	VPLE-224	=
RAS-1 1/4	1 1/4	Fafnir	VPE-220	=
RAS-1 1/8	1 1/8	Fafnir	VPE-218	=
RAS-1 11/16	1 11/16	Fafnir	VPE-227	=
RAS-1 15/16	1 15/16	Fafnir	VPE-231	=
RAS-1 3/16	1 3/16	Fafnir	VPE-219	=
RAS-1 3/4	1 3/4	Fafnir	VPE-228	=
RAS-1 3/8	1 3/8	Fafnir	VPE-222	=
RAS-1 5/8	1 5/8	Fafnir	VPE-226	=
RAS-1 7/16	1 7/16	Fafnir	VPE-223	=
RAS-1/2	1/2	Fafnir	VPE-208	=
RAS-15/16	15/16	Fafnir	VPE-215	=
RAS-2	2	Fafnir	VPE-232	=
RAS-2 1/4	2 1/4	Fafnir	VPE-236	=
RAS-2 15/16	2 15/16	Fafnir	VPLE-247	=
RAS-2 3/16	2 3/16	Fafnir	VPE-235	=
RAS-2 7/16	2 7/16	Fafnir	VPE-239	=
RAS-3/4	3/4	Fafnir	VPE-212	=
RAS-5/8	5/8	Fafnir	VPE-210	=
RAS-7/8	7/8	Fafnir	VPE-214	=
RASC-1	1	Fafnir	VPS-216	=
RASC-1 1/2	1 1/2	Fafnir	VPLS-224	=
RASC-1 1/4	1 1/4	Fafnir	VPS-220	=
RASC-1 1/4S	1 1/4	Fafnir	VPS-220S	B
RASC-1 1/8	1 1/8	Fafnir	VPS-218	=
RASC-1 11/16	1 11/16	Fafnir	VPS-227	=
RASC-1 15/16	1 15/16	Fafnir	VPS-231	=
RASC-1 3/16	1 3/16	Fafnir	VPS-219	=
RASC-1 3/4	1 3/4	Fafnir	VPS-228	=
RASC-1 3/8	1 3/8	Fafnir	VPS-222	=
RASC-1 5/8	1 5/8	Fafnir	VPS-226	=
RASC-1 7/16	1 7/16	Fafnir	VPS-223	=

## Note Code

B - Bolt Centers or OD within 1/16  
 G - Bolt Spacing Minimum within 1/8  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8  
 Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
RASC-1/2	1/2	Fafnir	VPS-208	=
RASC-15/16	15/16	Fafnir	VPS-215	=
RASC-2	2	Fafnir	VPS-232	=
RASC-2 15/16	2 15/16	Fafnir	VPLS-247	=
RASC-2 3/16	2 3/16	Fafnir	VPS-235	B
RASC-2 7/16	2 7/16	Fafnir	VPS-239	=
RASC-5/8	5/8	Fafnir	VPS-210	=
RASC-7/8	7/8	Fafnir	VPS-214	=
RATR 1	1	Fafnir	SSF3TE-116	B
	1	Fafnir	SSF3E-116	=
RATR 1 1/4	1 1/4	Fafnir	SSF3E-120S	=
	1 1/4	Fafnir	SSF3TE-120S	=
RATR 1 1/4S	1 1/4	Fafnir	SSF3E-120	=
RATR 1 1/8	1 1/8	Fafnir	SSF3E-118	=
	1 1/8	Fafnir	SSF3TE-118	=
RATR 1 3/16	1 3/16	Fafnir	SSF3E-119	=
	1 3/16	Fafnir	SSF3TE-119	=
RATR 1 3/8	1 3/8	Fafnir	SSF3E-122	=
RATR 1 7/16	1 7/16	Fafnir	SSF3E-123	=
RATR 15/16	15/16	Fafnir	SSF3E-115	=
	15/16	Fafnir	SSF3TE-115	=
RATR 3/4	3/4	Fafnir	SSF3E-112	=
	3/4	Fafnir	SSF3TE-112	=
RATR 7/8	7/8	Fafnir	SSF3E-114	C
	7/8	Fafnir	SSF3E-114	=
RCJ-1	1	Fafnir	VF4E-216	C
RCJ-1 1/2	1 1/2	Fafnir	VF4E-224	=
RCJ-1 1/4	1 1/4	Fafnir	VF4E-220	C
RCJ-1 1/8	1 1/8	Fafnir	VF4E-218	C
RCJ-1 11/16	1 11/16	Fafnir	VF4E-227	=
RCJ-1 15/16	1 15/16	Fafnir	VF4E-231	C
RCJ-1 3/16	1 3/16	Fafnir	VF4E-219	=
RCJ-1 3/4	1 3/4	Fafnir	VF4E-228	=
RCJ-1 3/8	1 3/8	Fafnir	VF4E-222	=
RCJ-1 5/8	1 5/8	Fafnir	VF4E-226	=
RCJ-1 7/16	1 7/16	Fafnir	VF4E-223	=
RCJ-1/2	1/2	Fafnir	VF4E-208	=
RCJ-15/16	15/16	Fafnir	VF4E-215	=
RCJ-2	2	Fafnir	VF4E-232	=
RCJ-2 1/4	2 1/4	Fafnir	VF4E-236	=
RCJ-2 11/16	2 11/16	Fafnir	VF4E-243	=
RCJ-2 15/16	2 15/16	Fafnir	VF4E-247	=
RCJ-2 3/16	2 3/16	Fafnir	VF4E-235	=
RCJ-2 7/16	2 7/16	Fafnir	VF4E-239	=
RCJ-3/4	3/4	Fafnir	VF4E-212	=
RCJ-5/8	5/8	Fafnir	VF4E-210	=
RCJ-7/8	7/8	Fafnir	VF4E-214	=
RCJC-1	1	Fafnir	VF4S-216	=
RCJC-1 1/2	1 1/2	Fafnir	VF4S-224	=
RCJC-1 1/4	1 1/4	Fafnir	VF4S-220	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
RCJC-1 1/4S	1 1/4	Fafnir	VF4S-220S	=
RCJC-1 1/8	1 1/8	Fafnir	VF4S-218	=
RCJC-1 11/16	1 11/16	Fafnir	VF4S-227	=
RCJC-1 15/16	1 15/16	Fafnir	VF4S-231	=
RCJC-1 3/16	1 3/16	Fafnir	VF4S-219	=
RCJC-1 3/4	1 3/4	Fafnir	VF4S-228	=
RCJC-1 3/8	1 3/8	Fafnir	VF4S-222	=
RCJC-1 5/8	1 5/8	Fafnir	VF4S-226	V
RCJC-1 7/16	1 7/16	Fafnir	VF4S-223	=
RCJC-1/2	1/2	Fafnir	VF4S-208	=
RCJC-15/16	15/16	Fafnir	VF4S-215	V
RCJC-2	2	Fafnir	VF4S-232	V
RCJC-2 15/16	2 15/16	Fafnir	VF4S-247	=
RCJC-2 3/16	2 3/16	Fafnir	VF4S-235	=
RCJC-2 7/16	2 7/16	Fafnir	VF4S-239	V
RCJC-3/4	3/4	Fafnir	VF4S-212	=
RCJC-5/8	5/8	Fafnir	VF4S-210	=
RCJC-7/8	7/8	Fafnir	VF4S-214	V
RCJT-1	1	Fafnir	VF2E-216	V
RCJT-1 1/2	1 1/2	Fafnir	VF2E-224	V
RCJT-1 1/4	1 1/4	Fafnir	VF2E-220	=
RCJT-1 1/4S	1 1/4	Fafnir	VF2E-220S	=
RCJT-1 1/8	1 1/8	Fafnir	VF2E-218	G, X
RCJT-1 11/16	1 11/16	Fafnir	VF2E-227	=
RCJT-1 15/16	1 15/16	Fafnir	VF2E-231	L, M
RCJT-1 3/16	1 3/16	Fafnir	VF2E-219	=
RCJT-1 3/4	1 3/4	Fafnir	VF2E-228	=
RCJT-1 3/8	1 3/8	Fafnir	VF2E-222	H, Y
RCJT-1 5/8	1 5/8	Fafnir	VF2E-226	G, X
RCJT-1 7/16	1 7/16	Fafnir	VF2E-223	=
RCJT-1/2	1/2	Fafnir	VF2E-208	H, Y
RCJT-15/16	15/16	Fafnir	VF2E-215	L, M
RCJT-2	2	Fafnir	VF2E-232	L, M
RCJT-2 3/16	2 3/16	Fafnir	VF2E-235	L, M
RCJT-3/4	3/4	Fafnir	VF2E-212	G, X
RCJT-5/8	5/8	Fafnir	VF2E-210	G, X
RCJT-7/8	7/8	Fafnir	VF2E-214	G, X
RCJTC-1	1	Fafnir	VF2S-216	G, X
RCJTC-1 1/4	1 1/4	Fafnir	VF2S-220	=
RCJTC-1 1/4S	1 1/4	Fafnir	VF2S-220S	H, Y
RCJTC-1 1/8	1 1/8	Fafnir	VF2S-218	G, X
RCJTC-1 11/16	1 11/16	Fafnir	VF2S-227	=
RCJTC-1 15/16	1 15/16	Fafnir	VF2S-231	=
RCJTC-1 3/16	1 3/16	Fafnir	VF2S-219	=
RCJTC-1 3/8	1 3/8	Fafnir	VF2S-222	=
RCJTC-1 7/16	1 7/16	Fafnir	VF2S-223	=
RCJTC-1/2	1/2	Fafnir	VF2S-208	=
RCJTC-15/16	15/16	Fafnir	VF2S-215	=
RCJTC-3/4	3/4	Fafnir	VF2S-212	=
RCJTC-5/8	5/8	Fafnir	VF2S-210	=

## Note Code

- B - Bolt Centers or OD within 1/16
- C - OD Within 1/8
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- V - Slot Spacing within 1/16
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
RCJTC-7/8	7/8	Fafnir	VF2S-214	=
RCSM-1	1	Fafnir	RLRS-116	=
RCSM-15/16	15/16	Fafnir	RLRS-115	=
RER-12K	3/4	MB	RUBRB-112	=
RER-14	7/8	MB	RLRS-114	=
RER-15	15/16	MB	RLRS-115	=
RER-15K		MB	RUBRB-115	=
RER-16	1	MB	RLRS-116	=
RER-16K	1	MB	RUBRB-116	=
RFC 1 1/2	1 1/2	Fafnir	VFCS-224	=
RFC 1 1/4S	1 1/4	Fafnir	VFCS-220	=
RFC 1 11/16	1 11/16	Fafnir	VFCS-227	=
RFC 1 3/4	1 3/4	Fafnir	VFCS-228	=
RFC 1 5/8	1 5/8	Fafnir	VFCS-226	=
RPB 1	1	Fafnir	SSRPE-116	=
RPB 15/16	15/16	Fafnir	SSRPE-115	=
RPB 3/4	3/4	Fafnir	SSRPE-112	=
RPB 7/8	7/8	Fafnir	SSRPE-114	=
RRTR 1	1	Fafnir	SSF3E-116	=
	1	Fafnir	SSF3TE-116	=
RRTR 1 1/4	1 1/4	Fafnir	SSF3E-120	=
RRTR 1 1/4S	1 1/4	Fafnir	SSF3E-120S	=
	1 1/4	Fafnir	SSF3TE-120S	=
RRTR 1 1/8	1 1/8	Fafnir	SSF3E-118	=
	1 1/8	Fafnir	SSF3TE-118	=
RRTR 1 3/16	1 3/16	Fafnir	SSF3E-119	=
	1 3/16	Fafnir	SSF3TE-119	=
RRTR 15/16	15/16	Fafnir	SSF3E-115	=
	15/16	Fafnir	SSF3TE-115	=
RRTR 3/4	3/4	Fafnir	SSF3E-112	=
	3/4	Fafnir	SSF3TE-112	=
RRTR 7/8	7/8	Fafnir	SSF3TE-114	B
	7/8	Fafnir	SSF3E-114	=
RTU-1	1	Fafnir	VTWE-216	B
RTU-1 1/2	1 1/2	Fafnir	VTWE-224	=
RTU-1 1/4	1 1/4	Fafnir	VTWE-220	=
RTU-1 1/8	1 1/8	Fafnir	VTWE-218	=
RTU-1 11/16	1 11/16	Fafnir	VTWE-227	=
RTU-1 15/16	1 15/16	Fafnir	VTWE-231	=
RTU-1 3/16	1 3/16	Fafnir	VTWE-219	=
RTU-1 3/8	1 3/8	Fafnir	VTWE-222	=
RTU-1 5/8	1 5/8	Fafnir	VTWE-226	=
RTU-1 7/16	1 7/16	Fafnir	VTWE-223	=
RTU-15/16		Fafnir	VTWE-215	=
RTU-2	2	Fafnir	VTWE-232	B
RTU-2 3/16	2 3/16	Fafnir	VTWE-235	B
RTU-2 7/16	2 7/16	Fafnir	VTWE-239	=
RTU-3/4	3/4	Fafnir	VTWE-212	=
RTU-7/8	7/8	Fafnir	VTWE-214	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SAF 22513	2 3/16"	SKF	PB-950E-2 3/16	J,Y,1,4
	2 3/16"	SKF	PB-970E-2 3/16	J,Y,1,4
SAF 22515	2 7/16"	SKF	PB-950E-2 7/16	J,M,1,4
	2 7/16"	SKF	PB-970E-2 7/16	J,M,1,4
SAF 22517	2 15/16"	SKF	PB-950E-2 15/16	J,M,1,4
	2 15/16"	SKF	PB-970E-2 15/16	J,M,1,4
SAF 22520	3 7/16"	SKF	PB-950E-3 7/16	L,M,1,4
	3 7/16"	SKF	PB-970E-3 7/16	L,M,1,4
SAF22513	2 3/16"	Miether	PB-950NE-2 3/16	J,Y,1,2,4
	2 3/16"	Miether	PB-970NE-2 3/16	J,Y,1,2,4
SAF22515	2 7/16"	Torrington	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Torrington	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Miether	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Torrington	PB-970NE-2 7/16	J,M,1,2,4
	2 7/16"	Torrington	PB-970NE-2 7/16	J,M,1,2,4
	2 7/16"	Miether	PB-970NE-2 7/16	J,M,1,2,4
SAF22517	2 15/16"	Torrington	PB-950NE-2 15/16	J,M,1,2,4
	2 15/16"	Miether	PB-950NE-2 15/16	J,M,1,2,4
	2 15/16"	Torrington	PB-950NE-2 15/16	J,M,1,2,4
	2 15/16"	Torrington	PB-970NE-2 15/16	J,M,1,2,4
	2 15/16"	Miether	PB-970NE-2 15/16	J,M,1,2,4
	2 15/16"	Torrington	PB-970NE-2 15/16	J,M,1,2,4
SAF22520	3 7/16"	Torrington	PB-950NE-3 7/16	L,M,1,2,4
	3 7/16"	Torrington	PB-950NE-3 7/16	L,M,1,2,4
	3 7/16"	Miether	PB-950NE-3 7/16	L,M,1,2,4
	3 7/16"	Torrington	PB-970NE-3 7/16	L,M,1,2,4
	3 7/16"	Torrington	PB-970NE-3 7/16	L,M,1,2,4
	3 7/16"	Miether	PB-970NE-3 7/16	L,M,1,2,4
SAFS 22513	2 3/16"	SKF	PB-950E-2 3/16	J,Y,1,4
	2 3/16"	SKF	PB-970E-2 3/16	J,Y,1,4
SAFS 22515	2 7/16"	SKF	PB-950E-2 7/16	J,M,1,4
	2 7/16"	SKF	PB-970E-2 7/16	J,M,1,4
SAFS 22517	2 15/16"	SKF	PB-950E-2 15/16	J,M,1,4
	2 15/16"	SKF	PB-970E-2 15/16	J,M,1,4
SAFS 22520	3 7/16"	SKF	PB-950E-3 7/16	L,M,1,4
	3 7/16"	SKF	PB-970E-3 7/16	L,M,1,4
SAFS22515	2 7/16"	Torrington	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Miether	PB-950NE-2 7/16	J,M,1,2,4
	2 7/16"	Torrington	PB-970NE-2 7/16	J,M,1,2,4
	2 7/16"	Miether	PB-970NE-2 7/16	J,M,1,2,4
SAFS22517	2 15/16"	Miether	PB-950NE-2 15/16	J,M,1,2,4
	2 15/16"	Torrington	PB-950NE-2 15/16	J,M,1,2,4
	2 15/16"	Miether	PB-970NE-2 15/16	J,M,1,2,4
	2 15/16"	Torrington	PB-970NE-2 15/16	J,M,1,2,4
SAFS22520	3 7/16"	Torrington	PB-950NE-3 7/16	L,M,1,2,4
	3 7/16"	Miether	PB-950NE-3 7/16	L,M,1,2,4
	3 7/16"	Torrington	PB-970NE-3 7/16	L,M,1,2,4
	3 7/16"	Miether	PB-970NE-3 7/16	L,M,1,2,4
SAS-1	1	Fafnir	VPS-116	=
SAS-1 1/2	1 1/2	Fafnir	VPLS-124	=
SAS-1 1/4	1 1/4	Fafnir	VPS-120	=

## Note Code

B - Bolt Centers or OD within 1/16  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements  
 4 - Different Housing Materials

Black - Ball Bearings  
 Red - Roller Bearings



## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SAS-1 1/4S	1 1/4	Fafnir	VPS-120S	=
SAS-1 1/8	1 1/8	Fafnir	VPS-118	B
SAS-1 11/16	1 11/16	Fafnir	VPS-127	B
SAS-1 15/16	15/16	Fafnir	VPS-131	=
SAS-1 3/16	1 3/16	Fafnir	VPS-119	=
SAS-1 3/4	1 3/4	Fafnir	VPS-128	=
SAS-1 3/8	1 3/8	Fafnir	VPS-122	B
SAS-1 7/16	1 7/16	Fafnir	VPS-123	B
SAS-1/2	1/2	Fafnir	VPS-108	=
SAS-15/16	15/16	Fafnir	VPS-115	=
SAS-2	2	Fafnir	VPS-132	=
SAS-2 3/16	2 3/16	Fafnir	VPS-135	=
SAS-2S	2	Fafnir	VPS-132S	=
SAS-3/4	3/4	Fafnir	VPS-112	=
SAS-5/8	5/8	Fafnir	VPS-110	=
SAS-7/8	7/8	Fafnir	VPS-114	=
SCJ-1	1	Fafnir	VF4S-116	=
SCJ-1 1/2	1 1/2	Fafnir	VF4S-124	=
SCJ-1 1/4	1 1/4	Fafnir	VF4S-120	=
SCJ-1 1/4S	1 1/4	Fafnir	VF4S-120S	B
SCJ-1 1/8	1 1/8	Fafnir	VF4S-118	=
SCJ-1 11/16	1 11/16	Fafnir	VF4S-127	=
SCJ-1 15/16	1 15/16	Fafnir	VF4S-131	=
SCJ-1 3/16	1 3/16	Fafnir	VF4S-119	=
SCJ-1 3/4	1 3/4	Fafnir	VF4S-128	B
SCJ-1 3/8	1 3/8	Fafnir	VF4S-122	=
SCJ-1 7/16	1 7/16	Fafnir	VF4S-123	=
SCJ-1/2	1/2	Fafnir	VF4S-108	=
SCJ-15/16	15/16	Fafnir	VF4S-115	=
SCJ-2	2	Fafnir	VF4S-132	=
SCJ-2 3/16	2 3/16	Fafnir	VF4S-135	=
SCJ-2S	2	Fafnir	VF4S-132S	=
SCJ-3/4	3/4	Fafnir	VF4S-112	=
SCJ-5/8	5/8	Fafnir	VF4S-110	=
SCJ-7/8	7/8	Fafnir	VF4S-114	=
SCJT-1	1	Fafnir	VF2S-116	=
SCJT-1 1/2	1 1/2	Fafnir	VF2S-124	=
SCJT-1 1/4	1 1/4	Fafnir	VF2S-120	=
SCJT-1 1/4S	1 1/4	Fafnir	VF2S-120S	=
SCJT-1 1/8	1 1/8	Fafnir	VF2S-118	=
SCJT-1 11/16	1 11/16	Fafnir	VF2S-127	B
SCJT-1 15/16	1 15/16	Fafnir	VF2S-131	=
SCJT-1 3/16	1 3/16	Fafnir	VF2S-119	=
SCJT-1 3/4	1 3/4	Fafnir	VF2S-128	B
SCJT-1 3/8	1 3/8	Fafnir	VF2S-122	B
SCJT-1 7/16	1 7/16	Fafnir	VF2S-123	=
SCJT-1/2	1/2	Fafnir	VF2S-108	=
SCJT-15/16	15/16	Fafnir	VF2S-115	=
SCJT-2	2	Fafnir	VF2S-132	=
SCJT-2 3/16	2 3/16	Fafnir	VF2S-135	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SCJT-2S	2	Fafnir	VF2S-132S	=
SCJT-3/4	3/4	Fafnir	VF2S-112	=
SCJT-5/8	5/8	Fafnir	VF2S-110	=
SCJT-7/8	7/8	Fafnir	VF2S-114	B
SER-10	5/8	Peer	VER-210	B
SER-12	3/4	Peer	VER-212	=
SER-14	7/8	Peer	VER-214	=
SER-15	15/16	Peer	VER-215	B
SER-16	1	Peer	VER-216	B
SER-20	1 1/4	Peer	VER-220	B
SER-20S	1 1/4	Peer	VER-220S	B
SER-22	1 3/8	Peer	VER-222	B
SER-23	1 7/16	Peer	VER-223	B
SER-24	1 1/2	Peer	VER-224	B
SER-25	1 9/16	Peer	VER-225	=
SER-26	1 5/8	Peer	VER-226	B
SER-27	1 11/16	Peer	VER-227	=
SER-28	1 3/4	Peer	VER-228	B
SER-30	1 7/8	Peer	VER-230	=
SER-31	1 15/16	Peer	VER-231	B
SER-32	2	Peer	VER-232	B
SER-35	2 3/16	Peer	VER-235	B
SER-36	2 1/4	Peer	VER-236	B
SER-38	2 3/8	Peer	VER-238	B
SER-39	2 7/16	Peer	VER-239	B
SER-43	2 11/16	Peer	VER-243	J, Z
SER-47	2 15/16	Peer	VER-247	J, Z
SER-8	1/2	Peer	VER-208	J, Z
SER201-8	1/2	AMI	VER-208	H, Y
SER202-10	5/8	AMI	VER-210	G, X
SER204-12	3/4	AMI	VER-212	G, X
SER205-14	7/8	AMI	VER-214	G, X
SER205-15	15/16	AMI	VER-215	L, M
SER205-16	1	AMI	VER-216	L, M
SER206-17	1 1/16	AMI	VER-217	L, M
SER206-18	1 1/8	AMI	VER-218	G, X
SER206-19	1 3/16	AMI	VER-219	G, X
SER207-20	1 1/4	AMI	VER-220	G, X
SER207-22	1 3/8	AMI	VER-222	G, X
SER207-23	1 7/16	AMI	VER-223	G, X
SER208-24	1 1/2	AMI	VER-224	G, Z
SER208-25	1 9/16	AMI	VER-225	G, Z
SER209-26	1 5/8	AMI	VER-226	G, Z
SER209-27	1 11/16	AMI	VER-227	G, X
SER209-28	1 3/4	AMI	VER-228	G, X
SER210-30	1 7/8	AMI	VER-230	G, X
SER210-31	1 15/16	AMI	VER-231	J, Z
SER211-32	2	AMI	VER-232	J, Z
SER211-35	2 3/16	AMI	VER-235	J, Z
SER212-36	2 1/4	AMI	VER-236	L, M

### Note Code

- B - Bolt Centers or OD within 1/16
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SER212-38	2 3/8	AMI	VER-238	L, M
SER212-39	2 7/16	AMI	VER-239	L, M
SF-1	1	Boston	VF4S-116	J, Z
	1	RHP	VF4S-216	J, Z
SF-1 1/2	1 1/2	Boston	VF4S-124	J, Z
	1 1/2	RHP	VF4S-224	L, M
SF-1 1/2EC	1 1/2	RHP	VF4E-224	L, M
SF-1 1/4	1 1/4	Boston	VF4S-120	L, M
	1 1/4	RHP	VF4S-220	L, M
SF-1 1/4EC	1 1/4	RHP	VF4E-220	L, M
SF-1 1/4ECR	1 1/4	RHP	VF4E-220S	H, Y
SF-1 1/4R	1 1/4	RHP	VF4S-220S	H, Y
SF-1 1/4S	1 1/4	Boston	VF4S-120S	H, Y
SF-1 1/8	1 1/8	Boston	VF4S-118	H, Z
	1 1/8	RHP	VF4S-218	J, X
SF-1 1/8EC	1 1/8	RHP	VF4E-218	L, Z
SF-1 11/16	1 11/16	Boston	VF4S-127	H, Z
	1 11/16	RHP	VF4S-227	L, X
SF-1 11/16EC	1 11/16	RHP	VF4E-227	G, Z
SF-1 15/16	1 15/16	Boston	VF4S-131	G, Y
	1 15/16	RHP	VF4S-231	G, Y
SF-1 15/16EC	1 15/16	RHP	VF4E-231	L, M
SF-1 3/16	1 3/16	RHP	VF4S-219	H, Y
	1 3/16	Boston	VF4S-119	L, M
SF-1 3/16EC	1 3/16	RHP	VF4E-219	H, Y
SF-1 3/4	1 3/4	Boston	VF4S-128	B
	1 3/4	RHP	VF4S-228	B
SF-1 3/4EC	1 3/4	RHP	VF4E-228	=
SF-1 3/8	1 3/8	Boston	VF4S-122	=
	1 3/8	RHP	VF4S-222	=
SF-1 3/8EC	1 3/8	RHP	VF4E-222	=
SF-1 5/8	1 5/8	RHP	VF4S-226	=
SF-1 5/8EC	1 5/8	RHP	VF4E-226	=
SF-1 7/16	1 7/16	Boston	VF4S-123	=
	1 7/16	RHP	VF4S-223	=
SF-1 7/16EC	1 7/16	RHP	VF4E-223	=
SF-1/2	1/2	Boston	VF4S-108	=
	1/2	RHP	VF4S-208	=
SF-1/2EC	1/2	RHP	VF4E-208	=
SF-15/16	15/16	Boston	VF4S-115	=
	15/16	RHP	VF4S-215	=
SF-15/16EC	15/16	RHP	VF4E-215	=
SF-1EC	1	RHP	VF4E-216	=
SF-2	2	Boston	VF4S-132	=
	2	RHP	VF4S-232	=
SF-2 1/4	2 1/4	RHP	VF4S-236	B
SF-2 11/16	2 11/16	RHP	VF4S-243	B
SF-2 15/16	2 15/16	RHP	VF4S-247	B
SF-2 3/16	2 3/16	Boston	VF4S-135	B
	2 3/16	RHP	VF4S-235	B

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SF-2 7/16	2 7/16	RHP	VF4S-239	B
SF-2R	2	RHP	VF4S-232S	B
SF-3/4	3/4	Boston	VF4S-112	B
	3/4	RHP	VF4S-212	B
SF-3/4EC	3/4	RHP	VF4E-212	B
SF-5/8	5/8	Boston	VF4S-110	B
	5/8	RHP	VF4S-210	B
SF-5/8EC	5/8	RHP	VF4E-210	B
SF-7/8	7/8	Boston	VF4S-114	B
	7/8	RHP	VF4S-214	B
SF-7/8EC	7/8	RHP	VF4E-214	=
SFT- 1 1/8	1 1/8	RHP	VF2S-218	=
SFT- 1 1/8EC	1 1/8	RHP	VF2E-218	=
SFT- 1 3/4	1 3/4	RHP	VF2S-228	=
SFT- 1 3/4EC	1 3/4	RHP	VF2E-228	=
SFT-1	1	RHP	VF2S-216	=
SFT-1 1/2	1 1/2	RHP	VF2S-224	=
SFT-1 1/2EC	1 1/2	RHP	VF2E-224	=
SFT-1 1/4	1 1/4	RHP	VF2S-220	B
SFT-1 1/4EC	1 1/4	RHP	VF2E-220	B
SFT-1 1/4ECR	1 1/4	RHP	VF2E-220S	B
SFT-1 1/4R	1 1/4	RHP	VF2S-220S	=
SFT-1 11/16	1 11/16	RHP	VF2S-227	=
SFT-1 11/16EC	1 11/16	RHP	VF2E-227	=
SFT-1 15/16	1 15/16	RHP	VF2S-231	=
SFT-1 15/16EC	1 15/16	RHP	VF2E-231	B
SFT-1 3/16	1 3/16	RHP	VF2S-219	B
SFT-1 3/16EC	1 3/16	RHP	VF2E-219	=
SFT-1 3/8	1 3/8	RHP	VF2S-222	=
SFT-1 3/8EC	1 3/8	RHP	VF2E-222	B
SFT-1 5/8	1 5/8	RHP	VF2S-226	B
SFT-1 5/8EC	1 5/8	RHP	VF2E-226	=
SFT-1 7/16	1 7/16	RHP	VF2S-223	=
SFT-1 7/16EC	1 7/16	RHP	VF2E-223	=
SFT-1/2	1/2	RHP	VF2S-208	=
SFT-1/2EC	1/2	RHP	VF2E-208	=
SFT-15/16	15/16	RHP	VF2S-215	=
SFT-15/16EC	15/16	RHP	VF2E-215	=
SFT-1EC	1	RHP	VF2E-216	=
SFT-2	2	RHP	VF2S-232	=
SFT-2 1/4	2 1/4	RHP	VF2S-236	=
SFT-2 3/16	2 3/16	RHP	VF2S-235	=
SFT-2 7/16	2 7/16	RHP	VF2S-239	=
SFT-2R	2	RHP	VF2S-232S	=
SFT-3/4	3/4	RHP	VF2S-212	=
SFT-3/4EC	3/4	RHP	VF2E-212	=
SFT-5/8	5/8	RHP	VF2S-210	=
SFT-5/8EC	5/8	RHP	VF2E-210	B
SFT-7/8	7/8	RHP	VF2S-214	B
SFT-7/8EC	7/8	RHP	VF2E-214	B

## Note Code

- B - Bolt Centers or OD within 1/16
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings



## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SL-1 11/16	1 11/16	RHP	VPLS-227	B
	1 11/16	RHP	VPLS-227	B
SL-1 11/16EC	1 11/16	RHP	VPLE-227	B
SL-1	1	RHP	VPLS-216	B
SL-1 1/2	1 1/2	RHP	VPLS-224	B
	1 1/2	RHP	VPLS-224	B
SL-1 1/2EC	1 1/2	RHP	VPLE-224	B
SL-1 1/4	1 1/4	RHP	VPLS-220	T
	1 1/4	RHP	VPLS-220	=
SL-1 1/4EC	1 1/4	RHP	VPLE-220	T
SL-1 1/4ECR	1 1/4	RHP	VPLE-220S	
SL-1 1/4R	1 1/4	RHP	VPLS-220S	T
	1 1/4	RHP	VPLS-220S	T
SL-1 1/8	1 1/8	RHP	VPLS-218	T
SL-1 1/8EC	1 1/8	RHP	VPLE-218	T
SL-1 15/16	1 15/16	RHP	VPLS-231	T
	1 15/16	RHP	VPLS-231	T
SL-1 15/16EC	1 15/16	RHP	VPLE-231	T
SL-1 3/16	1 3/16	RHP	VPLS-219	T
	1 3/16	RHP	VPLS-219	=
SL-1 3/16EC	1 3/16	RHP	VPLE-219	T
SL-1 3/4	1 3/4	RHP	VPLS-228	=
	1 3/4	RHP	VPLS-228	=
SL-1 3/4EC	1 3/4	RHP	VPLE-228	=
SL-1 3/8	1 3/8	RHP	VPLS-222	=
	1 3/8	RHP	VPLS-222	=
SL-1 3/8EC	1 3/8	RHP	VPLE-222	=
SL-1 5/8	1 5/8	RHP	VPLS-226	=
	1 5/8	RHP	VPLS-226	=
SL-1 5/8EC	1 5/8	RHP	VPLE-226	=
SL-1 7/16	1 7/16	RHP	VPLS-223	=
	1 7/16	RHP	VPLS-223	=
SL-1 7/16EC	1 7/16	RHP	VPLE-223	=
SL-1/2	1/2	RHP	VPLS-208	=
SL-1/2EC	1/2	RHP	VPLE-208	=
SL-10	5/8	SealMaster	SLS-110	=
SL-10E	5/8	SealMaster	SLE-110	=
SL-12	3/4	SealMaster	SLS-112	=
SL-12E	3/4	SealMaster	SLE-112	=
SL-14	7/8	SealMaster	SLS-114	=
SL-14E	7/8	SealMaster	SLE-114	=
SL-15	15/16	SealMaster	SLS-115	=
SL-15/16	15/16	RHP	VPLS-215	=
SL-15/16EC	15/16	RHP	VPLE-215	=
SL-15E	15/16	SealMaster	SLE-115	=
SL-16	1	SealMaster	SLS-116	=
SL-16E	1	SealMaster	SLE-116	=
SL-17	1 1/16	SealMaster	SLS-117	=
SL-17E	1 1/16	SealMaster	SLE-117	=
SL-18	1 1/8	SealMaster	SLS-118	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SL-18E	1 1/8	SealMaster	SLE-118	=
SL-19	1 3/16	SealMaster	SLS-119	=
SL-19E	1 3/16	SealMaster	SLE-119	=
SL-1EC	1	RHP	VPLE-216	=
SL-2	2	RHP	VPLS-232	=
SL-2 1/4	2 1/4	RHP	VPLS-236	=
SL-2 15/16	2 15/16	RHP	VPLS-247	=
SL-2 3/16	2 3/16	RHP	VPLS-235	=
SL-2 7/16	2 7/16	RHP	VPLS-239	=
SL-20	1 1/4	SealMaster	SLS-120	=
SL-20E	1 1/4	SealMaster	SLE-120	=
SL-20S	1 1/4	SealMaster	SLS-120S	=
SL-20SE	1 1/4	SealMaster	SLE-120S	=
SL-22	1 3/8	SealMaster	SLS-122	=
SL-22E	1 3/8	SealMaster	SLE-122	=
SL-23	1 7/16	SealMaster	SLS-123	=
SL-23E	1 7/16	SealMaster	SLE-123	=
SL-24	1 1/2	SealMaster	SLS-124	=
SL-24E	1 1/2	SealMaster	SLE-124	=
SL-2R	2	RHP	VPLS-232S	=
SL-3/4	3/4	RHP	VPLS-212	=
SL-3/4EC	3/4	RHP	VPLE-212	=
SL-5/8	5/8	RHP	VPLS-210	=
SL-5/8EC	5/8	RHP	VPLE-210	=
SL-7/8	7/8	RHP	VPLS-214	=
SL-7/8EC	7/8	RHP	VPLE-214	=
SL-8	1/2	SealMaster	SLS-108	=
SL-8E	1/2	SealMaster	SLE-108	=
SLFE-1	1	RHP	SSF3S-116	=
	1	RHP	SSF3TS-116	=
SLFE-1 1/4	1 1/4	RHP	SSF3S-120S	=
	1 1/4	RHP	SSF3TS-120S	=
SLFE-1 1/4EC	1 1/4	RHP	SSF3E-120S	=
	1 1/4	RHP	SSF3TE-120S	=
SLFE-1 1/4ECL	1 1/4	RHP	SSF3E-120	=
SLFE-1 1/4L	1 1/4	RHP	SSF3S-120	=
SLFE-1 1/8	1 1/8	RHP	SSF3S-118	=
	1 1/8	RHP	SSF3TS-118	=
SLFE-1 1/8EC	1 1/8	RHP	SSF3E-118	=
	1 1/8	RHP	SSF3TE-118	=
SLFE-1 3/16	1 3/16	RHP	SSF3S-119	=
	1 3/16	RHP	SSF3TS-119	=
SLFE-1 3/16EC	1 3/16	RHP	SSF3E-119	=
	1 3/16	RHP	SSF3TE-119	=
SLFE-1 3/8	1 3/8	RHP	SSF3S-122	=
SLFE-1 3/8EC	1 3/8	RHP	SSF3E-122	=
SLFE-1 7/16	1 7/16	RHP	SSF3S-123	=
SLFE-1 7/16EC	1 7/16	RHP	SSF3E-123	=
SLFE-15/16	15/16	RHP	SSF3S-115	=
	15/16	RHP	SSF3TS-115	V

### Note Code

B - Bolt Centers or OD within 1/16  
T - Bolt Tap Differs

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SLFE-15/16EC	15/16	RHP	SSF3E-115	V, Q
	15/16	RHP	SSF3TE-115	V, Q
SLFE-1EC	1	RHP	SSF3TE-116	=
	1	RHP	SSF3E-116	=
SLFE-3/4	3/4	RHP	SSF3S-112	=
	3/4	RHP	SSF3TS-112	=
SLFE-3/4EC	3/4	RHP	SSF3E-112	=
	3/4	RHP	SSF3TE-112	=
SLFE-7/8	7/8	RHP	SSF3TS-114	=
	7/8	RHP	SSF3S-114	=
SLFE-7/8EC	7/8	RHP	SSF3E-114	=
	7/8	RHP	SSF3TE-114	V, Q
SLFL-1	1	RHP	SSF2S-116	V, Q
SLFL-1 1/4	1 1/4	RHP	SSF2S-120S	=
SLFL-1 1/4EC	1 1/4	RHP	SSF2E-120S	V, Q
SLFL-1 1/8	1 1/8	RHP	SSF2S-118	V, Q
SLFL-1 1/8EC	1 1/8	RHP	SSF2E-118	=
SLFL-1 3/16	1 3/16	RHP	SSF2S-119	=
SLFL-1 3/16EC	1 3/16	RHP	SSF2E-119	=
SLFL-1/2	1/2	RHP	SSF2S-108	V, Q
SLFL-1/2EC	1/2	RHP	SSF2E-108	V, Q
SLFL-15/16	15/16	RHP	SSF2S-115	=
SLFL-15/16EC	15/16	RHP	SSF2E-115	=
SLFL-1EC	1	RHP	SSF2E-116	=
SLFL-3/4	3/4	RHP	SSF2S-112	V, Q
SLFL-3/4EC	3/4	RHP	SSF2E-112	V, Q
SLFL-5/8	5/8	RHP	SSF2S-110	=
SLFL-5/8EC	5/8	RHP	SSF2E-110	=
SLFL-7/8	7/8	RHP	SSF2S-114	=
SLFL-7/8EC	7/8	RHP	SSF2E-114	=
SLFT- 1 3/8	1 3/8	RHP	SSF3S-122	=
SLFT- 1 3/8EC	1 3/8	RHP	SSF3E-122	V
SLFT-1	1	RHP	SSF3S-116	V
	1	RHP	SSF3TS-116	V
SLFT-1 1/4	1 1/4	RHP	SSF3S-120S	=
	1 1/4	RHP	SSF3TS-120S	=
SLFT-1 1/4EC	1 1/4	RHP	SSF3E-120S	=
	1 1/4	RHP	SSF3TE-120S	=
SLFT-1 1/4ECL	1 1/4	RHP	SSF3E-120	V
SLFT-1 1/4L	1 1/4	RHP	SSF3S-120	V
SLFT-1 1/8	1 1/8	RHP	SSF3S-118	=
	1 1/8	RHP	SSF3TS-118	=
SLFT-1 1/8EC	1 1/8	RHP	SSF3E-118	V
	1 1/8	RHP	SSF3TE-118	V
SLFT-1 3/16	1 3/16	RHP	SSF3S-119	=
	1 3/16	RHP	SSF3TS-119	Y
SLFT-1 3/16EC	1 3/16	RHP	SSF3E-119	G, X
	1 3/16	RHP	SSF3TE-119	G, X
SLFT-1 7/16	1 7/16	RHP	SSF3S-123	G, X
SLFT-1 7/16EC	1 7/16	RHP	SSF3E-123	G, X

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SLFT-15/16	15/16	RHP	SSF3S-115	L, M
	15/16	RHP	SSF3TS-115	L, M
SLFT-15/16EC	15/16	RHP	SSF3E-115	G, X
	15/16	RHP	SSF3TE-115	G, X
SLFT-1EC	1	RHP	SSF3E-116	G, X
	1	RHP	SSF3TE-116	G, X
SLFT-7/8	7/8	RHP	SSF3S-114	=
	7/8	RHP	SSF3TS-114	=
SLFT-7/8EC	7/8	RHP	SSF3E-114	G, X
	7/8	RHP	SSF3TE-114	G, X
SNP-1	1	RHP	VTBS-216	G, X
SNP-1 1/2	1 1/2	RHP	VTBS-224	G, X
SNP-1 1/4	1 1/4	RHP	VTBS-220	L, M
SNP-1 1/4R	1 1/4	RHP	VTBS-220S	L, M
SNP-1 1/8	1 1/8	RHP	VTBS-218	G, X
SNP-1 11/16	1 11/16	RHP	VTBS-227	L, M
SNP-1 15/16	1 15/16	RHP	VTBS-231	L, M
SNP-1 3/16	1 3/16	RHP	VTBS-219	L, M
SNP-1 3/4	1 3/4	RHP	VTBS-228	Y
SNP-1 3/8	1 3/8	RHP	VTBS-222	Y
SNP-1 5/8	1 5/8	RHP	VTBS-226	H, Y
SNP-1 7/16	1 7/16	RHP	VTBS-223	H, Y
SNP-15/16	15/16	RHP	VTBS-215	H
SNP-2R	2	RHP	VTBS-232S	G, Z
SNP-3/4	3/4	RHP	VTBS-212	L, Y
SNP-7/8	7/8	RHP	VTBS-214	H, Y
SP2B-E-103R	1 3/16"	Dodge	PBE-920-1 3/16	J,Y,4
SP2B-E-104R	1 1/4"	Dodge	PBE-920-1 1/4	J,Y,4
SP2B-E-106R	1 3/8"	Dodge	PBE-920-1 3/8	L,X,4
SP2B-E-107R	1 7/16"	Dodge	PB-900-1 7/16	L,1,4
	1 7/16"	Dodge	PBE-920-1 7/16	L,X,4
	1 7/16"	Dodge	SPB-1000NE-1 7/16	L,M,1,2,4
SP2B-E-108R	1 1/2"	Dodge	PBE-920- 1 1/2	J,X,4
SP2B-E-110R	1 5/8"	Dodge	PB-900-1 5/8	L,1,4
	1 5/8"	Dodge	PBE-920-1 5/8	J,X,4
SP2B-E-111R	1 11/16"	Dodge	PB-900-1 11/16	L,1,4
	1 11/16"	Dodge	PBE-920-1 11/16	J,X,4
	1 11/16"	Dodge	SPB-1000NE-1 11/16	L,M,1,2,4
SP2B-E-112R	1 3/4"	Dodge	PBE-920-1 3/4	L,X,4
SP2B-E-114R	1 7/8"	Dodge	PB-900-1 7/8	L,1,4
SP2B-E-115R	1 15/16"	Dodge	PB-900-1 15/16	L,1,4
	1 15/16"	Dodge	PBE-920-1 15/16	L,X,4
	1 15/16"	Dodge	SPB-1100NE-1 15/16	L,1,2,4
	1 15/16"	Dodge	SPB-1000NE-1 15/16	L,M,1,2,4
SP2B-E-200R	2"	Dodge	PB-900-2	L,1,4
	2"	Dodge	PBE-920-2	L,X,4
	2"	Dodge	SPB-1100NE-2	L,1,2,4
	2"	Dodge	SPB-1000NE-2	L,M,1,2,4
SP2B-E-203R	2 3/16"	Dodge	PBE-920-2 3/16	L,X,4
SP2B-E-211R	2 11/16"	Dodge	PBE-920-2 11/16	L,X,4

## Note Code

- G - Bolt Spacing Minimum within 1/8
  - H - Bolt Spacing Minimum within 1/4
  - J - Bolt Spacing Minimum within 1/2
  - L - Bolt Spacing Minimum Greater than 1/2
  - M - Bolt Spacing Maximum Greater than 1/2
  - Q - Slot Width within 1/16
  - V - Slot Spacing within 1/16
  - X - Bolt Spacing Maximum within 1/8
  - Y - Bolt Spacing Maximum within 1/4
  - Z - Bolt Spacing Maximum within 1/2
  - = - Fully Interchangeable
  - 1 - Different Locking Devices
  - 2 - Different Rolling Elements
  - 4 - Different Housing Materials
- See page 152 for trademark acknowledgments.

- Black - Ball Bearings
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SP2B-E-212R	2 3/4"	Dodge	PBE-920-2 3/4	L,X,4
SP2B-E-215R	2 15/16"	Dodge	PBE-920-2 15/16	L,X,4
SP2B-E-300R	3"	Dodge	PBE-920-3	L,X,4
SP2B-E-303R	3 3/16"	Dodge	PB-950NE-3 3/16	G,M,1,3,4
SR-1-FM	1	SKF	SSRPE-116	H, Y
SR-15/16-FM	15/16	SKF	SSRPE-115	H
SR-3/4-FM	3/4	SKF	SSRPE-112	G
SR-7/8-FM	7/8	SKF	SSRPE-114	G
SSF-12E	3/4	SealMaster	SSF3TE-112	Y
SSF-12E	3/4	SealMaster	SSF3E-112	L, M
SSF-14	7/8	SealMaster	SSF3S-114	
	7/8	SealMaster	SSF3TS-114	Y
SSF-14E	7/8	SealMaster	SSF3E-114	Y
	7/8	SealMaster	SSF3TE-114	G, X
SSF-15	15/16	SealMaster	SSF3S-115	G, X
	15/16	SealMaster	SSF3TS-115	G, X
SSF-15E	15/16	SealMaster	SSF3E-115	L, M
	15/16	SealMaster	SSF3TE-115	L, M
SSF-16	1	SealMaster	SSF3S-116	G, X
	1	SealMaster	SSF3TS-116	G, X
SSF-16E	1	SealMaster	SSF3TE-116	=
	1	SealMaster	SSF3E-116	G, X
SSF-18	1 1/8	SealMaster	SSF3S-118	=
	1 1/8	SealMaster	SSF3TS-118	G, X
SSF-18E	1 1/8	SealMaster	SSF3E-118	G, X
	1 1/8	SealMaster	SSF3TE-118	G, X
SSF-19	1 3/16	SealMaster	SSF3S-119	L, M
	1 3/16	SealMaster	SSF3TS-119	L, M
SSF-19E	1 3/16	SealMaster	SSF3E-119	L, M
	1 3/16	SealMaster	SSF3TE-119	L, M
SSF-20	1 1/4	SealMaster	SSF3S-120	L, M
SSF-20E	1 1/4	SealMaster	SSF3E-120	Y
SSF-20R	1 1/4	SealMaster	SSF3S-120S	Y
	1 1/4	SealMaster	SSF3TS-120S	H, Y
SSF-20RE	1 1/4	SealMaster	SSF3TE-120S	H
	1 1/4	SealMaster	SSF3E-120S	H, Y
SSF-22	1 3/8	SealMaster	SSF3S-122	H, Y
SSF-22E	1 3/8	SealMaster	SSF3E-122	H, Y
SSF-23	1 7/16	SealMaster	SSF3S-123	H
SSF-23E	1 7/16	SealMaster	SSF3E-123	G
SSFF-24	1 1/2	SealMaster	SSF4S-124	G
SSFF-24E	1 1/2	SealMaster	SSF4E-124	L, M
SSFF-27	1 11/16	SealMaster	SSF4S-127	Y
SSFF-27E	1 11/16	SealMaster	SSF4E-127	Y
SSFF-28	1 3/4	SealMaster	SSF4S-128	H, Y
SSFF-28E	1 3/4	SealMaster	SSF4E-128	H, X
SSFF-30	1 7/8	SealMaster	SSF4S-130	G, Z
SSFF-31	1 15/16	SealMaster	SSF4S-131	L, M
SSFF-31E	1 15/16	SealMaster	SSF4E-131	L, Z
SSFT-10	5/8	SealMaster	SSF2S-110	H

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SSFT-10E	5/8	SealMaster	SSF2E-110	G, Z
SSFT-12	3/4	SealMaster	SSF2S-112	L, Z
SSFT-12E	3/4	SealMaster	SSF2E-112	L, M
SSFT-14	7/8	SealMaster	SSF2S-114	L
SSFT-14E	7/8	SealMaster	SSF2E-114	L, M
SSFT-15	15/16	SealMaster	SSF2S-115	=
SSFT-15E		SealMaster	SSF2E-115	=
SSFT-16	1	SealMaster	SSF2S-116	=
SSFT-16E	1	SealMaster	SSF2E-116	=
SSFT-18	1 1/8	SealMaster	SSF2S-118	
SSFT-18E	1 1/8	SealMaster	SSF2E-118	T
SSFT-19	1 3/16	SealMaster	SSF2S-119	T
SSFT-19E	1 3/16	SealMaster	SSF2E-119	T
SSFT-20R	1 1/4	SealMaster	SSF2S-120S	T
SSFT-20RE	1 1/4	SealMaster	SSF2E-120S	T
SSFT-8	1/2	SealMaster	SSF2S-108	T
SSFT-8E	1/2	SealMaster	SSF2E-108	T
SSP-14	7/8	SealMaster	SSPS-114	T
SSP-14E	7/8	SealMaster	SSPE-114	T
SSP-15	15/16	SealMaster	SSPS-115	=
SSP-15E	15/16	SealMaster	SSPE-115	=
SSP-16	1	SealMaster	SSPS-116	=
SSP-16E	1	SealMaster	SSPE-116	=
SSP-18	1 1/8	SealMaster	SSPS-118	=
SSP-18E	1 1/8	SealMaster	SSPE-118	=
SSP-19	1 3/16	SealMaster	SSPS-119	=
SSP-19E	1 3/16	SealMaster	SSPE-119	=
SSP-20R	1 1/4	SealMaster	SSPS-120S	T
SSP-20RE	1 1/4	SealMaster	SSPE-120S	=
ST-1	1	Boston	VF2S-116	T
	1	RHP	VTWS-216	T
ST-1 1/2	1 1/2	RHP	VTWS-224	
ST-1 1/2EC	1 1/2	RHP	VTWE-224	T
ST-1 1/4	1 1/4	Boston	VF2S-120	T
	1 1/4	RHP	VTWS-220	=
ST-1 1/4EC	1 1/4	RHP	VTWE-220	T
ST-1 1/4ECR	1 1/4	RHP	VTWE-220	T
ST-1 1/4R	1 1/4	RHP	VTWS-220	=
ST-1 1/4S	1 1/4	Boston	VF2S-120S	=
ST-1 1/8	1 1/8	Boston	VF2S-118	=
	1 1/8	RHP	VTWS-218	=
ST-1 1/8EC	1 1/8	RHP	VTWE-218	T
ST-1 11/16	1 11/16	RHP	VTWS-227	T
ST-1 11/16EC	1 11/16	RHP	VTWE-227	T
ST-1 15/16	1 15/16	Boston	VF2S-131	
	1 15/16	RHP	VTWS-231	T
ST-1 15/16EC	1 15/16	RHP	VTWE-231	=
ST-1 3/16	1 3/16	RHP	VTWS-219	T
	1 3/16	Boston	VF2S-119	=
ST-1 3/16EC	1 3/16	RHP	VTWE-219	T

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- T - Bolt Tap Differs
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 3 - Only One Has a Split Housing
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ST-1 3/4	1 3/4	RHP	VTWS-228	=
ST-1 3/4EC	1 3/4	RHP	VTWE-228	T
ST-1 3/8	1 3/8	Boston	VF2S-122	=
	1 3/8	RHP	VTWS-222	=
ST-1 3/8EC	1 3/8	RHP	VTWE-222	=
ST-1 5/8	1 5/8	RHP	VTWS-226	=
ST-1 5/8EC	1 5/8	RHP	VTWE-226	=
ST-1 7/16	1 7/16	Boston	VF2S-123	=
	1 7/16	RHP	VTWS-223	=
ST-1 7/16EC	1 7/16	RHP	VTWE-223	=
ST-1/2	1/2	Boston	VF2S-108	=
ST-15/16	15/16	Boston	VF2S-115	=
	15/16	RHP	VTWS-215	V
ST-15/16EC	15/16	RHP	VTWE-215	V
ST-1EC	1	RHP	VTWE-216	V
ST-2	2	RHP	VTWS-232	=
ST-2 3/16	2 3/16	RHP	VTWS-235	=
ST-2 7/16	2 7/16	RHP	VTWS-239	=
ST-3/4	3/4	Boston	VF2S-112	=
	3/4	RHP	VTWS-212	=
ST-3/4EC	3/4	RHP	VTWE-212	=
ST-5/8	5/8	Boston	VF2S-110	=
ST-7/8	7/8	Boston	VF2S-114	=
	7/8	RHP	VTWS-214	=
ST-7/8EC	7/8	RHP	VTWE-214	V
SY-1-FM	1	SKF	VPE-116	V
SY-1-TM	1	SKF	VPS-216	V
SY-1 1/2-FM	1 1/2	SKF	VPLE-124	V
SY-1 1/2-TM	1 1/2	SKF	VPLS-224	V
SY-1 1/4-AFM	1 1/4	SKF	VPE-220S	V
SY-1 1/4-ATM	1 1/4	SKF	VPS-220S	=
SY-1 1/4-FM	1 1/4	SKF	VPE-120	=
SY-1 1/4-TM	1 1/4	SKF	VPS-220	=
SY-1 1/8-FM	1 1/8	SKF	VPE-118	V
SY-1 1/8-TM	1 1/8	SKF	VPS-218	V
SY-1 11/16-FM	1 11/16	SKF	VPE-127	V
SY-1 11/16-TM	1 11/16	SKF	VPS-227	=
SY-1 15/16-FM	1 15/16	SKF	VPE-131	=
SY-1 15/16-TM	1 15/16	SKF	VPS-231	=
SY-1 3/16-FM	1 3/16	SKF	VPE-119	V
SY-1 3/16-TM	1 3/16	SKF	VPS-219	V
SY-1 3/4-FM	1 3/4	SKF	VPE-128	=
SY-1 3/4-TM	1 3/4	SKF	VPS-228	=
SY-1 3/8-FM	1 3/8	SKF	VPE-122	=
SY-1 3/8-TM	1 3/8	SKF	VPS-222	=
SY-1 5/8-TM	1 5/8	SKF	VPS-226	=
SY-1 7/16-FM	1 7/16	SKF	VPE-123	=
SY-1 7/16-TM	1 7/16	SKF	VPS-223	=
SY-1/2-TM	1/2	SKF	VPLS-208	V
SY-15/16-FM	15/16	SKF	VPE-115	V

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SY-15/16-TM	15/16	SKF	VPS-215	V
SY-2-FM	2	SKF	VPE-132	V
SY-2-TM	2	SKF	VPS-232	V
SY-2 1/4-TM	2 1/4	SKF	VPLS-236	V
SY-2 11/16-TM	2 11/16	SKF	VPLS-243	V
SY-2 15/16-TM	2 15/16	SKF	VPLS-247	V
SY-2 3/16-FM	2 3/16	SKF	VPE-135	=
SY-2 3/16-TM	2 3/16	SKF	VPS-235	=
SY-2 7/16-TM	2 7/16	SKF	VPLS-239	=
SY-3/4-FM	3/4	SKF	VPE-112	=
SY-3/4-TM	3/4	SKF	VPS-212	=
SY-5/8-TM	5/8	SKF	VPLS-210	=
SY-7/8-FM	7/8	SKF	VPE-114	=
SY-7/8-TM	7/8	SKF	VPS-214	V
SYE 1 7/16H	1 7/16"	SKF	SPB-1000E-1 7/16	L,M
	1 7/16"	SKF	PBE-920-1 7/16	J,1,2
	1 7/16"	SKF	PB-900-1 7/16	L,X,1,2
SYE 1 1/2H	1 1/2"	SKF	PBE-920-1 1/2	J,1,2
SYE 1 11/16	1 11/16"	SKF	SPB-1000E-1 11/16	L,M
	1 11/16"	SKF	SPB-1000E-1 11/16	L,M
SYE 1 11/16H	1 11/16"	SKF	SPB-1000E-1 11/16	L,M
	1 11/16"	SKF	PBE-920-1 11/16	J,1,2
	1 11/16"	SKF	PB-900-1 11/16	L,X,1,2
SYE 1 15/16	1 15/16"	SKF	SPB-1000E-1 15/16	L,M
	1 15/16"	SKF	SPB-1000E-1 15/16	L,M
	1 15/16"	SKF	SPB-1100E-1 15/16	L,X,4
	1 15/16"	SKF	SPB-1100E-1 15/16	L,X,4
SYE 1 15/16H	1 15/16"	SKF	SPB-1000E-1 15/16	L,M
	1 15/16"	SKF	PBE-920-1 15/16	L,1,2
	1 15/16"	SKF	SPB-1100E-1 15/16	L,X,4
	1 15/16"	SKF	PB-900-1 15/16	L,X,1,2
SYE 1 3/4H	1 3/4"	SKF	PBE-920-1 3/4	L,1,2
SYE 1 7/16	1 7/16"	SKF	SPB-1000E-1 7/16	L,M
	1 7/16"	SKF	SPB-1000E-1 7/16	L,M
SYE 2	2"	SKF	SPB-1000E-2	L,M
	2"	SKF	SPB-1100E-2	L,X,4
SYE 2 11/16H	2 11/16"	SKF	PBE-920-2 11/16	L,1,2
SYE 2 15/16H	2 15/16"	SKF	PBE-920-2 15/16	L,1,2
SYE 2 3/16	2 3/16"	SKF	SPB-1000E-2 3/16	L,M
	2 3/16"	SKF	SPB-1100E-2 3/16	L,X,4
SYE 2 3/4H	2 3/4"	SKF	PBE-920-2 3/4	L,1,2
SYE 2H	2"	SKF	SPB-1000E-2	L,M
	2"	SKF	PBE-920-2	L,1,2
	2"	SKF	SPB-1100E-2	L,X,4
	2"	SKF	PB-900-2	L,X,1,2
SYE 3 1/2H	3 1/2"	SKF	PBE-920-3 1/2	L,Y,1,2
SYE 3 7/16H	3 7/16"	SKF	PBE-920-3 7/16	L,Y,1,2
SYE 3H	3"	SKF	PBE-920-3	L,1,2
SYH-1-FM	1	SKF	VPLE-116	=
SYH-1-WM	1	SKF	VPLE-216	V

## Note Code

- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- T - Bolt Tap Differs
- V - Slot Spacing within 1/16
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SYH-1 1/2-FM	1 1/2	SKF	VPLE-124	=
SYH-1 1/2-WM	1 1/2	SKF	VPLE-224	V
SYH-1 1/4-AFM	1 1/4	SKF	VPLE-220S	=
SYH-1 1/4-FM	1 1/4	SKF	VPLE-120	V
SYH-1 1/4-WM	1 1/4	SKF	VPLE-220	=
SYH-1 1/8-FM	1 1/8	SKF	VPLE-118	V
SYH-1 1/8-WM	1 1/8	SKF	VPLE-218	=
SYH-1 11/16-FM	1 11/16	SKF	VPLE-127	V
SYH-1 15/16-FM	1 15/16	SKF	VPLE-131	=
SYH-1 15/16-WM	1 15/16	SKF	VPLE-231	V
SYH-1 3/16-FM	1 3/16	SKF	VPLE-119	=
SYH-1 3/16-WM	1 3/16	SKF	VPLE-219	=
SYH-1 3/4-FM	1 3/4	SKF	VPLE-128	=
SYH-1 3/8-FM	1 3/8	SKF	VPLE-122	=
SYH-1 3/8-WM	1 3/8	SKF	VPLE-222	=
SYH-1 7/16-FM	1 7/16	SKF	VPLE-123	V
SYH-1 7/16-WM	1 7/16	SKF	VPLE-223	V
SYH-1/2-FM	1/2	SKF	VPLE-108	=
SYH-15/16-FM		SKF	VPLE-115	V
SYH-15/16-WM	15/16	SKF	VPLE-215	=
SYH-2-FM	2	SKF	VPLE-132	=
SYH-2-WM	2	SKF	VPLE-232	V
SYH-2 1/4-WM	2 1/4	SKF	VPLE-236	V
SYH-2 3/16-FM	2 3/16	SKF	VPLE-135	V
SYH-2 3/16-WM	2 3/16	SKF	VPLE-235	=
SYH-2 7/16-WM	2 7/16	SKF	VPLE-239	V
SYH-3/4-FM	3/4	SKF	VPLE-112	V
SYH-3/4-WM	3/4	SKF	VPLE-212	V
SYH-5/8-FM	5/8	SKF	VPLE-110	=
SYH-7/8-FM	7/8	SKF	VPLE-114	V
SYH-7/8-WM	7/8	SKF	VPLE-214	V
SYM-1 15/16-TM	1 15/16	SKF	VPS-331	V
SYM-1 7/16-TM	1 7/16	SKF	VPS-323	V
SYM-2 1/2-TM	2 1/2	SKF	VPS-340	V
SYM-2 11/16-TM	2 11/16	SKF	VPS-343	V
SYM-2 15/16-TM	2 15/16	SKF	VPS-347	V
SYM-2 3/16-TM	2 3/16	SKF	VPS-335	V
SYM-2 7/16-TM	2 7/16	SKF	VPS-339	=
SYM-3-TM	3	SKF	VPS-348	=
SYM-3 1/2-TM	3 1/2	SKF	VPS-356	=
SYM-3 7/16-TM	3 7/16	SKF	VPS-355	=
	3 7/16	SKF	VPS-355	=
SYR 1 1/2	1 1/2"	SKF	SPB-1000E-1 1/2	=
SYR 1 1/2H	1 1/2"	SKF	SPB-1000NE-1 1/2	=
	1 1/2"	SKF	PB-900-1 1/2	G,M,1,2
SYR 1 11/16	1 11/16"	SKF	SPB-1000E-1 11/16	=
SYR 1 3/4	1 3/4"	SKF	SPB-1000E-1 3/4	=
SYR 1 3/4H	1 3/4"	SKF	SPB-1000NE-1 3/4	=
	1 3/4"	SKF	PB-900-1 3/4	G,M,1,2
SYR 1 7/16	1 7/16"	SKF	SPB-1000E-1 7/16	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
SYR 1 7/16H	1 7/16"	SKF	SPB-1000NE-1 7/16	=
	1 7/16"	SKF	PB-900-1 7/16	G,M,1,2
	1 7/16"	SKF	PBE-920-1 7/16	J,M,1,2
SYR 2 1/2	2 1/2"	SKF	SPB-1000E-2 1/2	=
SYR 2 1/2H	2 1/2"	SKF	SPB-1000NE-2 1/2	=
SYR 2 11/16	2 11/16"	SKF	SPB-1000E-2 11/16	=
SYR 2 11/16H	2 11/16"	SKF	SPB-1000NE-2 11/16	=
SYR 2 15/16	2 15/16"	SKF	SPB-1000E-2 15/16	=
SYR 2 15/16H	2 15/16"	SKF	SPB-1000NE-2 15/16	=
SYR 2 3/16	2 3/16"	SKF	SPB-1000E-2 3/16	G
	2 3/16"	SKF	SPB-1100E-2 3/16	G,M,4
SYR 2 3/16H	2 3/16"	SKF	SPB-1000NE-2 3/16	G
	2 3/16"	SKF	SPB-1100NE-2 3/16	G,M,4
	2 3/16"	SKF	PB-900-2 3/16	G,M,1,2
	2 3/16"	SKF	PBE-920-2 3/16	H,M,1,2
SYR 2 3/4	2 3/4"	SKF	SPB-1000E-2 3/4	=
SYR 2 3/4H	2 3/4"	SKF	SPB-1000NE-2 3/4	=
SYR 2 7/16	2 7/16"	SKF	SPB-1000E-2 7/16	=
SYR 2 7/16H	2 7/16"	SKF	SPB-1000NE-2 7/16	=
SYR 3	3"	SKF	SPB-1000E-3	=
SYR 3 1/2	3 1/2"	SKF	SPB-1000E-3 1/2	=
	3 1/2"	SKF	SPB-1100E-3 1/2	G,Z,4
SYR 3 1/2H	3 1/2"	SKF	SPB-1000NE-3 1/2	=
	3 1/2"	SKF	SPB-1100NE-3 1/2	G,Z,4
	3 1/2"	SKF	PBE-920-3 1/2	J,M,1,2
	3 1/2"	SKF	PB-900-3 1/2	G,Z,1,2
SYR 3 11/16	3 11/16"	SKF	SPB-1000E-3 11/16	=
SYR 3 11/16H	3 11/16"	SKF	SPB-1000NE-3 11/16	=
SYR 3 15/16	3 15/16"	SKF	SPB-1000E-3 15/16	=
SYR 3 15/16H	3 15/16"	SKF	SPB-1000NE-3 15/16	=
	3 15/16"	SKF	PB-900-3 15/16	G,X,1,2
SYR 3 7/16	3 7/16"	SKF	SPB-1000E-3 7/16	=
	3 7/16"	SKF	SPB-1100E-3 7/16	G,Z,4
SYR 3 7/16H	3 7/16"	SKF	SPB-1000NE-3 7/16	=
	3 7/16"	SKF	SPB-1100NE-3 7/16	G,Z,4
	3 7/16"	SKF	PBE-920-3 7/16	J,M,1,2
	3 7/16"	SKF	PB-900-3 7/16	G,Z,1,2
SYR 3H	3"	SKF	SPB-1000NE-3	=
T-B22423H	1 7/16"	Link-Belt	TUE-920-1 7/16	1,2
T-B22427H	1 11/16"	Link-Belt	TUE-920-1 11/16	1,2
T-B22428H	1 3/4"	Link-Belt	TUE-920-1 3/4	1,2
T-B22431H	1 15/16"	Link-Belt	TUE-920-1 15/16	1,2
T-B22432H	2"	Link-Belt	TUE-920-2	1,2
T-B22435H	2 3/16"	Link-Belt	TUE-920-2 3/16	1,2
T-B22439H	2 7/16"	Link-Belt	TUE-920-2 7/16	1,2
T-B22440H	2 1/2"	Link-Belt	TUE-920-2 1/2	1,2
T-B22443H	2 11/16"	Link-Belt	TUE-920-2 11/16	1,2
T-B22444H	2 3/4"	Link-Belt	TUE-920-2 3/4	1,2
T-B22447H	2 15/16"	Link-Belt	TUE-920-2 15/16	1,2
T-B22455H	3 7/16"	Link-Belt	TUE-920-3 7/16	1,2

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- V - Slot Spacing within 1/16
- X - Bolt Spacing Maximum within 1/8
- Z - Bolt Spacing Maximum within 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
T-B22463H	3 15/16"	Link-Belt	TUE-920-3 15/16	1,2
TB-DL-012	3/4	Dodge	VTBB-212	=
TB-DL-014	7/8	Dodge	VTBB-214	=
TB-DL-015	15/16	Dodge	VTBB-215	=
TB-DL-100	1	Dodge	VTBB-216	=
TB-DL-102	1 1/8	Dodge	VTBB-218	=
TB-DL-103	1 3/16	Dodge	VTBB-219	=
TB-DL-104	1 1/4	Dodge	VTBB-220	=
TB-DL-104S	1 1/4	Dodge	VTBB-220S	=
TB-DL-106	1 3/8	Dodge	VTBB-222	=
TB-DL-107	1 7/16	Dodge	VTBB-223	=
TB-DL-108	1 1/2	Dodge	VTBB-224	=
TB-DL-110L	1 5/8	Dodge	VTBB-226	=
TB-DL-111	1 11/16	Dodge	VTBB-227	=
TB-DL-112	1 3/4	Dodge	VTBB-228	=
TB-DL-115	1 15/16	Dodge	VTBB-231	=
TB-DL-200	2	Dodge	VTBB-232S	=
TB-SC-008	1/2	Dodge	VTBS-208	=
TB-SC-010	5/8	Dodge	VTBS-210	=
TB-SC-012	3/4	Dodge	VTBS-212	=
TB-SC-014	7/8	Dodge	VTBS-214	=
TB-SC-015	15/16	Dodge	VTBS-215	=
TB-SC-100	1	Dodge	VTBS-216	=
TB-SC-102	1 1/8	Dodge	VTBS-218	=
TB-SC-103	1 3/16	Dodge	VTBS-219	R
TB-SC-104	1 1/4	Dodge	VTBS-220	R
TB-SC-104S	1 1/4	Dodge	VTBS-220S	R
TB-SC-106	1 3/8	Dodge	VTBS-222	R
TB-SC-107	1 7/16	Dodge	VTBS-223	R
TB-SC-108	1 1/2	Dodge	VTBS-224	R
TB-SC-110L	1 5/8	Dodge	VTBS-226	R
TB-SC-111	1 11/16	Dodge	VTBS-227	R
TB-SC-112	1 3/4	Dodge	VTBS-228	R
TB-SC-115	1 15/16	Dodge	VTBS-231	V
TB-SC-200	2	Dodge	VTBS-232S	V
TB-SC-200L	2	Dodge	VTBS-232S	V
TBC-25-1	1	MB	VTBS-216	V
TBC-25-1 1/2	1 1/2	MB	VTBS-224	V
TBC-25-1 1/4	1 1/4	MB	VTBS-220	V
TBC-25-1 1/4S	1 1/4	MB	VTBS-220S	V
TBC-25-1 1/8	1 1/8	MB	VTBS-218	V
TBC-25-1 11/16	1 11/16	MB	VTBS-227	V
TBC-25-1 15/16	1 15/16	MB	VTBS-231	R
TBC-25-1 3/16	1 3/16	MB	VTBS-219	=
TBC-25-1 3/4	1 3/4	MB	VTBS-228	T
TBC-25-1 3/8	1 3/8	MB	VTBS-222	T
TBC-25-1 5/8L	1 5/8	MB	VTBS-226	=
TBC-25-1 7/16	1 7/16	MB	VTBS-223	T
TBC-25-1/2	1/2	MB	VTBS-208	=
TBC-25-15/16	15/16	MB	VTBS-215	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TBC-25-2	2	MB	VTBS-232S	=
TBC-25-2L	2	MB	VTBS-232S	T
TBC-25-3/4	3/4	MB	VTBS-212	T
TBC-25-5/8	5/8	MB	VTBS-210	=
TBC-25-7/8	7/8	MB	VTBS-214	T
TBR 1 11/16	1 11/16"	SKF	TUE-920-1 11/16	1,2
TBR 1 15/16	1 15/16"	SKF	TUE-920-1 15/16	1,2
TBR 1 3/4	1 3/4"	SKF	TUE-920-1 3/4	1,2
TBR 1 7/16	1 7/16"	SKF	TUE-920-1 7/16	1,2
TBR 2	2"	SKF	TUE-920-2	1,2
TBR 2 1/2	2 1/2"	SKF	TUE-920-2 1/2	1,2
TBR 2 11/16	2 11/16"	SKF	TUE-920-2 11/16	1,2
TBR 2 15/16	2 15/16"	SKF	TUE-920-2 15/16	1,2
TBR 2 3/16	2 3/16"	SKF	TUE-920-2 3/16	1,2
TBR 2 3/4	2 3/4"	SKF	TUE-920-2 3/4	1,2
TBR 2 7/16	2 7/16"	SKF	TUE-920-2 7/16	1,2
TBR 3 15/16	3 15/16"	SKF	TUE-920-3 15/16	1,2
TBR 3 7/16	3 7/16"	SKF	TUE-920-3 7/16	1,2
TBY-1/2-TM	1/2	SKF	VTWS-208	B
TBY-1-FM	1	SKF	VTWE-116	=
TBY-1-TM	1	SKF	VTWS-216	=
TBY-1-WM	1	SKF	VTWE-216	=
TBY-1 1/2-FM	1 1/2	SKF	VTWE-124	=
TBY-1 1/2-TM	1 1/2	SKF	VTWS-224	=
TBY-1 1/2-WM	1 1/2	SKF	VTWE-224	=
TBY-1 1/4-AFM	1 1/4	SKF	VTWE-220	=
TBY-1 1/4-ATM	1 1/4	SKF	VTWS-220	=
TBY-1 1/4-FM	1 1/4	SKF	VTWE-120	=
	1 1/4	SKF	VTWE-120S	=
TBY-1 1/4-TM	1 1/4	SKF	VTWS-220	=
TBY-1 1/4-WM	1 1/4	SKF	VTWE-220	=
TBY-1 1/8-FM	1 1/8	SKF	VTWE-118	=
TBY-1 1/8-TM	1 1/8	SKF	VTWS-218	=
TBY-1 1/8-WM	1 1/8	SKF	VTWE-218	=
TBY-1 11/16-FM	1 11/16	SKF	VTWE-127	=
TBY-1 11/16-TM	1 11/16	SKF	VTWS-227	=
TBY-1 11/16-WM	1 11/16	SKF	VTWE-227	=
TBY-1 15/16-FM	1 15/16	SKF	VTWE-131	=
TBY-1 15/16-TM	1 15/16	SKF	VTWS-231	=
TBY-1 15/16-WM	1 15/16	SKF	VTWE-231	=
TBY-1 3/16-FM	1 3/16	SKF	VTWE-119	=
TBY-1 3/16-TM	1 3/16	SKF	VTWS-219	=
TBY-1 3/16-WM	1 3/16	SKF	VTWE-219	=
TBY-1 3/4-FM	1 3/4	SKF	VTWE-128	=
TBY-1 3/4-TM	1 3/4	SKF	VTWS-228	=
TBY-1 3/4-WM	1 3/4	SKF	VTWE-228	=
TBY-1 3/8-FM	1 3/8	SKF	VTWE-122	=
TBY-1 3/8-TM	1 3/8	SKF	VTWS-222	=
TBY-1 3/8-WM	1 3/8	SKF	VTWE-222	=
TBY-1 5/8-TM	1 5/8	SKF	VTWS-226	=

## Note Code

- B - Bolt Centers or OD within 1/16
- R - Slot Width within 1/64
- T - Bolt Tap Differs
- V - Slot Spacing within 1/16

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements

- Black - Ball Bearings
- Red - Roller Bearings



## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TBY-1 5/8-WM	1 5/8	SKF	VTWE-226	=
TBY-1 7/16-FM	1 7/16	SKF	VTWE-123	=
TBY-1 7/16-TM	1 7/16	SKF	VTWS-223	=
TBY-1 7/16-WM	1 7/16	SKF	VTWE-223	=
TBY-15/16-FM	15/16	SKF	VTWE-115	=
TBY-15/16-TM	15/16	SKF	VTWS-215	B
TBY-15/16-WM	15/16	SKF	VTWE-215	=
TBY-2-FM	2	SKF	VTWE-132	=
TBY-2-TM	2	SKF	VTWS-232	=
TBY-2-WM	2	SKF	VTWE-232	=
TBY-2 3/16-FM	2 3/16	SKF	VTWE-135	=
TBY-2 3/16-TM	2 3/16	SKF	VTWS-235	=
TBY-2 3/16-WM	2 3/16	SKF	VTWE-235	=
TBY-2 7/16-TM	2 7/16	SKF	VTWS-239	=
TBY-2 7/16-WM	2 7/16	SKF	VTWE-239	=
TBY-3/4-FM	3/4	SKF	VTWE-112	B
TBY-3/4-TM	3/4	SKF	VTWS-212	B
TBY-3/4-WM	3/4	SKF	VTWE-212	B
TBY-5/8-TM	5/8	SKF	VTWS-210	=
TBY-7/8-FM	7/8	SKF	VTWE-114	B
TBY-7/8-TM	7/8	SKF	VTWS-214	=
TBY-7/8-WM	7/8	SKF	VTWE-214	B
TBYM-1 1/2-TM	1 1/2	SKF	VTWS-324	B
	1 1/2	SKF	VTWS-324	=
TBYM-1 11/16-TM	1 11/16	SKF	VTWS-327	=
	1 11/16	SKF	VTWS-327	=
TBYM-1 15/16-TM	1 15/16	SKF	VTWS-331	=
	1 15/16	SKF	VTWS-331	=
TBYM-1 3/4-TM	1 3/4	SKF	VTWS-328	=
	1 3/4	SKF	VTWS-328	=
TBYM-1 7/16-TM	1 7/16	SKF	VTWS-323	=
	1 7/16	SKF	VTWS-323	=
TBYM-2 3/16-TM	2 3/16	SKF	VTWS-335	B
	2 3/16	SKF	VTWS-335	=
TC-25-1 1/2	1 1/2	MB	VTWS-124	=
TC-25-1 1/4	1 1/4	MB	VTWS-120	B
	1 1/4	MB	VTWS-120S	=
TC-25-1 1/4S	1 1/4	MB	VTWS-120	=
	1 1/4	MB	VTWS-120S	=
TC-25-1 1/8	1 1/8	MB	VTWS-118	=
TC-25-1 11/16	1 11/16	MB	VTWS-127	=
TC-25-1 15/16	1 15/16	MB	VTWS-131	=
TC-25-1 3/16	1 3/16	MB	VTWS-119	=
TC-25-1 3/4	1 3/4	MB	VTWS-128	=
TC-25-1 3/8	1 3/8	MB	VTWS-122	=
TC-25-1 7/16	1 7/16	MB	VTWS-123	=
TC-25-2	2	MB	VTWS-132S	=
TC-25-2 3/16	2 3/16	MB	VTWS-135	=
TC-25-2L	2	MB	VTWS-132	=
TC-35-1	1	MB	VTWS-316	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TC-35-1 1/2	1 1/2	MB	VTWS-324	=
TC-35-1 11/16	1 11/16	MB	VTWS-327	=
TC-35-1 15/16	1 15/16	MB	VTWS-331	=
TC-35-1 3/16	1 3/16	MB	VTWS-319	=
TC-35-1 3/4	1 3/4	MB	VTWS-328	=
TC-35-1 7/16	1 7/16	MB	VTWS-323	=
TC-35-2	2	MB	VTWS-332	=
TC-35-2 1/2	2 1/2	MB	VTWS-340	=
TC-35-2 1/4	2 1/4	MB	VTWS-336	=
TC-35-2 11/16	2 11/16	MB	VTWS-343	=
TC-35-2 3/16	2 3/16	MB	VTWS-335	=
TC-35-2 7/16	2 7/16	MB	VTWS-339	=
TFPS3-25-1	1	MB	SSF3TS-116	B
	1	MB	SSF3S-116	=
	1	MB	SSF3S-116	=
	1	MB	SSF3TS-116	=
TFPS3-25-1 1/4S	1 1/4	MB	SSF3S-120S	=
	1 1/4	MB	SSF3S-120S	=
	1 1/4	MB	SSF3TS-120S	=
	1 1/4	MB	SSF3TS-120S	=
TFPS3-25-1 1/8	1 1/8	MB	SSF3S-118	=
	1 1/8	MB	SSF3S-118	=
	1 1/8	MB	SSF3TS-118	=
	1 1/8	MB	SSF3TS-118	=
TFPS3-25-1 3/16	1 3/16	MB	SSF3S-119	=
	1 3/16	MB	SSF3S-119	=
	1 3/16	MB	SSF3TS-119	=
	1 3/16	MB	SSF3TS-119	=
TFPS3-25-15/16	15/16	MB	SSF3S-115	=
	15/16	MB	SSF3S-115	=
	15/16	MB	SSF3TS-115	=
	15/16	MB	SSF3TS-115	=
TFPS3-25-3/4	3/4	MB	SSF3S-112	=
	3/4	MB	SSF3S-112	=
	3/4	MB	SSF3TS-112	=
	3/4	MB	SSF3TS-112	=
TFPS3-25-7/8	7/8	MB	SSF3S-114	=
	7/8	MB	SSF3S-114	=
	7/8	MB	SSF3TS-114	=
	7/8	MB	SSF3TS-114	=
TH3-U212N	3/4	Link-Belt	VTWS-212	=
TH3-U214N	7/8	Link-Belt	VTWS-214	=
TH3-U215N	15/16	Link-Belt	VTWS-215	=
TH3-U216N	1	Link-Belt	VTWS-216	=
TH3-U218N	1 1/8	Link-Belt	VTWS-218	=
TH3-U219N	1 3/16	Link-Belt	VTWS-219	=
TH3-U220N	1 1/4	Link-Belt	VTWS-220	B
TH3-U222N	1 3/8	Link-Belt	VTWS-222	=
TH3-U223N	1 7/16	Link-Belt	VTWS-223	=
TH3-U224N	1 1/2	Link-Belt	VTWS-224	B

### Note Code

B - Bolt Centers or OD within 1/16

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TH3-U226N	1 5/8	Link-Belt	VTWS-226	=
TH3-U227N	1 11/16	Link-Belt	VTWS-227	B
TH3-U228N	1 3/4	Link-Belt	VTWS-228	=
TH3-U231N	1 15/16	Link-Belt	VTWS-231	B
TH3-U232N	2	Link-Belt	VTWS-232	=
TH3-U235N	2 3/16	Link-Belt	VTWS-235	=
TH3-U238N	2 3/16	Link-Belt	VTWS-235	=
TH3-U239N	2 7/16	Link-Belt	VTWS-239	B
TH3-U2E20N	1 1/4	Link-Belt	VTWS-220	=
TPB250-1	1	Hub City	VTBS-216	B
TPB250-1 1/2	1 1/2	Hub City	VTBS-224	=
TPB250-1 1/4	1 1/4	Hub City	VTBS-220	=
TPB250-1 1/4S	1 1/4	Hub City	VTBS-220S	=
TPB250-1 1/8	1 1/8	Hub City	VTBS-218	=
TPB250-1 11/16	1 11/16	Hub City	VTBS-227	=
TPB250-1 15/16	1 15/16	Hub City	VTBS-231	=
TPB250-1 3/16	1 3/16	Hub City	VTBS-219	=
TPB250-1 3/4	1 3/4	Hub City	VTBS-228	=
TPB250-1 3/8	1 3/8	Hub City	VTBS-222	=
TPB250-1 5/8	1 5/8	Hub City	VTBS-226	=
TPB250-1 7/16	1 7/16	Hub City	VTBS-223	=
TPB250-1/2	1/2	Hub City	VTBS-208	=
TPB250-15/16	15/16	Hub City	VTBS-215	B
TPB250-2	2	Hub City	VTBS-232S	=
TPB250-2S	2	Hub City	VTBS-232S	B
TPB250-3/4	3/4	Hub City	VTBS-212	B
TPB250-5/8	5/8	Hub City	VTBS-210	B
TPB250-7/8	7/8	Hub City	VTBS-214	B
TSSF-12	3/4	SealMaster	SSF3S-112	B
	3/4	SealMaster	SSF3TS-112	B
TSSF-12E	3/4	SealMaster	SSF3E-112	B
	3/4	SealMaster	SSF3TE-112	B
TSSF-14	7/8	SealMaster	SSF3S-114	B
	7/8	SealMaster	SSF3TS-114	=
TSSF-14E	7/8	SealMaster	SSF3E-114	=
	7/8	SealMaster	SSF3TE-114	=
TSSF-15	15/16	SealMaster	SSF3S-115	=
	15/16	SealMaster	SSF3TS-115	=
TSSF-15E	15/16	SealMaster	SSF3E-115	=
	15/16	SealMaster	SSF3TE-115	=
TSSF-16	1	SealMaster	SSF3S-116	=
	1	SealMaster	SSF3TS-116	=
TSSF-16E	1	SealMaster	SSF3E-116	=
	1	SealMaster	SSF3TE-116	=
TSSF-18	1 1/8	SealMaster	SSF3S-118	=
	1 1/8	SealMaster	SSF3TS-118	=
TSSF-18E	1 1/8	SealMaster	SSF3E-118	=
	1 1/8	SealMaster	SSF3TE-118	=
TSSF-19	1 3/16	SealMaster	SSF3S-119	B
	1 3/16	SealMaster	SSF3TS-119	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TSSF-19E	1 3/16	SealMaster	SSF3E-119	=
	1 3/16	SealMaster	SSF3TE-119	=
TSSF-20R	1 1/4	SealMaster	SSF3S-120S	=
	1 1/4	SealMaster	SSF3TS-120S	=
TSSF-20RE	1 1/4	SealMaster	SSF3E-120S	=
	1 1/4	SealMaster	SSF3TE-120S	=
TYPE E	2 3/16"	Moline	PBE-920-2 3/16	J
	2 3/16"	Moline	PB-900-2 3/16	H,X,1
	2 3/16"	Moline	SPB-1000NE-2 3/16	J,M,1,2
	2 3/16"	Moline	SPB-1100NE-2 3/16	H,X,1,2,4
TYPE E-1 1/2	1 11/16"	Moline	PBE-920-1 11/16	L
	1 11/16"	Moline	PB-900-1 11/16	H,X,1
	1 11/16"	Moline	SPB-1000NE-1 11/16	H,M,1,2
TYPE E-1 1/4	1 3/16"	Moline	PBE-920-1 3/16	J
	1 15/16"	Moline	PBE-920-1 15/16	L
	1 15/16"	Moline	PB-900-1 15/16	J,X,1
	1 15/16"	Moline	SPB-1000NE-1 15/16	J,M,1,2
	1 15/16"	Moline	SPB-1100NE-1 15/16	J,X,1,2,4
TYPE E-1 3/8	1 7/16"	Moline	PBE-920-1 7/16	J
	1 7/16"	Moline	PB-900-1 7/16	H,X,1
	1 7/16"	Moline	SPB-1000NE-1 7/16	H,M,1,2
TYPE E-1 5/8	1 11/16"	Moline	PBE-920-1 11/16	L
	1 11/16"	Moline	PB-900-1 11/16	H,X,1
	1 11/16"	Moline	SPB-1000NE-1 11/16	H,M,1,2
TYPE E-1 7/8	1 15/16"	Moline	PBE-920-1 15/16	L
	1 15/16"	Moline	PB-900-1 15/16	J,X,1
	1 15/16"	Moline	SPB-1000NE-1 15/16	J,M,1,2
	1 15/16"	Moline	SPB-1100NE-1 15/16	J,X,1,2,4
TYPE E-2	1 15/16"	Moline	PBE-920-1 15/16	L
	1 15/16"	Moline	PB-900-1 15/16	J,X,1
	1 15/16"	Moline	SPB-1000NE-1 15/16	J,M,1,2
	1 15/16"	Moline	SPB-1100NE-1 15/16	J,X,1,2,4
TYPE E-2 1/2	2 7/16"	Moline	PBE-920-2 7/16	G
	2 7/16"	Moline	PBE-920F-2 7/16	G
	2 7/16"	Moline	PB-900-2 7/16	G,X,1
	2 7/16"	Moline	SPB-1100NE-2 7/16	G,X,1,2,4
TYPE E-2 1/4	2 7/16"	Moline	PBE-920-2 7/16	G
	2 7/16"	Moline	PBE-920F-2 7/16	G
	2 7/16"	Moline	PB-900-2 7/16	G,X,1
	2 7/16"	Moline	SPB-1100NE-2 7/16	G,X,1,2,4
TYPE E-2 11/16	2 15/16"	Moline	PBE-920-2 15/16	L
	2 15/16"	Moline	PBE-920F-2 15/16	G
	2 15/16"	Moline	PB-900-2 15/16	G,X,1
	2 15/16"	Moline	SPB-1100NE-2 15/16	G,X,1,2,4
TYPE E-2 3/4	2 15/16"	Moline	PBE-920-2 15/16	L
	2 15/16"	Moline	PBE-920F-2 15/16	G
	2 15/16"	Moline	PB-900-2 15/16	G,X,1
	2 15/16"	Moline	SPB-1100NE-2 15/16	G,X,1,2,4
TYPE E-3	2 15/16"	Moline	PBE-920-2 15/16	L
	2 15/16"	Moline	PBE-920F-2 15/16	G
	2 15/16"	Moline	PB-900-2 15/16	G,X,1
	2 15/16"	Moline	SPB-1100NE-2 15/16	G,X,1,2,4

## Note Code

B - Bolt Centers or OD within 1/16  
 G - Bolt Spacing Minimum within 1/8  
 H - Bolt Spacing Minimum within 1/4  
 J - Bolt Spacing Minimum within 1/2  
 L - Bolt Spacing Minimum Greater than 1/2  
 M - Bolt Spacing Maximum Greater than 1/2  
 X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements  
 4 - Different Housing Materials

Black - Ball Bearings  
 Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TYPE E-3 1/2	3 7/16"	Moline	PBE-920F-3 7/16	L
	3 7/16"	Moline	PBE-920-3 7/16	L,Y
	3 7/16"	Moline	PB-900-3 7/16	J,X,1
	3 7/16"	Moline	SPB-1000NE-3 7/16	J,M,1,2
	3 7/16"	Moline	SPB-1100NE-3 7/16	J,X,1,2,4
TYPE E-3 1/4	3 7/16"	Moline	PBE-920F-3 7/16	L
	3 7/16"	Moline	PBE-920-3 7/16	L,Y
	3 7/16"	Moline	PB-900-3 7/16	J,X,1
	3 7/16"	Moline	SPB-1000NE-3 7/16	J,M,1,2
	3 7/16"	Moline	SPB-1100NE-3 7/16	J,X,1,2,4
TYPE E-3 3/16	3 7/16"	Moline	PBE-920F-3 7/16	L
	3 7/16"	Moline	PBE-920-3 7/16	L,Y
	3 7/16"	Moline	PB-900-3 7/16	J,X,1
	3 7/16"	Moline	SPB-1000NE-3 7/16	J,M,1,2
	3 7/16"	Moline	SPB-1100NE-3 7/16	J,X,1,2,4
TYPE E-4	3 15/16"	Moline	PBE-920F-3 15/16	G,X
	3 15/16"	Moline	SPB-1000FNE-3 15/16	J,1,2
TYPE E-4 1/2	4 7/16"	Moline	PBE-920F-4 7/16	J
	4 7/16"	Moline	PB-900-4 7/16	G,X,1
TYPE E-5	4 15/16"	Moline	PBE-920F-4 15/16	J
	4 15/16"	Moline	PB-900-4 15/16	J,X,1
TYPE E 1 1/2	1 1/2"	Royersford	FBE-920-1 1/2	=
	1 1/2"	Royersford	PBE-920-1 1/2	J
	1 1/2"	Royersford	TUE-920-1 1/2	R
TYPE E 1 1/4	1 1/4"	Royersford	FBE-920-1 1/4	=
	1 1/4"	Royersford	PBE-920-1 1/4	H
	1 1/4"	Royersford	FC-900-1 1/4	1
TYPE E 1 11/16	1 11/16"	Royersford	FBE-920-1 11/16	=
	1 11/16"	Royersford	PBE-920-1 11/16	J
	1 11/16"	Royersford	TUE-920-1 11/16	R
	1 11/16"	Royersford	FB-900-1 11/16	1
	1 11/16"	Royersford	FC-900-1 11/16	K,1
	1 11/16"	Royersford	SFC-1000NE-1 11/16	1,2
	1 11/16"	Royersford	PB-900-1 11/16	L,X,1
	1 11/16"	Royersford	SPB-1000NE-1 11/16	L,M,1,2
	1 11/16"	Royersford	SPB-1000NE-1 11/16	L,M,1,2
TYPE E 1 15/16	1 15/16"	Royersford	FBE-920-1 15/16	=
	1 15/16"	Royersford	PBE-920-1 15/16	L
	1 15/16"	Royersford	TUE-920-1 15/16	R
	1 15/16"	Royersford	FB-900-1 15/16	1
	1 15/16"	Royersford	FC-900-1 15/16	1
	1 15/16"	Royersford	SFC-1000NE-1 15/16	1,2
	1 15/16"	Royersford	PB-900-1 15/16	L,X,1
	1 15/16"	Royersford	SFB-1100NE-1 15/16	1,2,4
	1 15/16"	Royersford	SFC-1100NE-1 15/16	1,2,4
	1 15/16"	Royersford	SPB-1000NE-1 15/16	L,M,1,2
	1 15/16"	Royersford	SPB-1100NE-1 15/16	L,X,1,2,4
	1 15/16"	Royersford	SPB-1100NE-1 15/16	L,X,1,2,4
	TYPE E 1 3/16	1 3/16"	Royersford	FBE-920-1 3/16
1 3/16"		Royersford	FC-900-1 3/16	1
1 3/16"		Royersford	PBE-920-1 3/16	G,Z

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TYPE E 1 3/4	1 3/4"	Royersford	FBE-920-1 3/4	=
	1 3/4"	Royersford	PBE-920-1 3/4	L
	1 3/4"	Royersford	TUE-920-1 3/4	R
TYPE E 1 3/8	1 3/8"	Royersford	TUE-920-1 3/8	=
	1 3/8"	Royersford	FBE-920-1 3/8	=
	1 3/8"	Royersford	PBE-920-1 3/8	J
TYPE E 1 5/8	1 5/8"	Royersford	FBE-920-1 5/8	=
	1 5/8"	Royersford	PBE-920-1 5/8	J
	1 5/8"	Royersford	FB-900-1 5/8	1
	1 5/8"	Royersford	FC-900-1 5/8	K,1
	1 5/8"	Royersford	PB-900-1 5/8	L,X,1
TYPE E 1 7/16	1 7/16"	Royersford	TUE-920-1 7/16	=
	1 7/16"	Royersford	FBE-920-1 7/16	=
	1 7/16"	Royersford	PBE-920-1 7/16	J
	1 7/16"	Royersford	FB-900-1 7/16	1
	1 7/16"	Royersford	FC-900-1 7/16	1
	1 7/16"	Royersford	SFB-1000NE-1 7/16	1,2
	1 7/16"	Royersford	SFC-1000NE-1 7/16	1,2
	1 7/16"	Royersford	PB-900-1 7/16	L,X,1
	1 7/16"	Royersford	SPB-1000NE-1 7/16	L,M,1,2
TYPE E 1 7/8	1 7/8"	Royersford	FB-900-1 7/8	1
	1 7/8"	Royersford	FC-900-1 7/8	1
	1 7/8"	Royersford	PB-900-1 7/8	L,X,1
TYPE E 2	2"	Royersford	FBE-920-2	=
	2"	Royersford	PBE-920-2	L
	2"	Royersford	TUE-920-2	R
	2"	Royersford	FB-900-2	1
	2"	Royersford	FC-900-2	1
	2"	Royersford	SFC-1000NE-2	1,2
	2"	Royersford	PB-900-2	L,X,1
	2"	Royersford	SFB-1100NE-2	1,2,4
	2"	Royersford	SFC-1100NE-2	1,2,4
	2"	Royersford	SPB-1000NE-2	L,M,1,2
TYPE E 2 3/16	2 3/16"	Royersford	SPB-1100NE-2	L,X,1,2,4
	2 3/16"	Royersford	PBE-920-2 3/16	L
	2 3/16"	Royersford	PB-900-2 3/16	L,X,1
	2 3/16"	Royersford	SPB-1000NE-2 3/16	L,M,1,2
TYPE E 2 1/2	2 1/2"	Royersford	SPB-1100NE-2 3/16	L,X,1,2,4
	2 1/2"	Royersford	FBE-920-2 1/2	=
	2 1/2"	Royersford	TUE-920-2 1/2	R
	2 1/2"	Royersford	FB-900-2 1/2	1
	2 1/2"	Royersford	FC-900-2 1/2	1
	2 1/2"	Royersford	SFC-1000NE-2 1/2	1,2
	2 1/2"	Royersford	SFB-1100NE-2 1/2	1,2,4
	2 1/2"	Royersford	SFC-1100NE-2 1/2	1,2,4
	2 1/2"	Royersford	SFC-1100NE-2 1/2	1,2,4
	2 1/2"	Royersford	SFC-1100NE-2 1/2	1,2,4
TYPE E 2 1/4	2 1/4"	Royersford	FBE-920-2 1/4	=
	2 1/4"	Royersford	FB-900-2 1/4	1
	2 1/4"	Royersford	FC-900-2 1/4	1

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- K - Pilot within 1/64
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- R - Slot Width within 1/64
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TYPE E 2 11/16	2 11/16"	Royersford	FBE-920-2 11/16	=
	2 11/16"	Royersford	PBE-920-2 11/16	L
	2 11/16"	Royersford	TUE-920-2 11/16	R
	2 11/16"	Royersford	FB-900-2 11/16	1
	2 11/16"	Royersford	FC-900-2 11/16	1
	2 11/16"	Royersford	SFC-1000NE-2 11/16	1,2
	2 11/16"	Royersford	SFB-1100NE-2 11/16	1,2,4
	2 11/16"	Royersford	SFC-1100NE-2 11/16	1,2,4
TYPE E 2 15/16	2 15/16"	Royersford	FBE-920-2 15/16	=
	2 15/16"	Royersford	PBE-920-2 15/16	L
	2 15/16"	Royersford	TUE-920-2 15/16	R
	2 15/16"	Royersford	FB-900-2 15/16	1
	2 15/16"	Royersford	FC-900-2 15/16	1
	2 15/16"	Royersford	SFC-1000NE-2 15/16	1,2
	2 15/16"	Royersford	SFB-1100NE-2 15/16	1,2,4
	2 15/16"	Royersford	SFC-1100NE-2 15/16	1,2,4
TYPE E 2 3/16	2 3/16"	Royersford	FBE-920-2 3/16	=
	2 3/16"	Royersford	TUE-920-2 3/16	R
	2 3/16"	Royersford	FB-900-2 3/16	1
	2 3/16"	Royersford	FC-900-2 3/16	1
	2 3/16"	Royersford	SFC-1000NE-2 3/16	1,2
	2 3/16"	Royersford	SFB-1100NE-2 3/16	1,2,4
	2 3/16"	Royersford	SFC-1100NE-2 3/16	1,2,4
	TYPE E 2 3/4	2 3/4"	Royersford	FBE-920-2 3/4
2 3/4"		Royersford	PBE-920-2 3/4	L
2 3/4"		Royersford	TUE-920-2 3/4	R
2 3/4"		Royersford	FB-900-2 3/4	1
2 3/4"		Royersford	FC-900-2 3/4	1
2 3/4"		Royersford	SFC-1000NE-2 3/4	1,2
2 3/4"		Royersford	SFB-1100NE-2 3/4	1,2,4
2 3/4"		Royersford	SFC-1100NE-2 3/4	1,2,4
TYPE E 2 7/16	2 7/16"	Royersford	FBE-920-2 7/16	=
	2 7/16"	Royersford	TUE-920-2 7/16	R
	2 7/16"	Royersford	FB-900-2 7/16	1
	2 7/16"	Royersford	FC-900-2 7/16	1
	2 7/16"	Royersford	SFC-1000NE-2 7/16	1,2
	2 7/16"	Royersford	SFB-1100NE-2 7/16	1,2,4
	2 7/16"	Royersford	SFC-1100NE-2 7/16	1,2,4
	TYPE E 3	3"	Royersford	FBE-920-3
3"		Royersford	PBE-920-3	L
3"		Royersford	FC-900-3	1
3"		Royersford	SFC-1000NE-3	1,2
3"		Royersford	SFB-1100NE-3	1,2,4
3"		Royersford	SFC-1100NE-3	1,2,4
TYPE E 3 1/2	3 1/2"	Royersford	FBE-920-3 1/2	=
	3 1/2"	Royersford	PBE-920F-3 1/2	L
	3 1/2"	Royersford	FB-900-3 1/2	1
	3 1/2"	Royersford	FC-900-3 1/2	1
	3 1/2"	Royersford	PBE-920-3 1/2	L,X
	3 1/2"	Royersford	SFC-1000NE-3 1/2	1,2
	3 1/2"	Royersford	SFB-1100NE-3 1/2	1,2,4
	3 1/2"	Royersford	SFC-1100NE-3 1/2	1,2,4

Part Description	Size	Manufacturer	Browning Part Description	Note Code	
TYPE E 3 15/16	3 15/16"	Royersford	FBE-920-3 15/16	=	
	3 15/16"	Royersford	FB-900-3 15/16	1	
	3 15/16"	Royersford	SFC-1000NE-3 15/16	1,2	
	3 15/16"	Royersford	SPB-1000FNE-3 15/16	L,1,2	
TYPE E 3 3/16	3 3/16"	Royersford	FBE-920-3 3/16	=	
	3 3/16"	Royersford	PBE-920F-3 3/16	L	
	3 3/16"	Royersford	PBE-920-3 3/16	L,X	
	3 3/16"	Royersford	SFC-1000NE-3 3/16	1,2	
	3 3/16"	Royersford	SFB-1100NE-3 3/16	1,2,4	
	3 3/16"	Royersford	PB-950NE-3 3/16	M,1,3,4	
TYPE E 3 7/16	3 7/16"	Royersford	FBE-920-3 7/16	=	
	3 7/16"	Royersford	PBE-920F-3 7/16	L	
	3 7/16"	Royersford	FB-900-3 7/16	1	
	3 7/16"	Royersford	FC-900-3 7/16	1	
	3 7/16"	Royersford	PBE-920-3 7/16	L,X	
	3 7/16"	Royersford	SFC-1000NE-3 7/16	1,2	
TYPE E 4	4"	Royersford	FB-900-4	1	
	4"	Royersford	SFC-1000NE-4	1,2	
	4"	Royersford	SPB-1000FNE-4	L,1,2	
	4 1/2"	Royersford	FB-900-4 1/2	1	
TYPE E 4 7/16	4 7/16"	Royersford	FB-900-4 7/16	1	
	TYPE E FLAN-2 11/16	2 15/16"	Moline	FBE-920-2 15/16	=
		2 15/16"	Moline	FB-900-2 15/16	1
TYPE E FLANG-3 3/16	2 15/16"	Moline	SFB-1100NE-2 15/16	1,2,4	
	3 7/16"	Moline	FBE-920-3 7/16	=	
	3 7/16"	Moline	FB-900-3 7/16	1	
TYPE E FLANGE	3 7/16"	Moline	SFB-1100NE-3 7/16	1,2,4	
	2 3/16"	Moline	FBE-920-2 3/16	=	
	2 3/16"	Moline	FB-900-2 3/16	1	
TYPE E FLANGE-1 1/2	2 3/16"	Moline	SFB-1100NE-2 3/16	1,2,4	
	1 11/16"	Moline	FBE-920-1 11/16	=	
TYPE E FLANGE-1 1/4	1 11/16"	Moline	FB-900-1 11/16	1	
	1 3/16"	Moline	FBE-920-1 3/16	=	
TYPE E FLANGE-1 3/4	1 15/16"	Moline	FBE-920-1 15/16	=	
	1 15/16"	Moline	FB-900-1 15/16	1	
	1 15/16"	Moline	SFB-1100NE-1 15/16	1,2,4	
TYPE E FLANGE-1 3/8	1 7/16"	Moline	FBE-920-1 7/16	=	
	1 7/16"	Moline	FB-900-1 7/16	1	
	1 7/16"	Moline	SFB-1000NE-1 7/16	1,2	
TYPE E FLANGE-1 5/8	1 11/16"	Moline	FBE-920-1 11/16	=	
	1 11/16"	Moline	FB-900-1 11/16	1	
TYPE E FLANGE-1 7/8	1 15/16"	Moline	FBE-920-1 15/16	=	
	1 15/16"	Moline	FB-900-1 15/16	1	
	1 15/16"	Moline	SFB-1100NE-1 15/16	1,2,4	
TYPE E FLANGE-2	1 15/16"	Moline	FBE-920-1 15/16	=	
	1 15/16"	Moline	FB-900-1 15/16	1	
	1 15/16"	Moline	SFB-1100NE-1 15/16	1,2,4	

## Note Code

- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- R - Slot Width within 1/64
- X - Bolt Spacing Maximum within 1/8

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 3 - Only One Has a Split Housing
- 4 - Different Housing Materials

Red - Roller Bearings



## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
TYPE E FLANGE-2 1/2	2 7/16"	Moline	FBE-920-2 7/16	=
	2 7/16"	Moline	FB-900-2 7/16	1
	2 7/16"	Moline	SFB-1100NE-2 7/16	1,2,4
TYPE E FLANGE-2 1/4	2 7/16"	Moline	FBE-920-2 7/16	=
	2 7/16"	Moline	FB-900-2 7/16	1
	2 7/16"	Moline	SFB-1100NE-2 7/16	1,2,4
TYPE E FLANGE-2 3/4	2 15/16"	Moline	FBE-920-2 15/16	=
	2 15/16"	Moline	FB-900-2 15/16	1
	2 15/16"	Moline	SFB-1100NE-2 15/16	1,2,4
TYPE E FLANGE-3	2 15/16"	Moline	FBE-920-2 15/16	=
	2 15/16"	Moline	FB-900-2 15/16	1
	2 15/16"	Moline	SFB-1100NE-2 15/16	1,2,4
TYPE E FLANGE-3 1/2	3 7/16"	Moline	FBE-920-3 7/16	=
	3 7/16"	Moline	FB-900-3 7/16	1
	3 7/16"	Moline	SFB-1100NE-3 7/16	1,2,4
TYPE E FLANGE-3 1/4	3 7/16"	Moline	FBE-920-3 7/16	=
	3 7/16"	Moline	FB-900-3 7/16	1
	3 7/16"	Moline	SFB-1100NE-3 7/16	1,2,4
TYPE E FLANGE-4	3 15/16"	Moline	FBE-920-3 15/16	=
	3 15/16"	Moline	FB-900-3 15/16	1
UCF204-012T	3/4	NTN	VF4S-212	=
UCF204-12	3/4	AMI	VF4S-212	=
UCF204-12S	3/4	NSK	VF4S-212	=
UCF205-014T	7/8	NTN	VF4S-214	=
UCF205-015T	15/16	NTN	VF4S-215	=
UCF205-100T	1	NTN	VF4S-216	=
UCF205-14	7/8	AMI	VF4S-214	=
UCF205-14S	7/8	NSK	VF4S-214	=
UCF205-15	15/16	AMI	VF4S-215	=
UCF205-15S	15/16	NSK	VF4S-215	=
UCF205-16	1	AMI	VF4S-216	=
UCF205-16S	1	NSK	VF4S-216	=
UCF206-102T	1 1/8	NTN	VF4S-218	=
UCF206-103T	1 3/16	NTN	VF4S-219	=
UCF206-104T	1 1/4	NTN	VF4S-220S	=
UCF206-18	1 1/8	AMI	VF4S-218	=
UCF206-18S	1 1/8	NSK	VF4S-218	=
UCF206-19	1 3/16	AMI	VF4S-219	=
UCF206-19S	1 3/16	NSK	VF4S-219	=
UCF206-20	1 1/4	AMI	VF4S-220S	=
UCF206-20S	1 1/4	NSK	VF4S-220S	=
UCF207-104T	1 1/4	NTN	VF4S-220	=
UCF207-106T	1 3/8	NTN	VF4S-222	=
UCF207-107T	1 7/16	NTN	VF4S-223	=
UCF207-20	1 1/4	AMI	VF4S-220	=
UCF207-20S	1 1/4	NSK	VF4S-220	=
UCF207-22	1 3/8	AMI	VF4S-222	=
UCF207-22S	1 3/8	NSK	VF4S-222	=
UCF207-23	1 7/16	AMI	VF4S-223	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCF207-23S	1 7/16	NSK	VF4S-223	=
UCF208-108T	1 1/2	NTN	VF4S-224	=
UCF208-24	1 1/2	AMI	VF4S-224	=
UCF208-24S	1 1/2	NSK	VF4S-224	=
UCF209-110T	1 5/8	NTN	VF4S-226	=
UCF209-111T	1 11/16	NTN	VF4S-227	=
UCF209-112T	1 3/4	NTN	VF4S-228	=
UCF209-26	1 5/8	AMI	VF4S-226	=
UCF209-26S	1 5/8	NSK	VF4S-226	=
UCF209-27	1 11/16	AMI	VF4S-227	=
UCF209-27S	1 11/16	NSK	VF4S-227	=
UCF209-28	1 3/4	AMI	VF4S-228	=
UCF209-28S	1 3/4	NSK	VF4S-228	=
UCF210-115T	1 15/16	NTN	VF4S-231	=
UCF210-200T	2	NTN	VF4S-232S	=
UCF210-31	1 15/16	AMI	VF4S-231	=
UCF210-31S	1 15/16	NSK	VF4S-231	=
UCF210-32	2	AMI	VF4S-232S	=
UCF210-32S	2	NSK	VF4S-232S	=
UCF211-200T	2	NTN	VF4S-232	=
UCF211-203T	2 3/16	NTN	VF4S-235	=
UCF211-32	2	AMI	VF4S-232	=
	2	Peer	VF4S-332	=
UCF211-32S	2	NSK	VF4S-232	B
UCF211-35	2 3/16	AMI	VF4S-235	=
UCF211-35S	2 3/16	NSK	VF4S-235	=
UCF212-204T	2 1/4	NTN	VF4S-236	=
UCF212-207T	2 7/16	NTN	VF4S-239	=
UCF212-36	2 1/4	AMI	VF4S-236	=
	2 1/4	Peer	VF4S-336	=
UCF212-36S	2 1/4	NSK	VF4S-236	=
UCF212-39	2 7/16	AMI	VF4S-239	=
UCF213-40	2 1/2	Peer	VF4S-340	=
UCF214-43	2 11/16	Peer	VF4S-343	=
UCFCF206-20	1 1/4	AMI	VFCS-220	=
UCFCF208-24	1 1/2	AMI	VFCS-224	=
UCFCF209-26	1 5/8	AMI	VFCS-226	=
UCFCF209-27	1 11/16	AMI	VFCS-227	=
UCFCF209-28	1 3/4	AMI	VFCS-228	=
UCFCF210-32	2	AMI	VFCS-232	=
UCFCS206-18	1 1/8	AMI	VFCS-218	=
UCFCS206-19	1 3/16	AMI	VFCS-219	=
UCFCS206-20	1 1/4	AMI	VFCS-220S	=
UCFCS207-20	1 1/4	AMI	VFCS-220	=
UCFCS207-22	1 3/8	AMI	VFCS-222	=
UCFCS207-23	1 7/16	AMI	VFCS-223	=
UCFCS208-24	1 1/2	AMI	VFCS-224	=
UCFCS209-26	1 5/8	AMI	VFCS-226	=
UCFCS209-27	1 11/16	AMI	VFCS-227	=

### Note Code

B - Bolt Centers or OD within 1/16

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Black - Ball Bearings  
Red - Roller Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCFCS209-28	1 3/4	AMI	VFCS-228	L, M
UCFCS210-31	1 15/16	AMI	VFCS-231	L, M
UCFCS210-32	2	AMI	VFCS-232S	G, X
UCFCS211-32	2	AMI	VFCS-232	G, X
UCFCS211-35	2 3/16	AMI	VFCS-235	G, X
UCFCS212-36	2 1/4	AMI	VFCS-236	G, X
UCFCS213-40	2 1/2	AMI	VFCS-240	J, Y
UCFCSX06-20	1 1/4	AMI	VFCS-220	J, Y
UCFCSX09-26	1 5/8	AMI	VFCS-226	J, Y
UCFCSX09-27	1 11/16	AMI	VFCS-227	L, Z
UCFCSX09-28	1 3/4	AMI	VFCS-228	L, Z
UCFCSX10-32	2	AMI	VFCS-232	L, Z
UCFCSX11-36	2 1/4	AMI	VFCS-236	J, X
UCFCSX13-40	2 1/2	AMI	VFCS-240	H, Z
UCFL204-012T	3/4	NTN	VF2S-212	H, Z
UCFL204-12	3/4	AMI	VF2S-212	H, Z
UCFL204-12S	3/4	NSK	VF2S-212	G, Z
UCFL205-14	7/8	AMI	VF2S-214	G, Z
UCFL205-14S	7/8	NSK	VF2S-214	G, Z
UCFL205-15	15/16	AMI	VF2S-215	G, Z
UCFL205-15S	15/16	NSK	VF2S-215	H, Y
UCFL205-16	1	AMI	VF2S-216	J, M
UCFL205-16S	1	NSK	VF2S-216	L, M
UCFL206-102T	1 1/8	NTN	VF2S-218	L, M
UCFL206-103T	1 3/16	NTN	VF2S-219	J, M
UCFL206-104T	1 1/4	NTN	VF2S-220S	L, M
UCFL206-18	1 1/8	AMI	VF2S-218	L, M
UCFL206-18S	1 1/8	NSK	VF2S-218	L, Y
UCFL206-19	1 3/16	AMI	VF2S-219	X
UCFL206-19S	1 3/16	NSK	VF2S-219	X
UCFL206-20S	1 1/4	NSK	VF2S-220S	L, Y
UCFL207-104T	1 1/4	NTN	VF2S-220	L, Y
UCFL207-106T	1 3/8	NTN	VF2S-222	L, Y
UCFL207-107T	1 7/16	NTN	VF2S-223	H, Y
UCFL207-20	1 1/4	AMI	VF2S-220	G, X
UCFL207-20S	1 1/4	NSK	VF2S-220	H, Y
UCFL207-22	1 3/8	AMI	VF2S-222	G, X
UCFL207-22S	1 3/8	NSK	VF2S-222	H, Y
UCFL207-23	1 7/16	AMI	VF2S-223	G, X
UCFL207-23S	1 7/16	NSK	VF2S-223	L, X
UCFL208-108T	1 1/2	NTN	VF2S-224	L, X
UCFL208-24	1 1/2	AMI	VF2S-224	L, X
UCFL208-24S	1 1/2	NSK	VF2S-224	H
UCFL209-110T	1 5/8	NTN	VF2S-226	J, X
UCFL209-111T	1 11/16	NTN	VF2S-227	H
UCFL209-112T	1 3/4	NTN	VF2S-228	J, X
UCFL209-26	1 5/8	AMI	VF2S-226	H
UCFL209-26S	1 5/8	NSK	VF2S-226	J, X
UCFL209-27	1 11/16	AMI	VF2S-227	H, M
UCFL209-27S	1 11/16	NSK	VF2S-227	H, M

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCFL209-28	1 3/4	AMI	VF2S-228	H, M
UCFL209-28S	1 3/4	NSK	VF2S-228	L, M
UCFL210-115T	1 15/16	NTN	VF2S-231	L, M
UCFL210-200T	2	NTN	VF2S-232S	L, M
UCFL210-31	1 15/16	AMI	VF2S-231	L, M
UCFL210-31S	1 15/16	NSK	VF2S-231	L, M
UCFL210-32S	2	NSK	VF2S-232S	L, M
UCFL211-200T	2	NTN	VF2S-232	L, Y
UCFL211-203T	2 3/16	NTN	VF2S-235	=
UCFL211-32	2	AMI	VF2S-232	H, X
UCFL211-32S	2	NSK	VF2S-232	L, X
UCFL211-35	2 3/16	AMI	VF2S-235	L, X
UCFL211-35S	2 3/16	NSK	VF2S-235	L, X
UCFL212-204T	2 1/4	NTN	VF2S-236	G, X
UCFL212-207T	2 7/16	NTN	VF2S-239	H, X
UCFL212-36	2 1/4	AMI	VF2S-236	G, X
UCFL212-36S	2 1/4	NSK	VF2S-236	G, X
UCFL212-39	2 7/16	AMI	VF2S-239	H, X
UCFLX05-100T	1	NTN	VF2B-316	L, X
UCFLX05-16	1	AMI	VF2S-316	L, X
UCFLX06-103T	1 3/16	NTN	VF2B-319	X
UCFLX06-104T	1 1/4	NTN	VF2B-320	G, X
UCFLX06-19	1 3/16	AMI	VF2S-319	X
UCFLX06-20	1 1/4	AMI	VF2S-320	G, X
UCFLX07-107T	1 7/16	NTN	VF2B-323	L, Z
UCFLX07-23	1 7/16	AMI	VF2S-323	H, Y
UCFLX08-108T	1 1/2	NTN	VF2B-324	G, Z
UCFLX08-24	1 1/2	AMI	VF2S-324	H, Y
UCFLX09-111T	1 11/16	NTN	VF2B-327	H, Y
UCFLX09-112T	1 3/4	NTN	VF2B-328	H, Y
UCFLX09-27	1 11/16	AMI	VF2S-327	L, Z
UCFLX09-28	1 3/4	AMI	VF2S-328	L, Z
UCFLX10-115T	1 15/16	NTN	VF2B-331	Z
UCFLX10-200T	2	NTN	VF2B-332	
UCFLX10-31	1 15/16	AMI	VF2S-331	G, Z
UCFLX10-32	2	AMI	VF2S-332	Z
UCFT201-8	1/2	AMI	VF2S-208	G, Z
UCFT202-10	5/8	AMI	VF2S-210	L, Z
UCFT204-12	3/4	AMI	VF2S-212	L, Y
UCFT205-14	7/8	AMI	VF2S-214	L, Y
UCFT205-15	15/16	AMI	VF2S-215	L, Y
UCFT205-16	1	AMI	VF2S-216	N, L, Z
UCFT206-18	1 1/8	AMI	VF2S-218	H, X
UCFT206-19	1 3/16	AMI	VF2S-219	J, Z
UCFT206-20	1 1/4	AMI	VF2S-220S	H, Z
UCFT207-20	1 1/4	AMI	VF2S-220	H, Z
	1 1/4	Peer	VF2S-320	H, Z
UCFT207-22	1 3/8	AMI	VF2S-222	J, Z
UCFT207-23	1 7/16	AMI	VF2S-223	J, Z
UCFT208-24	1 1/2	AMI	VF2S-224	J, Z

### Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- N - Base to Center with 1/64
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

See page 152 for trademark acknowledgments.



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCFT209-26	1 5/8	AMI	VF2S-226	H, M
UCFT209-27	1 11/16	AMI	VF2S-227	H, M
UCFT209-28	1 3/4	AMI	VF2S-228	H, M
UCFT210-31	1 15/16	AMI	VF2S-231	J, Z
UCFT210-32	2	AMI	VF2S-232S	J, Z
UCFT211-32	2	AMI	VF2S-232	J, Z
	2	Peer	VF2S-332	L, Z
UCFT211-35	2 3/16	AMI	VF2S-235	L, X
UCFTX05-16	1	Peer	VF2S-316	X
UCFTX06-19	1 3/16	Peer	VF2S-319	X
UCFTX06-20	1 1/4	Peer	VF2S-320	H, M
UCFTX07-23	1 7/16	Peer	VF2S-323	L, M
UCFTX08-24	1 1/2	Peer	VF2S-324	L, M
UCFTX09-27	1 11/16	Peer	VF2S-327	L, X
UCFTX09-28	1 3/4	Peer	VF2S-328	G, Z
UCFTX10-31	1 15/16	Peer	VF2S-331	L, Y
UCFTX10-32	2	Peer	VF2S-332	G, Z
UCFX05-100T	1	NTN	VF4S-316	G, Z
UCFX05-16	1	AMI	VF4S-316	L, X
	1	Peer	VF4S-316	L, X
UCFX06-103T	1 3/16	NTN	VF4S-319	J, Z
UCFX06-19	1 3/16	AMI	VF4S-319	J, Z
	1 3/16	Peer	VF4S-319	J, Z
UCFX07-107T	1 7/16	NTN	VF4S-323	J, Z
UCFX07-23	1 7/16	AMI	VF4S-323	L, X
UCFX08-108T	1 1/2	NTN	VF4S-324	L, X
UCFX08-24	1 1/2	AMI	VF4S-324	L, Y
	1 1/2	Peer	VF4S-324	L, Y
UCFX09-111T	1 11/16	NTN	VF4S-327	L, Y
UCFX09-112T	1 3/4	NTN	VF4S-328	L, Y
UCFX09-27	1 11/16	AMI	VF4S-327	L, Z
	1 11/16	Peer	VF4S-327	L, Z
UCFX09-28	1 3/4	AMI	VF4S-328	J
	1 3/4	Peer	VF4S-328	J, Z
UCFX10-115T	1 15/16	NTN	VF4S-331	J
UCFX10-200T	2	NTN	VF4S-332	J, Z
UCFX10-31	1 15/16	Peer	VF4S-331	J
	1 15/16	AMI	VF4S-331	L, M
UCFX10-32	2	AMI	VF4S-332	J, X
	2	Peer	VF4S-332	L, M
UCFX11-203T	2 3/16	NTN	VF4S-335	J
UCFX11-204T	2 1/4	NTN	VF4S-336	J, X
UCFX11-35	2 3/16	AMI	VF4S-335	L, M
UCFX11-36	2 1/4	AMI	VF4S-336	L, M
UCFX12-39	2 7/16	AMI	VF4S-339	L, M
UCFX13-40	2 1/2	AMI	VF4S-340	L, Y
UCFX14-43	2 11/16	AMI	VF4S-343	L, Y
UCFX15-48	3	AMI	VF4S-348	L, M
UCFX17-55	3 7/16	AMI	VF4S-355	L, M
UCFX18-56	3 1/2	AMI	VF4S-356	L, M

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCFX20-63	3 15/16	AMI	VF4S-363	L, M
UCLF201-8	1/2	AMI	VF4S-208	L, M
UCLF202-10	5/8	AMI	VF4S-210	L, Z
UCLP201-8	1/2	AMI	VPLS-208	L, Z
UCLP202-10	5/8	AMI	VPLS-210	L, M
UCLP204-12	3/4	AMI	VPLS-212	L, Z
UCLP205-14	7/8	AMI	VPLS-214	L, M
UCLP205-15	15/16	AMI	VPLS-215	=
UCLP205-16	1	AMI	VPLS-216	=
UCLP206-18	1 1/8	AMI	VPLS-218	=
UCLP206-19	1 3/16	AMI	VPLS-219	=
UCLP206-20	1 1/4	AMI	VPLS-220S	=
UCLP207-20	1 1/4	AMI	VPLS-220	=
UCLP207-22	1 3/8	AMI	VPLS-222	=
UCLP207-23	1 7/16	AMI	VPLS-223	=
UCLP208-24	1 1/2	AMI	VPLS-224	=
UCLP209-26	1 5/8	AMI	VPLS-226	=
UCLP209-27	1 11/16	AMI	VPLS-227	=
UCLP209-28	1 3/4	AMI	VPLS-228	=
UCLP210-31	1 15/16	AMI	VPLS-231	=
UCLP210-32	2	AMI	VPLS-232S	=
UCLP211-32	2	AMI	VPLS-232	=
UCLP211-35	2 3/16	AMI	VPLS-235	=
UCLP212-39	2 7/16	AMI	VPLS-239	=
UCP201-008T	1/2	NTN	VPS-208	=
UCP201-8	1/2	AMI	VPS-208	=
UCP201-8S	1/2	NSK	VPS-208	=
UCP202-010T	5/8	NTN	VPS-210	=
UCP202-10	5/8	AMI	VPS-210	=
UCP202-10S	5/8	NSK	VPS-210	=
UCP204-012T	3/4	NTN	VPS-212	=
UCP204-12	3/4	AMI	VPS-212	=
UCP204-12S	3/4	NSK	VPS-212	=
UCP205-014T	7/8	NTN	VPS-214	=
UCP205-015T	15/16	NTN	VPS-215	=
UCP205-100T	1	NTN	VPS-216	=
UCP205-14	7/8	AMI	VPS-214	=
UCP205-14S	7/8	NSK	VPS-214	=
UCP205-15	15/16	AMI	VPS-215	=
UCP205-15S	15/16	NSK	VPS-215	=
UCP205-16	1	AMI	VPS-216	=
UCP205-16S	1	NSK	VPS-216	=
UCP206-102T	1 1/8	NTN	VPS-218	=
UCP206-103T	1 3/16	NTN	VPS-219	=
UCP206-104T	1 1/4	NTN	VPS-220S	=
UCP206-18	1 1/8	AMI	VPS-218	=
UCP206-18S	1 1/8	NSK	VPS-218	U, Q
UCP206-19	1 3/16	AMI	VPS-219	U, Q
UCP206-19S	1 3/16	NSK	VPS-219	U, Q
UCP206-20	1 1/4	AMI	VPS-220S	V, Q

## Note Code

- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- Q - Slot Width within 1/16

- T - Bolt Tap Differs
- U - Slot Spacing within 1/64
- V - Slot Spacing within 1/16
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCP206-20S	1 1/4	NSK	VPS-220S	V, Q
UCP207-104T	1 1/4	NTN	VPS-220	V, Q
UCP207-106T	1 3/8	NTN	VPS-222	V, Q
UCP207-107T	1 7/16	NTN	VPS-223	=
UCP207-20	1 1/4	AMI	VPS-220	=
UCP207-20S	1 1/4	NSK	VPS-220	B
UCP207-22	1 3/8	AMI	VPS-222	B
UCP207-22S	1 3/8	NSK	VPS-222	B
UCP207-23	1 7/16	AMI	VPS-223	=
UCP207-23S	1 7/16	NSK	VPS-223	=
UCP208-108T	1 1/2	NTN	VPLS-224	=
UCP208-24	1 1/2	AMI	VPLS-224	=
UCP208-24S	1 1/2	NSK	VPLS-224	B
UCP209-110T	1 5/8	NTN	VPS-226	=
UCP209-111T	1 11/16	NTN	VPS-227	=
UCP209-112T	1 3/4	NTN	VPS-228	=
UCP209-26	1 5/8	AMI	VPS-226	B
UCP209-26S	1 5/8	NSK	VPS-226	B
UCP209-27	1 11/16	AMI	VPS-227	B
UCP209-28	1 3/4	AMI	VPS-228	B
UCP209-28S	1 3/4	NSK	VPS-228	=
UCP210-115T	1 15/16	NTN	VPS-231	=
UCP210-200T	2	NTN	VPS-232S	=
UCP210-31	1 15/16	AMI	VPS-231	=
UCP210-31S	1 15/16	NSK	VPS-231	=
UCP210-32	2	AMI	VPS-232S	=
UCP210-32S	2	NSK	VPS-232S	=
UCP211-203T	2 3/16	NTN	VPS-235	=
UCP211-32	2	AMI	VPS-232	B
	2	Peer	VPS-332	B
UCP211-32S	2	NSK	VPS-232	B
UCP211-35	2 3/16	AMI	VPS-235	=
UCP211-35S	2 3/16	NSK	VPS-235	=
UCP212-204T	2 1/4	NTN	VPS-236	=
UCP212-207T	2 7/16	NTN	VPS-239	=
UCP212-36	2 1/4	AMI	VPS-236	=
	2 1/4	Peer	VPS-336	=
UCP212-36S	2 1/4	NSK	VPS-236	=
UCP212-39	2 7/16	AMI	VPS-239	B
UCP213-40	2 1/2	Peer	VPS-340	B
UCP215-215T	2 15/16	NTN	VPLS-247	B
UCP215-47	2 15/16	AMI	VPLS-247	=
UCP215-47S	2 15/16	NSK	VPLS-247	=
UCP218-56	3 1/2	Peer	VPS-356	=
UCP305-16	1	AMI	VPS-316	=
UCP509-27S	1 11/16	NSK	VPS-227	=
UCPL204-012T	3/4	NTN	VPLS-212	=
UCPL205-014T	7/8	NTN	VPLS-214	=
UCPL205-015T	15/16	NTN	VPLS-215	=
UCPL205-100T	1	NTN	VPLS-216	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCPL206-102T	1 1/8	NTN	VPLS-218	=
UCPL206-103T	1 3/16	NTN	VPLS-219	=
UCPL206-104T	1 1/4	NTN	VPLS-220S	=
UCPL207-104T	1 1/4	NTN	VPLS-220	=
UCPL207-106T	1 3/8	NTN	VPLS-222	=
UCPL207-107T	1 7/16	NTN	VPLS-223	=
UCPL209-110T	1 5/8	NTN	VPLS-226	=
UCPL209-111T	1 11/16	NTN	VPLS-227	B
UCPL209-112T	1 3/4	NTN	VPLS-228	=
UCPL210-115T	1 15/16	NTN	VPLS-231	=
UCPX05-100T	1	NTN	VPS-316	=
UCPX05-16	1	AMI	VPS-316	=
	1	Peer	VPS-316	=
UCPX06-103T	1 3/16	NTN	VPS-319	=
UCPX06-19	1 3/16	Peer	VPS-319	B
	1 3/16	AMI	VPS-319	=
UCPX07-107T	1 7/16	NTN	VPS-323	=
UCPX07-23	1 7/16	AMI	VPS-323	B
UCPX08-108T	1 1/2	NTN	VPS-324	=
UCPX08-24	1 1/2	AMI	VPS-324	B
	1 1/2	Peer	VPS-324	=
UCPX09-111T	1 11/16	NTN	VPS-327	=
UCPX09-112T	1 3/4	NTN	VPS-328	=
UCPX09-27	1 11/16	Peer	VPS-327	B
	1 11/16	AMI	VPS-327	=
UCPX09-28	1 3/4	AMI	VPS-328	=
	1 3/4	Peer	VPS-328	=
UCPX10-115T	1 15/16	NTN	VPS-331	=
UCPX10-200T	2	NTN	VPS-332	=
UCPX10-31	1 15/16	AMI	VPS-331	=
	1 15/16	Peer	VPS-331	=
UCPX10-32	2	AMI	VPS-332	=
	2	Peer	VPS-332	=
UCPX11-203T	2 3/16	NTN	VPS-335	=
UCPX11-204T	2 1/4	NTN	VPS-336	=
UCPX11-35	2 3/16	AMI	VPS-335	=
	2 3/16	Peer	VPS-335	=
UCPX11-36	2 1/4	AMI	VPS-336	=
	2 1/4	Peer	VPS-336	=
UCPX12-207T	2 7/16	NTN	VPS-339	=
UCPX12-39	2 7/16	AMI	VPS-339	=
	2 7/16	Peer	VPS-339	=
UCPX13-208T	2 1/2	NTN	VPS-340	L, Y
UCPX13-40	2 1/2	AMI	VPS-340	L, Y
	2 1/2	Peer	VPS-340	L, Y
UCPX14-211T	2 11/16	NTN	VPS-343	L, Y
UCPX14-43	2 11/16	AMI	VPS-343	L, X
	2 11/16	Peer	VPS-343	L, X
UCPX15-215T	2 15/16	NTN	VPS-347	L, X
UCPX15-300T	3	NTN	VPS-348	H, M

## Note Code

- B - Bolt Centers or OD within 1/16
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- Q - Slot Width within 1/16
- V - Slot Spacing within 1/16
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCPX15-47	2 15/16	AMI	VPS-347	H, M
	2 15/16	Peer	VPS-347	H, M
UCPX15-48	3	Peer	VPS-348	L, X
	3	AMI	VPS-348	L, Y
UCPX17-55	3 7/16	AMI	VPS-355	L, X
UCPX170307T	3 7/16	NTN	VPS-355	L, X
UCPX18-308T	3 1/2	NTN	VPS-356	L, X
UCPX18-56	3 1/2	AMI	VPS-356	L, Z
UCPX20-315T	3 15/16	NTN	VPS-363	L, Z
UCPX20-63	3 15/16	AMI	VPS-363	L, Z
UCST204-12	3/4	AMI	VTWS-212	L, Z
UCST205-14	7/8	AMI	VTWS-214	L, Z
UCST205-15	15/16	AMI	VTWS-215	L, Z
UCST205-16	1	AMI	VTWS-216	J, Z
UCST206-18	1 1/8	AMI	VTWS-218	H, Z
UCST206-19	1 3/16	AMI	VTWS-219	H, Z
UCST206-20	1 1/4	AMI	VTWS-220	H, Z
UCST207-20	1 1/4	AMI	VTWS-220	J, Z
UCST207-22	1 3/8	AMI	VTWS-222	J, Z
UCST207-23	1 7/16	AMI	VTWS-223	J, Z
UCST208-24	1 1/2	AMI	VTWS-224	H, M
UCST209-26	1 5/8	AMI	VTWS-226	H, M
UCST209-27	1 11/16	AMI	VTWS-227	H, M
UCST209-28	1 3/4	AMI	VTWS-228	J, Z
UCST210-31	1 15/16	AMI	VTWS-231	J, Z
UCST211-32	2	AMI	VTWS-232	J, Z
UCST211-35	2 3/16	AMI	VTWS-235	L, Z
UCST212-39	2 7/16	AMI	VTWS-239	L, M
UCT214-43	2 11/16	Peer	VTWS-343	L, M
UCT215-47	2 15/16	Peer	VTWS-347	H, X
UCT215-48	3	Peer	VTWS-348	H, Y
UCTB201-8	1/2	AMI	VTBS-208	H, Y
UCTB202-10	5/8	AMI	VTBS-210	H, Y
UCTB202-12	3/4	AMI	VTBS-212	J, X
UCTB205-14	7/8	AMI	VTBS-214	J, X
UCTB205-15	15/16	AMI	VTBS-215	J, X
UCTB205-16	1	AMI	VTBS-216	L, M
UCTB206-18	1 1/8	AMI	VTBS-218	L, M
UCTB206-19	1 3/16	AMI	VTBS-219	L, M
UCTB206-20	1 1/4	AMI	VTBS-220S	J, X
UCTB207-20	1 1/4	AMI	VTBS-220	H, X
UCTB207-22	1 3/8	AMI	VTBS-222	H, X
UCTB207-23	1 7/16	AMI	VTBS-223	H, X
UCTB208-24	1 1/2	AMI	VTBS-224	G
UCTB209-26	1 5/8	AMI	VTBS-226	H, X
UCTB209-27	1 11/16	AMI	VTBS-227	H, X
UCTB209-28	1 3/4	AMI	VTBS-228	J, X
UCTB210-31	1 15/16	AMI	VTBS-231	J, X
UCTB210-32	2	AMI	VTBS-232S	=
UCTX06-18	1 1/8	AMI	VTWS-218	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UCTX06-19	1 3/16	AMI	VTWS-219	=
UCTX06-20	1 1/4	AMI	VTWS-220	=
UCTX08-24	1 1/2	AMI	VTWS-224	=
UCTX09-26	1 5/8	AMI	VTWS-226	=
UCTX09-27	1 11/16	AMI	VTWS-227	=
UCTX09-28	1 3/4	AMI	VTWS-228	=
UCXFX12-207T	2 7/16	NTN	VF4S-339	=
UCXFX13-208T	2 1/2	NTN	VF4S-340	=
UCXFX14-211T	2 11/16	NTN	VF4S-343	=
UCXFX15-215T	2 15/16	NTN	VF4S-347	=
UCXFX15-300T	3	NTN	VF4S-348	=
UCXFX17-307T	3 7/16	NTN	VF4S-355	=
UCXFX18-308T	3 1/2	NTN	VF4S-356	=
UCXFX20-315T	3 15/16	NTN	VF4S-363	=
UELF-115D1	1 15/16	NTN	VF4E-231	H, Y
UELF204-012D1	3/4	NTN	VF4E-212	H, Y
UELF205-014D1	7/8	NTN	VF4E-214	H, Y
UELF205-015D1	15/16	NTN	VF4E-215	H
UELF205-100D1	1	NTN	VF4E-216	H
UELF206-102D1	1 1/8	NTN	VF4E-218	L, M
UELF206-103D1	1 3/16	NTN	VF4E-219	L, M
UELF206-104D1	1 1/4	NTN	VF4E-220S	L, M
UELF208-108D1	1 1/2	NTN	VF4E-224	=
UELF209-110D1	1 5/8	NTN	VF4E-226	G, X
UELF209-111D1	1 11/16	NTN	VF4E-227	G, X
UELF209-112D1	1 3/4	NTN	VF4E-228	G, X
UELF211-200D1	2	NTN	VF4E-232	=
UELF211-203D1	2 3/16	NTN	VF4E-235	H, Y
UELF212-204D1	2 1/4	NTN	VF4E-236	H, Y
UELF212-207D1	2 7/16	NTN	VF4E-239	Z
UELFL204-012T	3/4	NTN	VF2E-212	=
UELFL205-014T	7/8	NTN	VF2E-214	=
UELFL205-015T	15/16	NTN	VF2E-215	=
UELFL205-100T	1	NTN	VF2E-216	=
UELFL206-102T	1 1/8	NTN	VF2E-218	=
UELFL206-103T	1 3/16	NTN	VF2E-219	=
UELFL206-104T	1 1/4	NTN	VF2E-220S	=
UELFL207-104T	1 1/4	NTN	VF2E-220	=
UELFL207-106T	1 3/8	NTN	VF2E-222	=
UELFL207-107T	1 7/16	NTN	VF2E-223	=
UELFL208-108T	1 1/2	NTN	VF2E-224	=
UELFL209-110T	1 5/8	NTN	VF2E-226	=
UELFL209-111T	1 11/16	NTN	VF2E-227	=
UELFL209-112T	1 3/4	NTN	VF2E-228	=
UELFL210-115T	1 15/16	NTN	VF2E-231	=
UELFL212-204T	2 1/4	NTN	VF2E-236	=
UELFL212-207T	2 7/16	NTN	VF2E-239	=
UELFLU204-012T	3/4	NTN	VF2E-212	=
UELFLU207-104T	1 1/4	NTN	VF2E-220	=
UELFLU207-106T	1 3/8	NTN	VF2E-222	=

### Note Code

G - Bolt Spacing Minimum within 1/8  
H - Bolt Spacing Minimum within 1/4  
J - Bolt Spacing Minimum within 1/2  
L - Bolt Spacing Minimum Greater than 1/2  
M - Bolt Spacing Maximum Greater than 1/2  
X - Bolt Spacing Maximum within 1/8  
Y - Bolt Spacing Maximum within 1/4  
Z - Bolt Spacing Maximum within 1/2

= - Fully Interchangeable

Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UELFLU207-107T	1 7/16	NTN	VF2E-223	=
UELFLU208-108T	1 1/2	NTN	VF2E-224	=
UELFLU209-110T	1 5/8	NTN	VF2E-226	=
UELFLU209-111T	1 11/16	NTN	VF2E-227	=
UELFLU209-112T	1 3/4	NTN	VF2E-228	L, M
UELFLU210-115T	1 15/16	NTN	VF2E-231	=
UELFLU211-200T	2	NTN	VF2E-232	=
UELFLU211-203T	2 3/16	NTN	VF2E-235	H, Y
UELFLU212-204T	2 1/4	NTN	VF2E-236	G, X
UELFLU212-207T	2 7/16	NTN	VF2E-239	=
UELFLU204-012T	3/4	NTN	VF4E-212	H, Y
	3/4	NTN	VF4E-212	L, M
UELFLU205-014T	7/8	NTN	VF4E-214	L, M
	7/8	NTN	VF4E-214	L, M
UELFLU205-015T	15/16	NTN	VF4E-215	=
	15/16	NTN	VF4E-215	L, Z
UELFLU205-100T	1	NTN	VF4E-216	G, X
	1	NTN	VF4E-216	L, Z
UELFLU206-102T	1 1/8	NTN	VF4E-218	=
	1 1/8	NTN	VF4E-218	L, M
UELFLU206-103T	1 3/16	NTN	VF4E-219	=
	1 3/16	NTN	VF4E-219	G, X
UELFLU206-104T	1 1/4	NTN	VF4E-220S	=
	1 1/4	NTN	VF4E-220S	L, M
UELFLU207-104T	1 1/4	NTN	VF4E-220	=
UELFLU207-106T	1 3/8	NTN	VF4E-222	=
UELFLU207-107T	1 7/16	NTN	VF4E-223	L, M
UELFLU208-108T	1 1/2	NTN	VF4E-224	=
	1 1/2	NTN	VF4E-224	G, X
UELFLU209-110T	1 5/8	NTN	VF4E-226	L, M
	1 5/8	NTN	VF4E-226	L, M
UELFLU209-111T	1 11/16	NTN	VF4E-227	L, M
	1 11/16	NTN	VF4E-227	L, M
UELFLU209-112T	1 3/4	NTN	VF4E-228	G, X
	1 3/4	NTN	VF4E-228	L, Z
UELFLU210-115T	1 15/16	NTN	VF4E-231	G, X
	1 15/16	NTN	VF4E-231	L, Z
UELFLU211-200T	2	NTN	VF4E-232	=
	2	NTN	VF4E-232	L, M
UELFLU211-203T	2 3/16	NTN	VF4E-235	=
	2 3/16	NTN	VF4E-235	G, X
UELFLU212-204T	2 1/4	NTN	VF4E-236	=
	2 1/4	NTN	VF4E-236	=
UELFLU212-207T	2 7/16	NTN	VF4E-239	=
	2 7/16	NTN	VF4E-239	=
UELPL204-012T	3/4	NTN	VPE-212	=
UELPL205-014T	7/8	NTN	VPE-214	=
UELPL205-015T	15/16	NTN	VPE-215	=
UELPL205-100T	1	NTN	VPE-216	=
UELPL206-102T	1 1/8	NTN	VPE-218	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UELPL206-103T	1 3/16	NTN	VPE-219	=
UELPL206-104T	1 1/4	NTN	VPE-220S	=
UELPL207-104T	1 1/4	NTN	VPE-220	=
UELPL207-106T	1 3/8	NTN	VPE-222	=
UELPL207-107T	1 7/16	NTN	VPE-223	=
UELPL208-108T	1 1/2	NTN	VPLE-224	=
UELPL209-110T	1 5/8	NTN	VPE-226	=
UELPL209-111T	1 11/16	NTN	VPE-227	=
UELPL209-112T	1 3/4	NTN	VPE-228	B
UELPL210-115T	1 15/16	NTN	VPE-231	=
UELPL211-200T	2	NTN	VPE-232	=
UELPL211-203T	2 3/16	NTN	VPE-235	=
UELPL212-204T	2 1/4	NTN	VPE-236	=
UELPL212-206T	2 7/16	NTN	VPE-239	=
UELPL212-207T	2 7/16	NTN	VPE-239	=
UELPL215-215T	2 15/16	NTN	VPLE-247	=
UELPL205-012T	3/4	NTN	VPLE-212	=
UELPL205-014T	7/8	NTN	VPLE-214	=
UELPL205-015T	15/16	NTN	VPLE-215	=
UELPL205-100T	1	NTN	VPLE-216	=
UELPL206-102T	1 1/8	NTN	VPLE-218	B
UELPL206-103T	1 3/16	NTN	VPLE-219	=
UELPL206-104T	1 1/4	NTN	VPLE-220S	=
UELPL207-104T	1 1/4	NTN	VPLE-220	=
UELPL207-106T	1 3/8	NTN	VPLE-222	=
UELPL207-107T	1 7/16	NTN	VPLE-223	=
UELPL209-110T	1 5/8	NTN	VPLE-226	B
UELPL209-111T	1 11/16	NTN	VPLE-227	T
UELPL209-112T	1 3/4	NTN	VPLE-228	T
UELPL210-115T	1 15/16	NTN	VPLE-231	T
UGAK201-8	1/2	AMI	VPLE-208	=
UGAK202-10	5/8	AMI	VPLE-210	T
UGAK204-12	3/4	AMI	VPLE-212	T
UGAK205-14	7/8	AMI	VPLE-214	T
UGAK205-15	15/16	AMI	VPLE-215	T
UGAK205-16	1	AMI	VPLE-216	T
UGAK206-18	1 1/8	AMI	VPLE-218	T
UGAK206-19	1 3/16	AMI	VPLE-219	T
UGAK206-20	1 1/4	AMI	VPLE-220S	=
UGAK207-20	1 1/4	AMI	VPLE-220	T
UGAK207-22	1 3/8	AMI	VPLE-222	T
UGAK207-23	1 7/16	AMI	VPLE-223	T
UGAK208-24	1 1/2	AMI	VPLE-224	=
UGAK209-26	1 5/8	AMI	VPLE-226	V
UGAK209-27	1 11/16	AMI	VPLE-227	=
UGAK209-28	1 3/4	AMI	VPLE-228	=
UGAK210-31	1 15/16	AMI	VPLE-231	=
UGAK211-32	2	AMI	VPLE-232	V
UGAK211-35	2 3/16	AMI	VPLE-235	V
UGAK212-36	2 1/4	AMI	VPLE-236	=

### Note Code

- B - Bolt Centers or OD within 1/16
- G - Bolt Spacing Minimum within 1/8
- H - Bolt Spacing Minimum within 1/4
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- T - Bolt Tap Differs
- V - Slot Spacing within 1/16
- X - Bolt Spacing Maximum within 1/8
- Y - Bolt Spacing Maximum within 1/4
- Z - Bolt Spacing Maximum within 1/2

See page 152 for trademark acknowledgments.

= - Fully Interchangeable

Black - Ball Bearings



## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UGAK212-39	2 7/16	AMI	VPLE-239	V
UGFJT201-8	1/2	AMI	VF2E-208	=
UGFJT202-10	5/8	AMI	VF2E-210	=
UGFJT204-12	3/4	AMI	VF2E-212	=
UGFJT205-14	7/8	AMI	VF2E-214	V
UGFJT205-15	15/16	AMI	VF2E-215	V
UGFJT205-16	1	AMI	VF2E-216	=
UGFJT206-18	1 1/8	AMI	VF2E-218	=
UGFJT206-19	1 3/16	AMI	VF2E-219	=
UGFJT208-24	1 1/2	AMI	VF2E-224	=
UGFJT209-26	1 5/8	AMI	VF2E-226	=
UGFJT209-27	1 11/16	AMI	VF2E-227	=
UGFJT209-28	1 3/4	AMI	VF2E-228	=
UGFJT210-31	1 15/16	AMI	VF2E-231	=
UGFJT211-32	2	AMI	VF2E-232	=
UGFJT211-35	2 3/16	AMI	VF2E-235	=
UGP204-12	3/4	AMI	VPE-212	=
UGP205-14	7/8	AMI	VPE-214	=
UGP205-15		AMI	VPE-215	=
UGP205-16	1	AMI	VPE-216	=
UGP206-18	1 1/8	AMI	VPE-218	=
UGP206-19	1 3/16	AMI	VPE-219	=
UGP207-20	1 1/4	AMI	VPE-220	=
UGP207-22	1 3/8	AMI	VPE-222	=
UGP207-23	1 7/16	AMI	VPE-223	=
UGP208-24	1 1/2	AMI	VPLE-224	=
UGP209-26	1 5/8	AMI	VPE-226	=
UGP209-27	1 11/16	AMI	VPE-227	=
UGP209-28	1 3/4	AMI	VPE-228	=
UGP210-31	1 15/16	AMI	VPE-231	=
UGP211-32	2	AMI	VPE-232	=
UGP211-35	2 3/16	AMI	VPE-235	=
UGP212-36	2 1/4	AMI	VPE-236	=
UGP212-39	2 7/16	AMI	VPE-239	=
UGSLD208-24	1 1/2	AMI	VF4E-224	=
UGSLF201-8	1/2	AMI	VF4E-208	=
UGSLF202-10	5/8	AMI	VF4E-210	=
UGSLF204-12	3/4	AMI	VF4E-212	=
UGSLF205-14	7/8	AMI	VF4E-214	=
UGSLF205-15	15/16	AMI	VF4E-215	=
UGSLF205-16	1	AMI	VF4E-216	=
UGSLF206-18	1 1/8	AMI	VF4E-218	=
UGSLF206-19	1 3/16	AMI	VF4E-219	=
UGSLF206-20	1 1/4	AMI	VF4E-220S	=
UGSLF207-20	1 1/4	AMI	VF4E-220	=
UGSLF207-22	1 3/8	AMI	VF4E-222	=
UGSLF207-23	1 7/16	AMI	VF4E-223	=
UGSLF209-26	1 5/8	AMI	VF4E-226	=
UGSLF209-27	1 11/16	AMI	VF4E-227	=
UGSLF209-28	1 3/4	AMI	VF4E-228	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
UGSLF210-31	1 15/16	AMI	VF4E-231	=
UGSLF211-32	2	AMI	VF4E-232	=
UGSLF211-35	2 3/16	AMI	VF4E-235	=
UGSLF212-36	2 1/4	AMI	VF4E-236	=
UGSLF212-39	2 7/16	AMI	VF4E-239	=
VAK-1	1	Fafnir	VPLE-116	=
VAK-1 1/2	1 1/2	Fafnir	VPLE-124	=
VAK-1 1/4	1 1/4	Fafnir	VPLE-120	=
VAK-1 1/4S	1 1/4	Fafnir	VPLE-120S	=
VAK-1 1/8	1 1/8	Fafnir	VPLE-118	=
VAK-1 11/16	1 11/16	Fafnir	VPLE-127	=
VAK-1 15/16	1 15/16	Fafnir	VPLE-131	=
VAK-1 3/16	1 3/16	Fafnir	VPLE-119	=
VAK-1 3/4	1 3/4	Fafnir	VPLE-128	=
VAK-1 3/8	1 3/8	Fafnir	VPLE-122	=
VAK-1 7/16	1 7/16	Fafnir	VPLE-123	=
VAK-1/2	1/2	Fafnir	VPLE-108	=
VAK-15/16	15/16	Fafnir	VPLE-115	=
VAK-2	2	Fafnir	VPLE-132	=
VAK-2 3/16	2 3/16	Fafnir	VPLE-135	=
VAK-2S	2	Fafnir	VPLE-132S	=
VAK-3/4	3/4	Fafnir	VPLE-112	=
VAK-5/8	5/8	Fafnir	VPLE-110	=
VAK-7/8	7/8	Fafnir	VPLE-114	=
VAS-1	1	Fafnir	VPE-116	=
VAS-1 1/2	1 1/2	Fafnir	VPLE-124	=
VAS-1 1/4	1 1/4	Fafnir	VPE-120	=
VAS-1 1/4S	1 1/4	Fafnir	VPE-120S	=
VAS-1 1/8	1 1/8	Fafnir	VPE-118	=
VAS-1 11/16	1 11/16	Fafnir	VPE-127	=
VAS-1 15/16	1 15/16	Fafnir	VPE-131	=
VAS-1 3/16	1 3/16	Fafnir	VPE-119	=
VAS-1 3/4	1 3/4	Fafnir	VPE-128	=
VAS-1 3/8	1 3/8	Fafnir	VPE-122	=
VAS-1 7/16	1 7/16	Fafnir	VPE-123	=
VAS-1/2	1/2	Fafnir	VPE-108	=
VAS-15/16	15/16	Fafnir	VPE-115	=
VAS-2	2	Fafnir	VPE-132	=
VAS-2 3/16	2 3/16	Fafnir	VPE-135	=
VAS-2S	2	Fafnir	VPE-132S	=
VAS-3/4	3/4	Fafnir	VPE-112	=
VAS-5/8	5/8	Fafnir	VPE-110	=
VAS-7/8	7/8	Fafnir	VPE-114	=
VCJ-1	1	Fafnir	VF4E-116	=
VCJ-1 1/2	1 1/2	Fafnir	VF4E-124	=
VCJ-1 1/4	1 1/4	Fafnir	VF4E-120	=
VCJ-1 1/4S	1 1/4	Fafnir	VF4E-120S	=
VCJ-1 1/8	1 1/8	Fafnir	VF4E-118	=
VCJ-1 11/16	1 11/16	Fafnir	VF4E-127	=
VCJ-1 15/16	1 15/16	Fafnir	VF4E-131	=

### Note Code

V - Slot Spacing within 1/16

= - Fully Interchangeable

Black - Ball Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
VCJ-1 3/16	1 3/16	Fafnir	VF4E-119	=
VCJ-1 3/4	1 3/4	Fafnir	VF4E-128	=
VCJ-1 3/8	1 3/8	Fafnir	VF4E-122	=
VCJ-1 7/16	1 7/16	Fafnir	VF4E-123	=
VCJ-15/16	15/16	Fafnir	VF4E-115	=
VCJ-2	2	Fafnir	VF4E-132	=
VCJ-2 3/16	2 3/16	Fafnir	VF4E-135	=
VCJ-2S	2	Fafnir	VF4E-132S	=
VCJ-3/4	3/4	Fafnir	VF4E-112	=
VCJ-5/8	5/8	Fafnir	VF4E-110	=
VCJ-7/8	7/8	Fafnir	VF4E-114	=
VCJT-1	1	Fafnir	VF2E-116	=
VCJT-1 1/2	1 1/2	Fafnir	VF2E-124	=
VCJT-1 1/4	1 1/4	Fafnir	VF2E-120	=
VCJT-1 1/4S	1 1/4	Fafnir	VF2E-120S	=
VCJT-1 1/8	1 1/8	Fafnir	VF2E-118	=
VCJT-1 11/16	1 11/16	Fafnir	VF2E-127	=
VCJT-1 15/16	1 15/16	Fafnir	VF2E-131	=
VCJT-1 3/16	1 3/16	Fafnir	VF2E-119	=
VCJT-1 3/4	1 3/4	Fafnir	VF2E-128	=
VCJT-1 3/8	1 3/8	Fafnir	VF2E-122	=
VCJT-1 7/16	1 7/16	Fafnir	VF2E-123	=
VCJT-1/2		Fafnir	VF2E-108	=
VCJT-15/16	15/16	Fafnir	VF2E-115	=
VCJT-2	2	Fafnir	VF2E-132	=
VCJT-2 3/16	2 3/16	Fafnir	VF2E-135	=
VCJT-2S	2	Fafnir	VF2E-132S	=
VCJT-3/4	3/4	Fafnir	VF2E-112	=
VCJT-5/8	5/8	Fafnir	VF2E-110	=
VCJT-7/8	7/8	Fafnir	VF2E-114	=
VTB- 1 1/2	1 1/2	Fafnir	VTBE-124	=
VTB-1	1	Fafnir	VTBE-116	=
VTB-1 1/4	1 1/4	Fafnir	VTBE-120	=
VTB-1 1/4S	1 1/4	Fafnir	VTBE-120S	=
VTB-1 1/8	1 1/8	Fafnir	VTBE-118	=
VTB-1 11/16	1 11/16	Fafnir	VTBE-127	=
VTB-1 15/16	1 15/16	Fafnir	VTBE-131	=
VTB-1 3/16	1 3/16	Fafnir	VTBE-119	=
VTB-1 3/4	1 3/4	Fafnir	VTBE-128	=
VTB-1 3/8	1 3/8	Fafnir	VTBE-122	=
VTB-1 7/16	1 7/16	Fafnir	VTBE-123	=
VTB-15/16	15/16	Fafnir	VTBE-115	=
VTB-2S	2	Fafnir	VTBE-132S	=
VTB-3/4	3/4	Fafnir	VTBE-112	=
VTB-7/8	7/8	Fafnir	VTBE-114	=
VTU-1	1	Fafnir	VTWE-116	=
VTU-1 1/2	1 1/2	Fafnir	VTWE-124	=
VTU-1 1/4	1 1/4	Fafnir	VTWE-120	=
	1 1/4	Fafnir	VTWE-120S	=
VTU-1 1/8	1 1/8	Fafnir	VTWE-118	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
VTU-1 11/16	1 11/16	Fafnir	VTWE-127	=
VTU-1 15/16	1 15/16	Fafnir	VTWE-131	=
VTU-1 3/16	1 3/16	Fafnir	VTWE-119	=
VTU-1 3/4	1 3/4	Fafnir	VTWE-128	=
VTU-1 3/8	1 3/8	Fafnir	VTWE-122	=
VTU-1 7/16	1 7/16	Fafnir	VTWE-123	=
VTU-15/16	15/16	Fafnir	VTWE-115	=
VTU-2	2	Fafnir	VTWE-132	=
VTU-2 3/16	2 3/16	Fafnir	VTWE-135	=
VTU-3/4	3/4	Fafnir	VTWE-112	=
VTU-7/8	7/8	Fafnir	VTWE-114	=
WSTU-E-106R	1 3/8"	Dodge	TUE-920-1 3/8	=
WSTU-E-107R	1 7/16"	Dodge	TUE-920-1 7/16	=
WSTU-E-108R	1 1/2"	Dodge	TUE-920-1 1/2	=
WSTU-E-111R	1 11/16"	Dodge	TUE-920-1 11/16	=
WSTU-E-112R	1 3/4"	Dodge	TUE-920-1 3/4	=
WSTU-E-115R	1 15/16"	Dodge	TUE-920-1 15/16	=
WSTU-E-200R	2"	Dodge	TUE-920-2	=
WSTU-E-203R	2 3/16"	Dodge	TUE-920-2 3/16	=
WSTU-E-207R	2 7/16"	Dodge	TUE-920-2 7/16	=
WSTU-E-208R	2 1/2"	Dodge	TUE-920-2 1/2	=
WSTU-E-211R	2 11/16"	Dodge	TUE-920-2 11/16	=
WSTU-E-212R	2 3/4"	Dodge	TUE-920-2 3/4	=
WSTU-E-215R	2 15/16"	Dodge	TUE-920-2 15/16	=
WSTU-K-106R	1 3/8"	Dodge	TUE-920-1 3/8	=
WSTU-K-107R	1 7/16"	Dodge	TUE-920-1 7/16	=
WSTU-K-108R	1 1/2"	Dodge	TUE-920-1 1/2	=
WSTU-K-111R	1 11/16"	Dodge	TUE-920-1 11/16	=
WSTU-K-112R	1 3/4"	Dodge	TUE-920-1 3/4	=
WSTU-K-115R	1 15/16"	Dodge	TUE-920-1 15/16	=
WSTU-K-200R	2"	Dodge	TUE-920-2	=
WSTU-K-203R	2 3/16"	Dodge	TUE-920-2 3/16	=
WSTU-K-207R	2 7/16"	Dodge	TUE-920-2 7/16	=
WSTU-K-208R	2 1/2"	Dodge	TUE-920-2 1/2	=
WSTU-K-211R	2 11/16"	Dodge	TUE-920-2 11/16	=
WSTU-K-212R	2 3/4"	Dodge	TUE-920-2 3/4	=
WSTU-K-215R	2 15/16"	Dodge	TUE-920-2 15/16	=
WSTU-S2-106R	1 3/8"	Dodge	TUE-920-1 3/8	=
WSTU-S2-106RE	1 3/8"	Dodge	TUE-920-1 3/8	=
WSTU-S2-106S	1 3/8"	Dodge	TUE-920-1 3/8	=
WSTU-S2-106SE	1 3/8"	Dodge	TUE-920-1 3/8	=
WSTU-S2-107R	1 7/16"	Dodge	TUE-920-1 7/16	=
WSTU-S2-107RE	1 7/16"	Dodge	TUE-920-1 7/16	=
WSTU-S2-107S	1 7/16"	Dodge	TUE-920-1 7/16	=
WSTU-S2-107SE	1 7/16"	Dodge	TUE-920-1 7/16	=
WSTU-S2-111R	1 11/16"	Dodge	TUE-920-1 11/16	=
WSTU-S2-111RE	1 11/16"	Dodge	TUE-920-1 11/16	=
WSTU-S2-111S	1 11/16"	Dodge	TUE-920-1 11/16	=
WSTU-S2-111SE	1 11/16"	Dodge	TUE-920-1 11/16	=
WSTU-S2-112R	1 3/4"	Dodge	TUE-920-1 3/4	=

## Note Code

- = - Fully Interchangeable
- Black - Ball Bearings
- Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
WSTU-S2-112RE	1 3/4"	Dodge	TUE-920-1 3/4	=
WSTU-S2-112S	1 3/4"	Dodge	TUE-920-1 3/4	=
WSTU-S2-112SE	1 3/4"	Dodge	TUE-920-1 3/4	=
WSTU-S2-115R	1 15/16"	Dodge	TUE-920-1 15/16	=
WSTU-S2-115RE	1 15/16"	Dodge	TUE-920-1 15/16	=
WSTU-S2-115RE	1 15/16"	Dodge	TUE-920-1 15/16	=
WSTU-S2-115SE	1 15/16"	Dodge	TUE-920-1 15/16	=
WSTU-S2-200R	2"	Dodge	TUE-920-2	=
WSTU-S2-200RE	2"	Dodge	TUE-920-2	=
WSTU-S2-200S	2"	Dodge	TUE-920-2	=
WSTU-S2-200SE	2"	Dodge	TUE-920-2	=
WSTU-S2-203R	2 3/16"	Dodge	TUE-920-2 3/16	=
WSTU-S2-203RE	2 3/16"	Dodge	TUE-920-2 3/16	=
WSTU-S2-203S	2 3/16"	Dodge	TUE-920-2 3/16	=
WSTU-S2-203SE	2 3/16"	Dodge	TUE-920-2 3/16	=
WSTU-S2-207R	2 7/16"	Dodge	TUE-920-2 7/16	=
WSTU-S2-207RE	2 7/16"	Dodge	TUE-920-2 7/16	=
WSTU-S2-207S	2 7/16"	Dodge	TUE-920-2 7/16	=
WSTU-S2-207SE	2 7/16"	Dodge	TUE-920-2 7/16	=
WSTU-S2-208R	2 1/2"	Dodge	TUE-920-2 1/2	=
WSTU-S2-208RE	2 1/2"	Dodge	TUE-920-2 1/2	=
WSTU-S2-208S	2 1/2"	Dodge	TUE-920-2 1/2	=
WSTU-S2-208SE	2 1/2"	Dodge	TUE-920-2 1/2	=
WSTU-S2-211R	2 11/16"	Dodge	TUE-920-2 11/16	=
WSTU-S2-211RE	2 11/16"	Dodge	TUE-920-2 11/16	=
WSTU-S2-211S	2 11/16"	Dodge	TUE-920-2 11/16	=
WSTU-S2-211SE	2 11/16"	Dodge	TUE-920-2 11/16	=
WSTU-S2-212R	2 3/4"	Dodge	TUE-920-2 3/4	=
WSTU-S2-212RE	2 3/4"	Dodge	TUE-920-2 3/4	=
WSTU-S2-212S	2 3/4"	Dodge	TUE-920-2 3/4	=
WSTU-S2-212SE	2 3/4"	Dodge	TUE-920-2 3/4	=
WSTU-S2-215R	2 15/16"	Dodge	TUE-920-2 15/16	=
WSTU-S2-215RE	2 15/16"	Dodge	TUE-920-2 15/16	=
WSTU-S2-215S	2 15/16"	Dodge	TUE-920-2 15/16	=
WSTU-S2-215SE	2 15/16"	Dodge	TUE-920-2 15/16	=
WSTU-S2-307R	3 7/16"	Dodge	TUE-920-3 7/16	=
WSTU-S2-307RE	3 7/16"	Dodge	TUE-920-3 7/16	=
WSTU-S2-307S	3 7/16"	Dodge	TUE-920-3 7/16	=
WSTU-S2-307SE	3 7/16"	Dodge	TUE-920-3 7/16	=
WSTU-S2-315R	3 15/16"	Dodge	TUE-920-3 15/16	=
WSTU-S2-315RE	3 15/16"	Dodge	TUE-920-3 15/16	=
WSTU-S2-315S	3 15/16"	Dodge	TUE-920-3 15/16	=
WSTU-S2-315SE	3 15/16"	Dodge	TUE-920-3 15/16	=
WSTU-SC-008	1/2	Dodge	VTWS-208	=
WSTU-SC-010	5/8	Dodge	VTWS-210	=
WSTU-SC-012	3/4	Dodge	VTWS-212	=
WSTU-SC-014	7/8	Dodge	VTWS-214	=
WSTU-SC-015	15/16	Dodge	VTWS-215	=
WSTU-SC-100	1	Dodge	VTWS-216	=
WSTU-SC-102	1 1/8	Dodge	VTWS-218	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
WSTU-SC-103	1 3/16	Dodge	VTWS-219	=
WSTU-SC-104	1 1/4	Dodge	VTWS-220	=
WSTU-SC-104S	1 1/4	Dodge	VTWS-220	=
WSTU-SC-106	1 3/8	Dodge	VTWS-222	=
WSTU-SC-107	1 7/16	Dodge	VTWS-223	=
WSTU-SC-108	1 1/2	Dodge	VTWS-224	=
WSTU-SC-110	1 5/8	Dodge	VTWS-226	=
WSTU-SC-110L	1 5/8	Dodge	VTWS-226	=
WSTU-SC-111	1 11/16	Dodge	VTWS-227	=
WSTU-SC-112	1 3/4	Dodge	VTWS-228	=
WSTU-SC-115	1 15/16	Dodge	VTWS-231	=
WSTU-SC-203	2 3/16	Dodge	VTWS-235	=
WSTU-SC-207	2 7/16	Dodge	VTWS-239	=
WSTU-SCM-100	1	Dodge	VTWS-316	=
WSTU-SCM-103	1 3/16	Dodge	VTWS-319	=
WSTU-SCM-115	1 15/16	Dodge	VTWS-331	=
WSTU-SCM-200	2	Dodge	VTWS-132	J, Z
	2	Dodge	VTWS-332	L, M
WSTU-SCM-203	2 3/16	Dodge	VTWS-335	H
WSTU-SCM-204	2 1/4	Dodge	VTWS-336	J, Z
WSTU-SCM-211	2 11/16	Dodge	VTWS-343	J, Z
WSTU-SCM-215	2 15/16	Dodge	VTWS-347	J, M
WSTU-SCM-300	3	Dodge	VTWS-348	L, M
WSTU-SXR-012	3/4	Dodge	VTWE-212	J, Z
WSTU-SXR-014	7/8	Dodge	VTWE-214	J, M
WSTU-SXR-015	15/16	Dodge	VTWE-215	H
WSTU-SXR-100	1	Dodge	VTWE-216	J, M
WSTU-SXR-102	1 1/8	Dodge	VTWE-218	H
WSTU-SXR-103	1 3/16	Dodge	VTWE-219	J, Z
WSTU-SXR-104	1 1/4	Dodge	VTWE-220	J, Z
WSTU-SXR-106	1 3/8	Dodge	VTWE-222	L, M
WSTU-SXR-107	1 7/16	Dodge	VTWE-223	L, M
WSTU-SXR-200L	2	Dodge	VTWE-232	L, Z
WSTU-SXR-203	2 3/16	Dodge	VTWE-235	L, M
WSTU-SXR-207	2 7/16	Dodge	VTWE-239	L, M
WSTU-SXV-012	3/4	Dodge	VTWE-112	L, M
WSTU-SXV-014	7/8	Dodge	VTWE-114	L, M
WSTU-SXV-015	15/16	Dodge	VTWE-115	J, Z
WSTU-SXV-100	1	Dodge	VTWE-116	J, Z
WSTU-SXV-102	1 1/8	Dodge	VTWE-118	J, Z
WSTU-SXV-103	1 3/16	Dodge	VTWE-119	J, Z
WSTU-SXV-104	1 1/4	Dodge	VTWE-120S	H
	1 1/4	Dodge	VTWE-120	L, M
WSTU-SXV-104S	1 1/4	Dodge	VTWE-120	J, Z
	1 1/4	Dodge	VTWE-120S	J, Z
WSTU-SXV-106	1 3/8	Dodge	VTWE-122	J, M
WSTU-SXV-107	1 7/16	Dodge	VTWE-123	L, M
WSTU-SXV-108	1 1/2	Dodge	VTWE-124	J, Z
WSTU-SXV-111	1 11/16	Dodge	VTWE-127	J, M
WSTU-SXV-112	1 3/4	Dodge	VTWE-128	H

### Note Code

- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- Z - Bolt Spacing Maximum within 1/2
- = - Fully Interchangeable
- Black - Ball Bearings
- Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
WSTU-SXV-115	1 15/16	Dodge	VTWE-131	J, M
WSTU-SXV-200	2	Dodge	VTWE-132S	H
WSTU-SXV-200L	2	Dodge	VTWE-132	J, Z
WSTU-SXV-203	2 3/16	Dodge	VTWE-135	J, Z
WSTU-VSC-012	3/4	Dodge	VTWS-112	L, M
WSTU-VSC-014	7/8	Dodge	VTWS-114	L, M
WSTU-VSC-015	15/16	Dodge	VTWS-115	L, M
WSTU-VSC-100	1	Dodge	VTWS-116	L, M
WSTU-VSC-102	1 1/8	Dodge	VTWS-118	L, M
WSTU-VSC-103	1 3/16	Dodge	VTWS-119	L, M
WSTU-VSC-104	1 1/4	Dodge	VTWS-120	J, Z
	1 1/4	Dodge	VTWS-120S	J, Z
WSTU-VSC-104S	1 1/4	Dodge	VTWS-120S	B
	1 1/4	Dodge	VTWS-120	J, Z
WSTU-VSC-106	1 3/8	Dodge	VTWS-122	=
WSTU-VSC-107	1 7/16	Dodge	VTWS-123	=
WSTU-VSC-200L	2	Dodge	VTWS-132	=
WSTU-VSC-203	2 3/16	Dodge	VTWS-135	=
WSTU220-1	1	Hub City	VTWE-116	=
WSTU220-1 1/2	1 1/2	Hub City	VTWE-124	=
	1 1/2	Hub City	VTWE-224	=
WSTU220-1 1/4	1 1/4	Hub City	VTWE-120	=
	1 1/4	Hub City	VTWE-120S	=
	1 1/4	Hub City	VTWE-220	=
WSTU220-1 1/4S	1 1/4	Hub City	VTWE-220	B
	1 1/4	Hub City	VTWE-120	=
	1 1/4	Hub City	VTWE-120S	=
WSTU220-1 1/8	1 1/8	Hub City	VTWE-118	=
	1 1/8	Hub City	VTWE-218	=
WSTU220-1 11/16	1 11/16	Hub City	VTWE-127	=
	1 11/16	Hub City	VTWE-227	=
WSTU220-1 15/16	1 15/16	Hub City	VTWE-131	=
	1 15/16	Hub City	VTWE-231	=
WSTU220-1 3/16	1 3/16	Hub City	VTWE-119	=
	1 3/16	Hub City	VTWE-219	=
WSTU220-1 3/4	1 3/4	Hub City	VTWE-228	B
	1 3/4	Hub City	VTWE-128	=
WSTU220-1 3/8	1 3/8	Hub City	VTWE-122	=
	1 3/8	Hub City	VTWE-222	=
WSTU220-1 5/8	1 5/8	Hub City	VTWE-226	=
WSTU220-1 7/16	1 7/16	Hub City	VTWE-123	=
	1 7/16	Hub City	VTWE-223	=
WSTU220-15/16	15/16	Hub City	VTWE-115	=
WSTU220-2	2	Hub City	VTWE-132	=
	2	Hub City	VTWE-232	=
WSTU220-2 3/16	2 3/16	Hub City	VTWE-135	=
	2 3/16	Hub City	VTWE-235	=
WSTU220-2 7/16	2 7/16	Hub City	VTWE-239	=
WSTU220-3/4	3/4	Hub City	VTWE-112	=
WSTU220-7/8	7/8	Hub City	VTWE-114	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
WSTU250-1	1	Hub City	VTWS-116	=
	1	Hub City	VTWS-216	=
WSTU250-1 1/2	1 1/2	Hub City	VTWS-124	=
	1 1/2	Hub City	VTWS-224	=
WSTU250-1 1/4	1 1/4	Hub City	VTWS-120	=
	1 1/4	Hub City	VTWS-120S	=
	1 1/4	Hub City	VTWS-220	=
WSTU250-1 1/4S	1 1/4	Hub City	VTWS-120	=
	1 1/4	Hub City	VTWS-120S	=
	1 1/4	Hub City	VTWS-220	=
WSTU250-1 1/8	1 1/8	Hub City	VTWS-118	=
	1 1/8	Hub City	VTWS-218	=
WSTU250-1 11/16	1 11/16	Hub City	VTWS-127	=
	1 11/16	Hub City	VTWS-227	=
WSTU250-1 15/16	1 15/16	Hub City	VTWS-131	=
	1 15/16	Hub City	VTWS-231	=
WSTU250-1 3/16	1 3/16	Hub City	VTWS-119	=
	1 3/16	Hub City	VTWS-219	=
WSTU250-1 3/4	1 3/4	Hub City	VTWS-128	=
	1 3/4	Hub City	VTWS-228	=
WSTU250-1 3/8	1 3/8	Hub City	VTWS-122	=
	1 3/8	Hub City	VTWS-222	=
WSTU250-1 5/8	1 5/8	Hub City	VTWS-226	=
WSTU250-1 7/16	1 7/16	Hub City	VTWS-123	=
	1 7/16	Hub City	VTWS-223	=
WSTU250-15/16	15/16	Hub City	VTWS-115	=
	15/16	Hub City	VTWS-215	=
WSTU250-2	2	Hub City	VTWS-132	=
	2	Hub City	VTWS-232	=
WSTU250-2 3/16	2 3/16	Hub City	VTWS-135	=
	2 3/16	Hub City	VTWS-235	=
WSTU250-2 7/16	2 7/16	Hub City	VTWS-239	V
WSTU250-2S	2	Hub City	VTWS-132S	=
WSTU250-3/4	3/4	Hub City	VTWS-112	=
	3/4	Hub City	VTWS-212	V
WSTU250-7/8	7/8	Hub City	VTWS-214	=
	7/8	Hub City	VTWS-114	V
XL-1	1	Boston	VPS-116M	V
XL-1 1/4S	1 1/4	Boston	VPS-120SM	=
XL-1 1/8	1 1/8	Boston	VPS-118M	V
XL-1 3/16	1 3/16	Boston	VPS-119M	=
XL-1 3/8	1 3/8	Boston	VPS-122M	=
XL-1 7/16	1 7/16	Boston	VPS-123M	V
XL-1/2	1/2	Boston	VPS-108M	V
XL-15/16	15/16	Boston	VPS-115M	V
XL-3/4	3/4	Boston	VPS-112M	=
XL-5/8	5/8	Boston	VPS-110M	=
XL-7/8	7/8	Boston	VPS-114M	=
XL2-1	1	Boston	VF2S-116M	=
XL2-1 1/4S	1 1/4	Boston	VF2S-120SM	=

## Note Code

- B - Bolt Centers or OD within 1/16
- H - Bolt Spacing Minimum within 1/4
- J - Bolt Spacing Minimum within 1/2
- L - Bolt Spacing Minimum Greater than 1/2
- M - Bolt Spacing Maximum Greater than 1/2
- V - Slot Spacing within 1/16
- Z - Bolt Spacing Maximum within 1/2
- = - Fully Interchangeable
- Black - Ball Bearings



## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
XL2-1 1/8	1 1/8	Boston	VF2S-118M	=
XL2-1 3/16	1 3/16	Boston	VF2S-119M	=
XL2-1 3/8	1 3/8	Boston	VF2S-122M	=
XL2-1 7/16	1 7/16	Boston	VF2S-123M	=
XL2-1/2	1/2	Boston	VF2S-108M	=
XL2-15/16	15/16	Boston	VF2S-115M	=
XL2-5/8	5/8	Boston	VF2S-110M	=
XL2-7/8	7/8	Boston	VF2S-114M	=
XL3-1	1	Boston	VF3S-116M	=
XL3-1 1/4S	1 1/4	Boston	VF3S-120SM	=
XL3-1 1/8	1 1/8	Boston	VF3S-118M	=
XL3-1 3/16	1 3/16	Boston	VF3S-119M	=
XL3-1 3/8	1 3/8	Boston	VF3S-122M	=
XL3-1 7/16	1 7/16	Boston	VF3S-123M	=
XL3-1/2	1/2	Boston	VF3S-108M	=
XL3-15/16	15/16	Boston	VF3S-115M	=
XL3-3/4	3/4	Boston	VF3S-112M	=
XL3-5/8	5/8	Boston	VF3S-110M	=
XL3-7/8	7/8	Boston	VF3S-114M	=
YAK-1	1	Fafnir	VPLS-216	=
YAK-1 1/2	1 1/2	Fafnir	VPLS-224	=
YAK-1 1/4	1 1/4	Fafnir	VPLS-220	=
YAK-1 1/4S	1 1/4	Fafnir	VPLS-220S	=
YAK-1 1/8	1 1/8	Fafnir	VPLS-218	=
YAK-1 11/16	1 11/16	Fafnir	VPLS-227	=
YAK-1 15/16	1 15/16	Fafnir	VPLS-231	=
YAK-1 3/16	1 3/16	Fafnir	VPLS-219	=
YAK-1 3/4	1 3/4	Fafnir	VPLS-228	=
YAK-1 3/8	1 3/8	Fafnir	VPLS-222	=
YAK-1 5/8	1 5/8	Fafnir	VPLS-226	=
YAK-1 7/16	1 7/16	Fafnir	VPLS-223	=
YAK-1/2	1/2	Fafnir	VPLS-208	=
YAK-15/16	15/16	Fafnir	VPLS-215	=
YAK-2	2	Fafnir	VPLS-232	=
YAK-2 1/4	2 1/4	Fafnir	VPLS-236	=
YAK-2 11/16	2 11/16	Fafnir	VPLS-243	=
YAK-2 15/16	2 15/16	Fafnir	VPS-247	=
YAK-2 3/16	2 3/16	Fafnir	VPLS-235	=
YAK-2 7/16	2 7/16	Fafnir	VPLS-239	=
YAK-2S	2	Fafnir	VPLS-232S	=
YAK-3/4	3/4	Fafnir	VPLS-212	=
YAK-5/8	5/8	Fafnir	VPLS-210	=
YAK-7/8	7/8	Fafnir	VPLS-214	=
YAS-1	1	Fafnir	VPS-216	=
YAS-1 1/2	1 1/2	Fafnir	VPLS-224	=
YAS-1 1/4	1 1/4	Fafnir	VPS-220	=
YAS-1 1/4S	1 1/4	Fafnir	VPS-220S	=
YAS-1 1/8	1 1/8	Fafnir	VPS-218	=
YAS-1 11/16	1 11/16	Fafnir	VPS-227	=
YAS-1 15/16	1 15/16	Fafnir	VPS-231	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
YAS-1 3/16	1 3/16	Fafnir	VPS-219	=
YAS-1 3/4	1 3/4	Fafnir	VPS-228	=
YAS-1 3/8	1 3/8	Fafnir	VPS-222	=
YAS-1 5/8	1 5/8	Fafnir	VPS-226	=
YAS-1 7/16	1 7/16	Fafnir	VPS-223	=
YAS-1/2	1/2	Fafnir	VPS-208	=
YAS-15/16	15/16	Fafnir	VPS-215	=
YAS-2	2	Fafnir	VPS-232	=
YAS-2 1/4	2 1/4	Fafnir	VPS-236	=
YAS-2 15/16	2 15/16	Fafnir	VPLS-247	=
YAS-2 3/16	2 3/16	Fafnir	VPS-235	=
YAS-2 7/16	2 7/16	Fafnir	VPS-239	=
YAS-2S	2	Fafnir	VPS-232S	=
YAS-3/4	3/4	Fafnir	VPS-212	=
YAS-5/8	5/8	Fafnir	VPS-210	=
YAS-7/8	7/8	Fafnir	VPS-214	=
YCJ-1	1	Fafnir	VF4S-216	=
YCJ-1 1/2	1 1/2	Fafnir	VF4S-224	=
YCJ-1 1/4	1 1/4	Fafnir	VF4S-220	=
YCJ-1 1/4S	1 1/4	Fafnir	VF4S-220S	=
YCJ-1 1/8	1 1/8	Fafnir	VF4S-218	=
YCJ-1 11/16	1 11/16	Fafnir	VF4S-227	=
YCJ-1 15/16	1 15/16	Fafnir	VF4S-231	=
YCJ-1 3/16	1 3/16	Fafnir	VF4S-219	=
YCJ-1 3/4	1 3/4	Fafnir	VF4S-228	=
YCJ-1 3/8	1 3/8	Fafnir	VF4S-222	=
YCJ-1 5/8	1 5/8	Fafnir	VF4S-226	=
YCJ-1 7/16	1 7/16	Fafnir	VF4S-223	=
YCJ-1/2	1/2	Fafnir	VF4S-208	=
YCJ-15/16	15/16	Fafnir	VF4S-215	=
YCJ-2	2	Fafnir	VF4S-232	=
YCJ-2 1/4	2 1/4	Fafnir	VF4S-236	=
YCJ-2 11/16	2 11/16	Fafnir	VF4S-243	=
YCJ-2 15/16	2 15/16	Fafnir	VF4S-247	=
YCJ-2 3/16	2 3/16	Fafnir	VF4S-235	=
YCJ-2 7/16	2 7/16	Fafnir	VF4S-239	=
YCJ-2S	2	Fafnir	VF4S-232S	=
YCJ-3/4	3/4	Fafnir	VF4S-212	=
YCJ-5/8	5/8	Fafnir	VF4S-210	=
YCJ-7/8	7/8	Fafnir	VF4S-214	=
YCJM 1	1	Fafnir	VF4S-316	=
YCJM 1 1/2	1 1/2	Fafnir	VF4S-324	=
YCJM 1 11/16	1 11/16	Fafnir	VF4S-327	=
YCJM 1 15/16	1 15/16	Fafnir	VF4S-331	=
YCJM 1 3/16	1 3/16	Fafnir	VF4S-319	=
YCJM 1 3/4	1 3/4	Fafnir	VF4S-328	=
YCJM 1 7/16	1 7/16	Fafnir	VF4S-323	=
YCJM 2	2	Fafnir	VF4S-332	=
YCJM 2 1/2	2 1/2	Fafnir	VF4S-340	=
YCJM 2 1/4	2 1/4	Fafnir	VF4S-336	=

### Note Code

= - Fully Interchangeable      Black - Ball Bearings

## Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
YCJM 2 11/16	2 11/16	Fafnir	VF4S-343	=
YCJM 2 15/16	2 15/16	Fafnir	VF4S-347	=
YCJM 2 3/16	2 3/16	Fafnir	VF4S-335	=
YCJM 2 7/16	2 7/16	Fafnir	VF4S-339	=
YCJM 3	3	Fafnir	VF4S-348	=
YCJT-1	1	Fafnir	VF2S-216	=
YCJT-1 1/2	1 1/2	Fafnir	VF2S-224	=
YCJT-1 1/4	1 1/4	Fafnir	VF2S-220	=
YCJT-1 1/4S	1 1/4	Fafnir	VF2S-220S	=
YCJT-1 1/8	1 1/8	Fafnir	VF2S-218	=
YCJT-1 11/16	1 11/16	Fafnir	VF2S-227	=
YCJT-1 15/16	1 15/16	Fafnir	VF2S-231	=
YCJT-1 3/16	1 3/16	Fafnir	VF2S-219	=
YCJT-1 3/4	1 3/4	Fafnir	VF2S-228	=
YCJT-1 3/8	1 3/8	Fafnir	VF2S-222	=
YCJT-1 5/8	1 5/8	Fafnir	VF2S-226	=
YCJT-1 7/16	1 7/16	Fafnir	VF2S-223	=
YCJT-1/2	1/2	Fafnir	VF2S-208	=
YCJT-15/16	15/16	Fafnir	VF2S-215	=
YCJT-2	2	Fafnir	VF2S-232	=
YCJT-2 3/16	2 3/16	Fafnir	VF2S-235	=
YCJT-2S	2	Fafnir	VF2S-232S	=
YCJT-3/4	3/4	Fafnir	VF2S-212	=
YCJT-5/8	5/8	Fafnir	VF2S-210	=
YCJT-7/8	7/8	Fafnir	VF2S-214	=
YCJTM 1	1	Fafnir	VF2S-316	=
YCJTM 1 1/2	1 1/2	Fafnir	VF2S-324	=
YCJTM 1 11/16	1 11/16	Fafnir	VF2S-327	=
YCJTM 1 15/16	1 15/16	Fafnir	VF2S-331	=
YCJTM 1 3/16	1 3/16	Fafnir	VF2S-319	=
YCJTM 1 3/4	1 3/4	Fafnir	VF2S-328	=
YCJTM 1 7/16	1 7/16	Fafnir	VF2S-323	=
YCJTM 2	2	Fafnir	VF2S-332	=
YTU 1	1	Fafnir	VTWS-216	=
YTU 1 1/2	1 1/2	Fafnir	VTWS-224	=
YTU 1 1/4	1 1/4	Fafnir	VTWS-220	=
YTU 1 1/8	1 1/8	Fafnir	VTWS-218	=
YTU 1 11/16	1 11/16	Fafnir	VTWS-227	=
YTU 1 15/16	1 15/16	Fafnir	VTWS-231	=
YTU 1 3/16	1 3/16	Fafnir	VTWS-219	=
YTU 1 3/4	1 3/4	Fafnir	VTWS-228	=
YTU 1 3/8	1 3/8	Fafnir	VTWS-222	=
YTU 1 5/8	1 5/8	Fafnir	VTWS-226	=
YTU 1 7/16	1 7/16	Fafnir	VTWS-223	=
YTU 15/16	15/16	Fafnir	VTWS-215	=
YTU 2	2	Fafnir	VTWS-232	=
YTU 2 3/16	2 3/16	Fafnir	VTWS-235	=
YTU 2 7/16	2 7/16	Fafnir	VTWS-239	=
YTU 3/4	3/4	Fafnir	VTWS-212	=
YTU 7/8	7/8	Fafnir	VTWS-214	=

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ZA-2211	2 11/16"	Rexnord	SPB-1000NE-2 11/16	G,X
ZA-2212	2 3/4"	Rexnord	SPB-1000NE-2 3/4	G,X
ZA-2215	2 15/16"	Rexnord	SPB-1000NE-2 15/16	G,X
ZA-2300	3"	Rexnord	SPB-1000NE-3	G,X
ZA-2311-F	3 11/16"	Rexnord	SPB-1000FNE-3 11/16	J
ZA-2315-F	3 15/16"	Rexnord	SPB-1000FNE-3 15/16	J
	3 15/16"	Rexnord	PBE-920F-3 15/16	G,X,1,2
ZA-2400-F	4"	Rexnord	SPB-1000FNE-4	J
	4"	Rexnord	PBE-920F-4	G,X,1,2
ZAS-2211	2 11/16"	Rexnord	SPB-1000NE-2 11/16	G,X
ZAS-2212	2 3/4"	Rexnord	SPB-1000NE-2 3/4	G,X
ZAS-2215	2 15/16"	Rexnord	SPB-1000NE-2 15/16	G,X
ZAS-2300	3"	Rexnord	SPB-1000NE-3	G,X
ZAS-2311-F	3 11/16"	Rexnord	SPB-1000FNE-3 11/16	J
ZAS-2315-F	3 15/16"	Rexnord	SPB-1000FNE-3 15/16	J
	3 15/16"	Rexnord	PBE-920F-3 15/16	G,X,1,2
ZAS-2400-F	4"	Rexnord	SPB-1000FNE-4	J
	4"	Rexnord	PBE-920F-4	G,X,1,2
ZB-2102	1 1/8"	Rexnord	SFB-1000NE3-1 1/8	=
ZB-2103	1 3/16"	Rexnord	SFB-1000NE3-1 3/16	=
ZB-2104	1 1/4"	Rexnord	SFB-1000NE3-1 1/4	=
ZB-2107	1 7/16"	Rexnord	SFB-1000NE3-1 7/16	=
ZB-2108	1 1/2"	Rexnord	SFB-1000NE3-1 1/2	=
ZB-2111	1 11/16"	Rexnord	SFB-1000NE-1 11/16	=
ZB-2112	1 3/4"	Rexnord	SFB-1000NE-1 3/4	=
ZB-2115	1 15/16"	Rexnord	SFB-1000NE-1 15/16	=
ZB-2200	2"	Rexnord	SFB-1000NE-2	=
ZB-2203	2 3/16"	Rexnord	SFB-1000NE-2 3/16	=
ZB-2207	2 7/16"	Rexnord	SFB-1000NE-2 7/16	=
ZB-2208	2 1/2"	Rexnord	SFB-1000NE-2 1/2	=
ZB-2211	2 11/16"	Rexnord	SFB-1000NE-2 11/16	=
ZB-2212	2 3/4"	Rexnord	SFB-1000NE-2 3/4	=
ZB-2215	2 15/16"	Rexnord	SFB-1000NE-2 15/16	=
ZB-2300	3"	Rexnord	SFB-1000NE-3	=
ZB-2303	3 3/16"	Rexnord	SFB-1000NE-3 3/16	=
ZB-2307	3 7/16"	Rexnord	SFB-1000NE-3 7/16	=
ZB-2308	3 1/2"	Rexnord	SFB-1000NE-3 1/2	=
ZB-2311	3 11/16"	Rexnord	SFB-1000NE-3 11/16	=
ZB-2315	3 15/16"	Rexnord	SFB-1000NE-3 15/16	=
ZB-2400	4"	Rexnord	SFB-1000NE-4	=
ZBR-2100	1"	Rexnord	FC-900-1	1
ZBR-2103	1 3/16"	Rexnord	FC-900-1 3/16	1,2
ZBR-2104	1 1/4"	Rexnord	FC-900-1 1/4	1,2
ZBR-2107	1 7/16"	Rexnord	SFC-1000NE-1 7/16	=
	1 7/16"	Rexnord	FC-900-1 7/16	1,2
ZBR-2108	1 1/2"	Rexnord	SFC-1000NE-1 1/2	=
	1 1/2"	Rexnord	FC-900-1 1/2	1,2
ZBR-2111	1 11/16"	Rexnord	SFC-1000NE-1 11/16	=
	1 11/16"	Rexnord	FC-900-1 11/16	K,1,2

### Note Code

G - Bolt Spacing Minimum within 1/8  
 J - Bolt Spacing Minimum within 1/2  
 K - Pilot within 1/64  
 X - Bolt Spacing Maximum within 1/8

= - Fully Interchangeable  
 1 - Different Locking Devices  
 2 - Different Rolling Elements

Black - Ball Bearings  
 Red - Roller Bearings



# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ZBR-2112	1 3/4"	Rexnord	SFC-1000NE-1 3/4	=
	1 3/4"	Rexnord	FC-900-1 3/4	K,1,2
ZBR-2115	1 15/16"	Rexnord	SFC-1000NE-1 15/16	=
	1 15/16"	Rexnord	SFC-1100NE-1 15/16	4
	1 15/16"	Rexnord	FC-900-1 15/16	1,2
ZBR-2200	2"	Rexnord	SFC-1000NE-2	=
	2"	Rexnord	SFC-1100NE-2	4
	2"	Rexnord	FC-900-2	1,2
ZBR-2203	2 3/16"	Rexnord	SFC-1000NE-2 3/16	=
	2 3/16"	Rexnord	SFC-1100NE-2 3/16	4
	2 3/16"	Rexnord	FC-900-2 3/16	1,2
ZBR-2207	2 7/16"	Rexnord	SFC-1000NE-2 7/16	=
	2 7/16"	Rexnord	SFC-1100NE-2 7/16	4
	2 7/16"	Rexnord	FC-900-2 7/16	1,2
ZBR-2208	2 1/2"	Rexnord	SFC-1000NE-2 1/2	=
	2 1/2"	Rexnord	SFC-1100NE-2 1/2	4
	2 1/2"	Rexnord	FC-900-2 1/2	1,2
ZBR-2211	2 11/16"	Rexnord	SFC-1000NE-2 11/16	=
	2 11/16"	Rexnord	SFC-1100NE-2 11/16	4
	2 11/16"	Rexnord	FC-900-2 11/16	1,2
ZBR-2212	2 3/4"	Rexnord	SFC-1000NE-2 3/4	=
	2 3/4"	Rexnord	SFC-1100NE-2 3/4	4
	2 3/4"	Rexnord	FC-900-2 3/4	1,2
ZBR-2215	2 15/16"	Rexnord	SFC-1000NE-2 15/16	=
	2 15/16"	Rexnord	SFC-1100NE-2 15/16	4
	2 15/16"	Rexnord	FC-900-2 15/16	1,2
ZBR-2300	3"	Rexnord	SFC-1000NE-3	=
	3"	Rexnord	SFC-1100NE-3	4
	3"	Rexnord	FC-900-3	1,2
ZBR-2303	3 3/16"	Rexnord	SFC-1000NE-3 3/16	=
	3 3/16"	Rexnord	SFC-1100NE-3 3/16	4
ZBR-2307	3 7/16"	Rexnord	SFC-1000NE-3 7/16	=
	3 7/16"	Rexnord	SFC-1100NE-3 7/16	4
	3 7/16"	Rexnord	FC-900-3 7/16	1,2
ZBR-2308	3 1/2"	Rexnord	SFC-1000NE-3 1/2	=
	3 1/2"	Rexnord	SFC-1100NE-3 1/2	4
	3 1/2"	Rexnord	FC-900-3 1/2	1,2
ZBR-2311	3 11/16"	Rexnord	SFC-1000NE-3 11/16	=
ZBR-2315	3 15/16"	Rexnord	SFC-1000NE-3 15/16	=
ZBR-2400	4"	Rexnord	SFC-1000NE-4	=
ZBR-5107	1 7/16"	Rexnord	SFC-1000NE-1 7/16	1
	1 7/16"	Rexnord	FC-900-1 7/16	1,2
ZBR-5111	1 11/16"	Rexnord	SFC-1000NE-1 11/16	1
	1 11/16"	Rexnord	FC-900-1 11/16	K,1,2
ZBR-5115	1 15/16"	Rexnord	SFC-1000NE-1 15/16	1
	1 15/16"	Rexnord	SFC-1100NE-1 15/16	1,4
	1 15/16"	Rexnord	FC-900-1 15/16	1,2
ZBR-5203	2 3/16"	Rexnord	SFC-1000NE-2 3/16	1
	2 3/16"	Rexnord	SFC-1100NE-2 3/16	1,4
	2 3/16"	Rexnord	FC-900-2 3/16	1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ZBR-5207	2 7/16"	Rexnord	SFC-1000NE-2 7/16	1
	2 7/16"	Rexnord	SFC-1100NE-2 7/16	1,4
	2 7/16"	Rexnord	FC-900-2 7/16	1,2
ZBR-5211	2 11/16"	Rexnord	SFC-1000NE-2 11/16	1
	2 11/16"	Rexnord	SFC-1100NE-2 11/16	1,4
	2 11/16"	Rexnord	FC-900-2 11/16	1,2
ZBR-5215	2 15/16"	Rexnord	SFC-1000NE-2 15/16	1
	2 15/16"	Rexnord	SFC-1100NE-2 15/16	1,4
	2 15/16"	Rexnord	FC-900-2 15/16	1,2
ZBR-5303	3 3/16"	Rexnord	SFC-1000NE-3 3/16	1
	3 3/16"	Rexnord	SFC-1100NE-3 3/16	1,4
ZBR-5307	3 7/16"	Rexnord	SFC-1000NE-3 7/16	1
	3 7/16"	Rexnord	SFC-1100NE-3 7/16	1,4
	3 7/16"	Rexnord	FC-900-3 7/16	1,2
ZBR-5311	3 11/16"	Rexnord	SFC-1000NE-3 11/16	1
ZBR-5315	3 15/16"	Rexnord	SFC-1000NE-3 15/16	1
ZBR-5400	4"	Rexnord	SFC-1000NE-4	1
ZEF-2107	1 7/16"	Rexnord	SFB-1000NE-1 7/16	=
	1 7/16"	Rexnord	FB-900-1 7/16	1,2
	1 7/16"	Rexnord	FBE-920-1 7/16	1,2
ZEF-2108	1 1/2"	Rexnord	FBE-920-1 1/2	1,2
	1 11/16"	Rexnord	FB-900-1 11/16	1,2
ZEF-2111	1 11/16"	Rexnord	FBE-920-1 11/16	1,2
	1 3/4"	Rexnord	FBE-920-1 3/4	1,2
ZEF-2112	1 15/16"	Rexnord	SFB-1100NE-1 15/16	4
	1 15/16"	Rexnord	FB-900-1 15/16	1,2
ZEF-2115	1 15/16"	Rexnord	FBE-920-1 15/16	1,2
	2"	Rexnord	SFB-1100NE-2	4
ZEF-2200	2"	Rexnord	FB-900-2	1,2
	2"	Rexnord	FBE-920-2	1,2
ZEF-2203	2 3/16"	Rexnord	SFB-1100NE-2 3/16	4
	2 3/16"	Rexnord	FB-900-2 3/16	1,2
	2 3/16"	Rexnord	FBE-920-2 3/16	1,2
ZEF-2207	2 7/16"	Rexnord	SFB-1100NE-2 7/16	4
	2 7/16"	Rexnord	FB-900-2 7/16	1,2
	2 7/16"	Rexnord	FBE-920-2 7/16	1,2
ZEF-2208	2 1/2"	Rexnord	SFB-1100NE-2 1/2	4
	2 1/2"	Rexnord	FB-900-2 1/2	1,2
	2 1/2"	Rexnord	FBE-920-2 1/2	1,2
ZEF-2211	2 11/16"	Rexnord	SFB-1100NE-2 11/16	4
	2 11/16"	Rexnord	FB-900-2 11/16	1,2
	2 11/16"	Rexnord	FBE-920-2 11/16	1,2
ZEF-2212	2 3/4"	Rexnord	SFB-1100NE-2 3/4	4
	2 3/4"	Rexnord	FB-900-2 3/4	1,2
	2 3/4"	Rexnord	FBE-920-2 3/4	1,2
ZEF-2215	2 15/16"	Rexnord	SFB-1100NE-2 15/16	4
	2 15/16"	Rexnord	FB-900-2 15/16	1,2
	2 15/16"	Rexnord	FBE-920-2 15/16	1,2
ZEF-2300	3"	Rexnord	SFB-1100NE-3	4
	3"	Rexnord	FBE-920-3	1,2

## Note Code

K - Pilot within 1/64

- = - Fully Interchangeable
- 1 - Different Locking Devices
- 2 - Different Rolling Elements
- 4 - Different Housing Materials

Red - Roller Bearings

# Alpha-Numeric Ball & Roller Interchange by Part Description or Part Number

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ZEF-2303	3 3/16"	Rexnord	SFB-1100NE-3 3/16	4
	3 3/16"	Rexnord	FBE-920-3 3/16	1,2
ZEF-2307	3 7/16"	Rexnord	SFB-1100NE-3 7/16	4
	3 7/16"	Rexnord	FB-900-3 7/16	1,2
	3 7/16"	Rexnord	FBE-920-3 7/16	1,2
ZEF-2308	3 1/2"	Rexnord	SFB-1100NE-3 1/2	4
	3 1/2"	Rexnord	FB-900-3 1/2	1,2
	3 1/2"	Rexnord	FBE-920-3 1/2	1,2
ZEF-2315	3 15/16"	Rexnord	FB-900-3 15/16	1,2
	3 15/16"	Rexnord	FBE-920-3 15/16	1,2
ZEF-2400	4"	Rexnord	FB-900-4	1,2
	4"	Rexnord	FBE-920-4	1,2
ZEP-2103	1 3/16"	Rexnord	PBE-920-1 3/16	G,1,2
ZEP-2104	1 1/4"	Rexnord	PBE-920-1 1/4	G,1,2
ZEP-2107	1 7/16"	Rexnord	SPB-1000NE-1 7/16	M
	1 7/16"	Rexnord	PBE-920-1 7/16	J,1,2
	1 7/16"	Rexnord	PB-900-1 7/16	G,X,1,2
ZEP-2108	1 1/2"	Rexnord	PBE-920-1 1/2	J,1,2
ZEP-2111	1 11/16"	Rexnord	SPB-1000NE-1 11/16	G,M
	1 11/16"	Rexnord	PBE-920-1 11/16	J,1,2
	1 11/16"	Rexnord	PB-900-1 11/16	X,1,2
ZEP-2112	1 3/4"	Rexnord	PBE-920-1 3/4	H,1,2
ZEP-2115	1 15/16"	Rexnord	SPB-1100NE-1 15/16	X,4
	1 15/16"	Rexnord	SPB-1000NE-1 15/16	G,M
	1 15/16"	Rexnord	PBE-920-1 15/16	H,1,2
	1 15/16"	Rexnord	PB-900-1 15/16	X,1,2
ZEP-2200	2"	Rexnord	SPB-1100NE-2	X,4
	2"	Rexnord	SPB-1000NE-2	G,M
	2"	Rexnord	PBE-920-2	H,1,2
	2"	Rexnord	PB-900-2	X,1,2
ZEP-2204	2 1/4"	Rexnord	PBE-920-2 1/4	H,1,2
	2 1/4"	Rexnord	PB-900-2 1/4	X,1,2
ZEP-2207	2 7/16"	Rexnord	SPB-1100NE-2 7/16	X,4
	2 7/16"	Rexnord	PBE-920-2 7/16	H,1,2
	2 7/16"	Rexnord	PB-900-2 7/16	X,1,2
ZEP-2208	2 1/2"	Rexnord	SPB-1100NE-2 1/2	X,4
	2 1/2"	Rexnord	PBE-920-2 1/2	H,1,2
	2 1/2"	Rexnord	PB-900-2 1/2	X,1,2
ZEP-2211	2 11/16"	Rexnord	PBE-920-2 11/16	L,1,2
	2 11/16"	Rexnord	SPB-1100NE-2 11/16	G,X,4
	2 11/16"	Rexnord	PB-900-2 11/16	G,X,1,2
ZEP-2212	2 3/4"	Rexnord	PBE-920-2 3/4	L,1,2
	2 3/4"	Rexnord	SPB-1100NE-2 3/4	G,X,4
	2 3/4"	Rexnord	PB-900-2 3/4	G,X,1,2
ZEP-2215	2 15/16"	Rexnord	PBE-920-2 15/16	L,1,2
	2 15/16"	Rexnord	SPB-1100NE-2 15/16	G,X,4
	2 15/16"	Rexnord	PB-900-2 15/16	G,X,1,2
ZEP-2300	3"	Rexnord	PBE-920-3	L,1,2
	3"	Rexnord	SPB-1100NE-3	G,X,4
ZEP-2303	3 3/16"	Rexnord	SPB-1000NE-3 3/16"	M
	3 3/16"	Rexnord	SPB-1100NE-3 3/16	G,X,4
	3 3/16"	Rexnord	PBE-920-3 3/16	J,Y,1,2

Part Description	Size	Manufacturer	Browning Part Description	Note Code
ZEP-2303-F	3 3/16"	Rexnord	PBE-920F-3 3/16	L,2
ZEP-2307-F	3 7/16"	Rexnord	PBE-920F-3 7/16	L,2
ZEP-2308	3 1/2"	Rexnord	SPB-1000NE-3 1/2	M
	3 1/2"	Rexnord	SPB-1100NE-3 1/2	G,X,4
	3 1/2"	Rexnord	PB-900-3 1/2	G,X,1,2
	3 1/2"	Rexnord	PBE-920-3 1/2	J,Y,1,2
ZEP-2308-F	3 1/2"	Rexnord	PBE-920F-3 1/2	L,2
ZEP-2311-F	3 11/16"	Rexnord	SPB-1000FNE-3 11/16	L,1
ZEP-2315-F	3 15/16"	Rexnord	SPB-1000FNE-3 15/16	L,1
ZEP-2400-F	4"	Rexnord	SPB-1000FNE-4	L,1
ZEP2307	3 7/16"	Rexnord	SPB-1000NE-3 7/16	M
	3 7/16"	Rexnord	SPB-1100NE-3 7/16	G,X,4
	3 7/16"	Rexnord	PB-900-3 7/16	G,X,1,2
	3 7/16"	Rexnord	PBE-920-3 7/16	J,Y,1,2
ZF-5111	1 11/16"	Rexnord	SFB-1000NE-1 11/16	1
ZF-5115	1 15/16"	Rexnord	SFB-1000NE-1 15/16	1
ZF-5203	2 3/16"	Rexnord	SFB-1000NE-2 3/16	1
ZF-5208	2 1/2"	Rexnord	FB-970NE-2 1/2	2,3,4
	2 1/2"	Rexnord	FB-950NE-2 1/2	1,2,3,4
ZF-5211	2 11/16"	Rexnord	FBE-920-2 11/16	2
	2 11/16"	Rexnord	SFB-1100NE-2 11/16	1,4
	2 11/16"	Rexnord	FB-900-2 11/16	1,2
ZF-5215	2 15/16"	Rexnord	FBE-920-2 15/16	2
	2 15/16"	Rexnord	SFB-1100NE-2 15/16	1,4
	2 15/16"	Rexnord	FB-900-2 15/16	1,2
ZF-5303	3 3/16"	Rexnord	SFB-1000NE-3 3/16	1
ZF-5307	3 7/16"	Rexnord	SFB-1000NE-3 7/16	1
ZFS-5111	1 11/16"	Rexnord	SFB-1000E-1 11/16	1
ZFS-5115	1 15/16"	Rexnord	SFB-1000E-1 15/16	1
ZFS-5203	2 3/16"	Rexnord	SFB-1000E-2 3/16	1
ZFS-5208	2 1/2"	Rexnord	FB-970E-2 1/2	2,3,4
	2 1/2"	Rexnord	FB-950E-2 1/2	1,2,3,4
ZFS-5211	2 11/16"	Rexnord	SFB-1100E-2 11/16	1,4
ZFS-5215	2 15/16"	Rexnord	SFB-1100E-2 15/16	1,4
ZFS-5303	3 3/16"	Rexnord	SFB-1000E-3 3/16	1
ZFS-5307	3 7/16"	Rexnord	SFB-1000E-3 7/16	1
ZT11-2307	3 7/16"	Rexnord	TUE-920-3 7/16	1,2
ZT11-2315	3 15/16"	Rexnord	TUE-920-3 15/16	1,2
ZT4-2107	1 7/16"	Rexnord	TUE-920-1 7/16	1,2
ZT5-2111	1 11/16"	Rexnord	TUE-920-1 11/16	1,2
ZT5-2112	1 3/4"	Rexnord	TUE-920-1 3/4	1,2
ZT6-2115	1 15/16"	Rexnord	TUE-920-1 15/16	1,2
ZT6-2200	2"	Rexnord	TUE-920-2	1,2
ZT7-2203	2 3/16"	Rexnord	TUE-920-2 3/16	1,2
ZT8-2207	2 7/16"	Rexnord	TUE-920-2 7/16	1,2
ZT8-2208	2 1/2"	Rexnord	TUE-920-2 1/2	1,2
ZT9-2211	2 11/16"	Rexnord	TUE-920-2 11/16	1,2
ZT9-2212	2 3/4"	Rexnord	TUE-920-2 3/4	1,2
ZT9-2215	2 15/16"	Rexnord	TUE-920-2 15/16	1,2

## Note Code

- |   |                                  |                       |
|---|----------------------------------|-----------------------|
| G - Bolt Spacing Minimum within 1/8       | 1 - Different Locking Devices    | Red - Roller Bearings |
| H - Bolt Spacing Minimum within 1/4       | 2 - Different Rolling Elements   |                       |
| J - Bolt Spacing Minimum within 1/2       | 3 - Only One Has a Split Housing |                       |
| L - Bolt Spacing Minimum Greater than 1/2 | 4 - Different Housing Materials  |                       |
| M - Bolt Spacing Maximum Greater than 1/2 |                                  |                       |
| X - Bolt Spacing Maximum within 1/8       |                                  |                       |
| Y - Bolt Spacing Maximum within 1/4       |                                  |                       |